

JACKEL™

Trusted Since 1972

PRODUCT CATALOG - 2025



Structural Foam Sump Basin | 17" ID x 17-1/2" H

Model: SF15



APPLICATION

For use in crawl space sump systems and utility pump systems.

FEATURES

- Ready for quick and easy installation
- Basin is molded as one single piece making it exceptionally strong and durable
- Non-corrosive, nylon encapsulated threaded inserts for attaching cover
- Made in the USA



SPECIFICATIONS

CAPACITY	15 US GALLON
OUTER DIAMETER	19 IN.
INNER DIAMETER	17 IN.
BOLT CIRCLE	18 IN.
HEIGHT	17-1/2 IN.
WEIGHT	8 LBS.
BASIN MATERIAL	HDPE STRUCTURAL FOAM
INSERT MATERIAL	NYLON ENCAPSULATED

Drilled Structural Foam Sump Basin | 17" ID x 17-1/2" H

Model: SF15-DR



APPLICATION

For use in crawl space sump systems and utility pump systems.

FEATURES

- Ready for quick and easy installation
- Basin is molded as one single piece making it exceptionally strong and durable
- Non-corrosive, nylon encapsulated threaded inserts for attaching cover
- Made in the USA




SPECIFICATIONS

CAPACITY	15 US GALLON
OUTER DIAMETER	19 IN.
INNER DIAMETER	17 IN.
BOLT CIRCLE	18 IN.
HEIGHT	17-1/2 IN.
WEIGHT	8 LBS.
BASIN MATERIAL	HDPE STRUCTURAL FOAM
INSERT MATERIAL	NYLON ENCAPSULATED

Structural Foam Sump Basin Cover | 18-1/2" OD

Model: SF1850B



APPLICATION

For use with model SF15 sump basin in crawl space sump systems and utility pump systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Roll of sealing tape
- Stainless steel bolts and washers
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	18-1/2 IN.
INNER DIAMETER	16-3/4 IN.
BOLT CIRCLE	18 IN.
THICKNESS	1/2 IN.
WEIGHT	3 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	TAPE
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump Basin Cover | 18-1/2" OD

Model: SF1850B-DR



APPLICATION

For use with model SF15 sump basin in crawl space sump systems and utility pump systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Roll of sealing tape
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	18-1/2 IN.
INNER DIAMETER	16-3/4 IN.
BOLT CIRCLE	18 IN.
THICKNESS	1/2 IN.
WEIGHT	3 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	TAPE
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump Basin Cover | 18-1/2" OD

Model: SF1850E



APPLICATION

For use with model SF15 sump basin in crawl space sump systems and utility pump systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Discharge and vent flanges included along with cord grommet
- Roll of sealing tape
- Stainless steel bolts and washers
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	18-1/2 IN.
INNER DIAMETER	16-3/4 IN.
BOLT CIRCLE	18 IN.
THICKNESS	1/2 IN.
WEIGHT	3 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
FLANGE MATERIAL	PVC
GROMMET MATERIAL	PVC
SEAL MATERIAL	TAPE
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump Basin Cover | 18-1/2" OD

Model: SF1850S



APPLICATION

For use with model SF15 sump basin in crawl space sump systems and utility pump systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Roll of sealing tape
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	18-1/2 IN.
INNER DIAMETER	16-3/4 IN.
BOLT CIRCLE	18 IN.
THICKNESS	1/2 IN.
WEIGHT	3 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	TAPE
BOLTS & WASHERS	STAINLESS STEEL

Telescopic Structural Foam Sump Basin | 18" ID x 17-1/2" H

Model: TSF16-DR



APPLICATION

Designed for crawl spaces and limited space installations.

FEATURES

- Ready for quick and easy installation
- Telescopes from 9-3/4" to 17-1/2" and locks into place
- Non-corrosive metal threaded inserts for attaching cover
- Made in the USA



SPECIFICATIONS

CAPACITY	16 US GALLON
OUTER DIAMETER	21 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
HEIGHT	17-1/2 IN.
WEIGHT	8 LBS.
BASIN MATERIAL	HDPE STRUCTURAL FOAM
INSERT MATERIAL	METAL

PATENTS PENDING

Structural Foam Sump Basin | 18" ID x 22" H

Model: SF20



APPLICATION

For use in residential basement sump systems.

FEATURES

- Ready for quick and easy installation
- Basin is molded as one single piece making it exceptionally strong and durable
- Non-corrosive metal threaded inserts for attaching cover
- Made in the USA



SPECIFICATIONS

CAPACITY	20 US GALLON
OUTER DIAMETER	21 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
HEIGHT	22 IN.
WEIGHT	12 LBS.
BASIN MATERIAL	HDPE STRUCTURAL FOAM
INSERT MATERIAL	METAL

Drilled Structural Foam Sump Basin | 18" ID x 22" H

Model: SF20-DR



APPLICATION

For use in residential basement sump systems.

FEATURES

- Ready for quick and easy installation
- Basin is molded as one single piece making it exceptionally strong and durable
- Non-corrosive metal threaded inserts for attaching cover
- Made in the USA



SPECIFICATIONS

CAPACITY	20 US GALLON
OUTER DIAMETER	21 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
HEIGHT	22 IN.
WEIGHT	12 LBS.
BASIN MATERIAL	HDPE STRUCTURAL FOAM
INSERT MATERIAL	METAL

Structural Foam Sump Basin | 18" ID x 24" H

Model: SF22A



APPLICATION

For use in residential basement sump systems.

FEATURES

- Ready for quick and easy installation
- Basin is molded as one single piece making it exceptionally strong and durable
- Non-corrosive, nylon encapsulated threaded inserts for attaching cover
- Made in the USA



SPECIFICATIONS

CAPACITY	22 US GALLON
OUTER DIAMETER	21 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
HEIGHT	24 IN.
WEIGHT	14 LBS.
BASIN MATERIAL	HDPE STRUCTURAL FOAM
INSERT MATERIAL	NYLON ENCAPSULATED

Drilled Structural Foam Sump Basin | 18" ID x 24" H

Model: SF22A-DR



APPLICATION

For use in residential basement sump systems.

FEATURES

- Ready for quick and easy installation
- Basin is molded as one single piece making it exceptionally strong and durable
- Non-corrosive, nylon encapsulated threaded inserts for attaching cover
- Made in the USA



SPECIFICATIONS

CAPACITY	22 US GALLON
OUTER DIAMETER	21 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
HEIGHT	24 IN.
WEIGHT	14 LBS.
BASIN MATERIAL	HDPE STRUCTURAL FOAM
INSERT MATERIAL	NYLON ENCAPSULATED

Structural Foam Sump Basin Cover | 20-1/2" OD

Model: SF22B



APPLICATION

For use with models SF20 and SF22A sump basins in basement sump systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Roll of sealing tape
- Stainless steel bolts and washers
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	3 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	TAPE
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump Basin Cover | 20-1/2" OD

Model: SF22B-DR



APPLICATION

For use with models SF20 and SF22A sump basins in crawl space sump systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	3 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump Basin Cover | 20-1/2" OD

Model: SF40



APPLICATION

For use with models SF20 and SF22A sump basins in basement sump systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Roll of sealing tape
- Stainless steel bolts and washers
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	3 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	TAPE
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump Basin Cover | 20-1/2" OD

Model: SF44



APPLICATION

For use with models SF20 and SF22A sump basins in basement sump systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Discharge and vent flanges included along with cord grommet
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	4 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
FLANGE MATERIAL	PVC
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump-Sewage Basin Cover | 20-1/2" OD

Model: SF2000E



APPLICATION

For use with models SF20 and SF22A sump basins in basement sump systems and models SF30BA and SF30PR sewage basins in sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Discharge and vent flanges included along with cord grommet
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	4 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
FLANGE MATERIAL	PVC
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump Basin Cover | 20-1/2" OD

Model: SF2000E-DT



APPLICATION

For use with models SF20 and SF22A sump basins in basement sump systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Discharge and vent flanges included along with cord grommet and DrainTrap™
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	4 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
FLANGE MATERIAL	PVC
DRAIN MATERIAL	ABS
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump Basin Cover | 20-1/2" OD

Model: SF2022EC



APPLICATION

For use with models SF20 and SF22A sump basins in basement sump systems.

FEATURES

- Ready for quick and easy installation
- Split cover design allows for easier access to sump pump
- Discharge and vent flanges included along with cord grommet
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	4 LBS.
COVER MATERIAL	HDPE SF / ABS
FLANGE MATERIAL	PVC
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump-Sewage Basin Cover | 20-1/2" OD

Model: SF2022ES



APPLICATION

For use with models SF20 and SF22A sump basins in basement sump systems and models SF30BA and SF30PR sewage basins in sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Split cover design allows for easier access to sump pump
- Discharge and vent flanges included along with cord grommet
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	4 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
FLANGE MATERIAL	PVC
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump-Sewage Basin Cover | 20-1/2" OD

Model: SF16314



APPLICATION

For use with models SF20 and SF22A sump basins in basement sump systems and models SF30BA and SF30PR sewage basins in sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Discharge and vent flanges included along with access cover and cord grommet
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	5 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
ACCESS MATERIAL	HDPE STRUCTURAL FOAM
FLANGE MATERIAL	ABS
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump Basin Cover | 20-1/2" OD

Model: SF16314-CV



APPLICATION

For use with models SF20 and SF22A sump basins in basement sump systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Discharge and vent flanges included along with access cover and cord grommet
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	5 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
ACCESS MATERIAL	ACRILYC
FLANGE MATERIAL	ABS
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump Basin Cover | 20-1/2" OD

Model: SF16314-CVDT



APPLICATION

For use with models SF20 and SF22A sump basins in basement sump systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Discharge and vent flanges included along with access cover, cord grommet and DrainTrap™
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	5 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
ACCESS MATERIAL	ACRILYC
FLANGE MATERIAL	ABS
DRAIN MATERIAL	ABS
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump Basin Cover | 20-1/2" OD

Model: SF60913



APPLICATION

For use with models SF20 and SF22A sump basins in basement sump systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Roll of sealing tape
- Stainless steel bolts and washers
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	3 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	TAPE
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump Basin Cover | 20-1/2" OD

Model: SF60914-S



APPLICATION

For use with models SF20 and SF22A sump basins in basement sump systems.

FEATURES

- Ready for quick and easy installation
- Split cover design allows for easier access to sump pump
- Roll of sealing tape
- Stainless steel bolts and washers
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	3 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	TAPE
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump Basin Cover | 20-1/2" OD

Model: SF60915-P



APPLICATION

For use with models SF20 and SF22A sump basins in basement sump systems.

FEATURES

- Ready for quick and easy installation
- Split cover design allows for easier access to sump pump
- Roll of sealing tape
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	3 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	TAPE
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sewage Basin | 18" ID x 30" H

Model: SF30BA



APPLICATION

For use in residential sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Basin is molded as one single piece making it exceptionally strong and durable
- Non-corrosive metal threaded inserts for attaching cover
- Made in the USA



SPECIFICATIONS

CAPACITY	30 US GALLON
OUTER DIAMETER	20-2/3 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
HEIGHT	30 IN.
WEIGHT	17 LBS.
BASIN MATERIAL	HDPE STRUCTURAL FOAM
INSERT MATERIAL	METAL

Structural Foam Sewage Basin | 18" ID x 30" H

Model: SF30PR



APPLICATION

For use in residential sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Basin is molded as one single piece making it exceptionally strong and durable
- Non-corrosive, nylon encapsulated threaded inserts for attaching cover
- Made in the USA




SPECIFICATIONS

CAPACITY	30 US GALLON
OUTER DIAMETER	20-3/4 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
HEIGHT	30 IN.
WEIGHT	19 LBS.
BASIN MATERIAL	HDPE STRUCTURAL FOAM
INSERT MATERIAL	NYLON ENCAPSULATED

Structural Foam Sewage Basin Cover | 20-1/2" OD

Model: SF114



APPLICATION

For use with models SF30BA and SF30PR sewage basins in sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Split cover design allows for easier access to sewage pump
- Discharge and vent flanges included along with cord grommet
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	5 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
FLANGE MATERIAL	ABS
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sewage Basin Cover | 20-1/2" OD

Model: SF115



APPLICATION

For use with models SF30BA and SF30PR sewage basins in sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Split cover design allows for easier access to sewage pump
- Discharge and vent flanges included along with access cover and cord grommet
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	5 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
ACCESS MATERIAL	ABS
FLANGE MATERIAL	ABS
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sewage Basin Cover | 20-1/2" OD

Model: SF16101



APPLICATION

For use with models SF30BA and SF30PR sewage basins in sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Discharge and vent flanges included along with cord grommet
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	5 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
FLANGE MATERIAL	ABS
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sewage Basin Cover | 20-1/2" OD

Model: SF16101B



APPLICATION

For use with models SF30BA and SF30PR sewage basins in sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	4 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sewage Basin Cover | 20-1/2" OD

Model: SF16101E



APPLICATION

For use with models SF30BA and SF30PR sewage basins in sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Discharge and vent flanges included along with cord grommet
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	5 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
FLANGE MATERIAL	PVC
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sump-Sewage Basin | 24" ID x 24" H

Model: SF45



APPLICATION

For use in residential basement sump systems or sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Basin is molded as one single piece making it exceptionally strong and durable
- Non-corrosive, nylon encapsulated threaded inserts for attaching cover
- Made in the USA



SPECIFICATIONS

CAPACITY	45 US GALLON
OUTER DIAMETER	29-1/3 IN.
INNER DIAMETER	24 IN.
BOLT CIRCLE	26-1/2 IN.
HEIGHT	24 IN.
WEIGHT	20 LBS.
BASIN MATERIAL	HDPE STRUCTURAL FOAM
INSERT MATERIAL	NYLON ENCAPSULATED

Drilled Structural Foam Sump Basin | 24" ID x 24" H

Model: SF45-DR



APPLICATION

For use in residential basement sump systems.

FEATURES

- Ready for quick and easy installation
- Basin is molded as one single piece making it exceptionally strong and durable
- Non-corrosive, nylon encapsulated threaded inserts for attaching cover
- Made in the USA



SPECIFICATIONS

CAPACITY	45 US GALLON
OUTER DIAMETER	29-1/3 IN.
INNER DIAMETER	24 IN.
BOLT CIRCLE	26-1/2 IN.
HEIGHT	24 IN.
WEIGHT	20 LBS.
BASIN MATERIAL	HDPE STRUCTURAL FOAM
INSERT MATERIAL	NYLON ENCAPSULATED

Structural Foam Sewage Basin | 24" ID x 36" H

Model: SF72 (SF24x36)



APPLICATION

For use in residential sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Basin is molded as one single piece making it exceptionally strong and durable
- Non-corrosive metal threaded inserts for attaching cover
- Made in the USA



SPECIFICATIONS

CAPACITY	72 US GALLON
OUTER DIAMETER	30 IN.
INNER DIAMETER	24 IN.
BOLT CIRCLE	26-1/2 IN.
HEIGHT	36-2/3 IN.
WEIGHT	34 LBS.
BASIN MATERIAL	HDPE STRUCTURAL FOAM
INSERT MATERIAL	METAL

Structural Foam Sewage Basin Cover | 28" OD

Model: SF24B-BL



APPLICATION

For use with models SF45 and SF72 sewage basins in sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Roll of sealing tape
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	28 IN.
INNER DIAMETER	24 IN.
BOLT CIRCLE	26-1/2 IN.
THICKNESS	1 IN.
WEIGHT	10 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	TAPE
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sewage Basin Cover | 28" OD

Model: SF24B-GR



APPLICATION

For use with models SF45 and SF72 sewage basins in sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Roll of sealing tape
- Stainless steel bolts and washers
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	28 IN.
INNER DIAMETER	24 IN.
BOLT CIRCLE	26-1/2 IN.
THICKNESS	1 IN.
WEIGHT	10 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	TAPE
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Duplex Sewage Basin Cover | 28" OD

Model: SF24D



APPLICATION

For use with models SF45 and SF72 sewage basins in sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Discharge and vent flanges included along with access cover and cord grommet
- Roll of sealing tape
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	28 IN.
INNER DIAMETER	24 IN.
BOLT CIRCLE	26-1/2 IN.
THICKNESS	1 IN.
WEIGHT	10 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
ACCESS MATERIAL	ABS
FLANGE MATERIAL	ABS
GROMMET MATERIAL	PVC
SEAL MATERIAL	TAPE
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sewage Basin Cover | 28" OD

Model: SF24S



APPLICATION

For use with models SF45 and SF72 sewage basins in sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Discharge and vent flanges included along with access cover and cord grommet
- Roll of sealing tape
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	28 IN.
INNER DIAMETER	24 IN.
BOLT CIRCLE	26-1/2 IN.
THICKNESS	1 IN.
WEIGHT	10 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
ACCESS MATERIAL	ABS
FLANGE MATERIAL	ABS
GROMMET MATERIAL	PVC
SEAL MATERIAL	TAPE
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Sewage Basin | 30" ID x 36" H

Model: SF110 (SF30x36)



APPLICATION

For use in residential sewage ejector systems.

FEATURES

- Ready for quick and easy installation
- Basin is molded as one single piece making it exceptionally strong and durable
- Non-corrosive metal threaded inserts for attaching cover
- Made in the USA



SPECIFICATIONS

CAPACITY	110 US GALLON
OUTER DIAMETER	36 IN.
INNER DIAMETER	30 IN.
BOLT CIRCLE	34-1/2 IN.
HEIGHT	37 IN.
WEIGHT	48 LBS.
BASIN MATERIAL	HDPE STRUCTURAL FOAM
INSERT MATERIAL	METAL

The Original Radon Sump Dome™ | 28" OD

Model: SMR114-V



APPLICATION

For use in a passive radon mitigation system or to retro-fit an existing basement sump system.

FEATURES

- Ready for quick and easy installation
- Removable cover has a split design allowing for easier access to pump
- Riser attaches directly to basement floor to create a radon tight seal over the sump system
- Discharge and vent flanges included along with and cord grommet
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	28 IN.
INNER DIAMETER	24 IN.
BOLT CIRCLE	26-1/2 IN.
HEIGHT	4 IN.
WEIGHT	12 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
RISER MATERIAL	HDPE STRUCTURAL FOAM
FLANGE MATERIAL	ABS or PVC
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

The Original Radon Sump Dome™ | 28" OD

Model: SMR16101



APPLICATION

For use in a passive radon mitigation system or to retro-fit an existing basement sump system.

FEATURES

- Ready for quick and easy installation
- Removable cover is molded as one single piece making it exceptionally strong and durable
- Riser attaches directly to basement floor to create a radon tight seal over the sump system
- Discharge and vent flanges included along with and cord grommet
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	28 IN.
INNER DIAMETER	24 IN.
BOLT CIRCLE	26-1/2 IN.
HEIGHT	4 IN.
WEIGHT	12 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
RISER MATERIAL	HDPE STRUCTURAL FOAM
FLANGE MATERIAL	ABS or PVC
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

The Original Radon Sump Dome™ | 28" OD

Model: SMR16101-B



APPLICATION

For use in a passive radon mitigation system or to retro-fit an existing basement sump system.

FEATURES

- Ready for quick and easy installation
- Removable cover is molded as one single piece making it exceptionally strong and durable
- Riser attaches directly to basement floor to create a radon tight seal over the sump system
- Discharge and vent flanges included along with and cord grommet
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	28 IN.
INNER DIAMETER	24 IN.
BOLT CIRCLE	26-1/2 IN.
HEIGHT	4 IN.
WEIGHT	12 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
RISER MATERIAL	HDPE STRUCTURAL FOAM
FLANGE MATERIAL	ABS or PVC
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

The Original Radon Sump Dome™ | 28" OD

Model: SMR16101-CV



APPLICATION

For use in a passive radon mitigation system or to retro-fit an existing basement sump system.

FEATURES

- Ready for quick and easy installation
- Removable cover is molded as one single piece making it exceptionally strong and durable
- Riser attaches directly to basement floor to create a radon tight seal over the sump system
- Discharge and vent flanges included along with access cover and cord grommet
- Reusable seal
- Stainless steel bolts and washers
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	28 IN.
INNER DIAMETER	24 IN.
BOLT CIRCLE	26-1/2 IN.
HEIGHT	4 IN.
WEIGHT	12 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
RISER MATERIAL	HDPE STRUCTURAL FOAM
ACCESS MATERIAL	ACRYLIC
FLANGE MATERIAL	ABS or PVC
GROMMET MATERIAL	PVC
SEAL MATERIAL	PVC
BOLTS & WASHERS	STAINLESS STEEL

Sump System Check Valve | 1-1/4" x 1-1/4" or 1-1/2" x 1-1/2"

Model: DJ-545



APPLICATION

Designed to prevent the backflow of water in a sump system. Vertical installation is recommended.

FEATURES

- Fits both 1-1/4" and 1-1/2" black, galvanized or schedule 40 pipe
- Strong ABS plastic valve body
- Extremely durable flapper
- Stainless steel clamps and fasteners
- Made in the USA



SPECIFICATIONS

VALVE BODY	ABS PLASTIC
PIPE ADAPTERS	PVC PLASTIC
CLAMPS	STAINLESS STEEL
SCREWS	STAINLESS STEEL

Sump System Check Valve | 1-1/4" x 1-1/4" or 1-1/2" x 1-1/2"

Model: DJ-545C



APPLICATION

Designed to prevent the backflow of water in a sump system. Vertical installation is recommended.

FEATURES

- Fits both 1-1/4" and 1-1/2" black, galvanized or schedule 40 pipe
- Strong ABS plastic valve body
- Extremely durable flapper
- Stainless steel clamps and fasteners
- Made in the USA



SPECIFICATIONS

VALVE BODY	ABS PLASTIC
PIPE ADAPTERS	PVC PLASTIC
CLAMPS	STAINLESS STEEL
SCREWS	STAINLESS STEEL

Sump System Check Valve | 1-1/2" x 1-1/2"

Model: CUCV-1.5W



APPLICATION

Designed to prevent the backflow of water in a sump system. Vertical installation is recommended.

FEATURES

- Fits 1-1/2" black, galvanized or schedule 40 and 80 pipe
- Strong ABS plastic valve body
- Extremely durable flapper
- Compression sealed couplings
- Made in the USA



SPECIFICATIONS

VALVE BODY	ABS PLASTIC
COUPLINGS	ABS PLASTIC
PIPE ADAPTERS	PVC PLASTIC
SEALS	PVC PLASTIC

Sump System Check Valve | 1-1/2" x 1-1/2" Model: CH-150S



APPLICATION

Designed to prevent the backflow of water in a sump system. Vertical installation is recommended.

FEATURES

- Fits 1-1/2" black, galvanized or schedule 40 pipe
- Strong ABS plastic valve body
- Extremely durable flapper
- Stainless steel clamps and fasteners
- Made in the USA



SPECIFICATIONS

VALVE BODY	ABS PLASTIC
PIPE ADAPTERS	PVC PLASTIC
CLAMPS	STAINLESS STEEL
SCREWS	STAINLESS STEEL

Sump System Check Valve | 1-1/2" x 1.0" Threaded

Model: CH-150S-100MT



APPLICATION

Designed to prevent the backflow of water in a sump system. Vertical installation is recommended.

FEATURES

- Pipe adapter fits 1-1/2" black, galvanized or schedule 40 pipe
- Male threads fit 1.0" threaded pipe or sump pump discharge
- Strong ABS plastic valve body
- Extremely durable flapper
- Stainless steel clamps and fasteners
- Made in the USA



SPECIFICATIONS

VALVE BODY	ABS PLASTIC
PIPE ADAPTERS	PVC PLASTIC
CLAMPS	STAINLESS STEEL
SCREWS	STAINLESS STEEL

Sump System Check Valve | 1-1/2" x 1-1/4" or 1-1/2" Threaded Model: CH-150S-125-150MT



APPLICATION

Designed to prevent the backflow of water in a sump system. Vertical installation is recommended.

FEATURES

- Pipe adapter fits 1-1/2" black, galvanized or schedule 40 pipe
- Male threads fit 1-1/4" and 1-1/2" threaded pipe or sump pump discharge
- Strong ABS plastic valve body
- Extremely durable flapper
- Stainless steel clamps and fasteners
- Made in the USA



SPECIFICATIONS

VALVE BODY	ABS PLASTIC
PIPE ADAPTERS	PVC PLASTIC
CLAMPS	STAINLESS STEEL
SCREWS	STAINLESS STEEL

Sump System Check Valve | 1-1/2" x 1-1/4" Threaded Model: CH-150S-125MT



APPLICATION

Designed to prevent the backflow of water in a sump system. Vertical installation is recommended.

FEATURES

- Pipe adapter fits 1-1/2" black, galvanized or schedule 40 pipe
- Male threads fit 1-1/4" threaded pipe or sump pump discharge
- Strong ABS plastic valve body
- Extremely durable flapper
- Stainless steel clamps and fasteners
- Made in the USA



SPECIFICATIONS

VALVE BODY	ABS PLASTIC
PIPE ADAPTERS	PVC PLASTIC
CLAMPS	STAINLESS STEEL
SCREWS	STAINLESS STEEL

Sump System Check Valve | 1-1/2" x 1-1/2" Threaded

Model: CH-150S-150MT



APPLICATION

Designed to prevent the backflow of water in a sump system. Vertical installation is recommended.

FEATURES

- Pipe adapter fits 1-1/2" black, galvanized or schedule 40 pipe
- Male threads fit 1-1/2" threaded pipe or sump pump discharge
- Strong ABS plastic valve body
- Extremely durable flapper
- Stainless steel clamps and fasteners
- Made in the USA



SPECIFICATIONS

VALVE BODY	ABS PLASTIC
PIPE ADAPTERS	PVC PLASTIC
CLAMPS	STAINLESS STEEL
SCREWS	STAINLESS STEEL

Sump System Check Valve | 1-1/2" x 1-1/2" Threaded Model: ECV-150



APPLICATION

Designed to prevent the backflow of water in a utility or flood pumping situation.

FEATURES

- Valve body fits 1-1/2" hose kit pipe
- Male threads fit 1-1/2" threaded discharge on sump pump
- Strong ABS plastic valve body
- Extremely durable flapper
- Made in the USA



SPECIFICATIONS

VALVE BODY	ABS PLASTIC
------------	-------------

Sump System Check Valve | 1-1/2" x 1-1/4" or 1-1/2" Threaded Model: ECV-275



APPLICATION

Designed to prevent the backflow of water in a utility or flood pumping situation.

FEATURES

- Valve body fits 1-1/2" hose kit pipe
- Male threads fit 1-1/4" and 1-1/2" threaded discharge on sump pump
- Strong ABS plastic valve body
- Extremely durable flapper
- Made in the USA



SPECIFICATIONS

VALVE BODY	ABS PLASTIC
------------	-------------

Sewage Ejector System Check Valve | 2.0" x 2.0"

Model: 2GP-FF



APPLICATION

Designed to prevent the backflow of wastewater in a sewage ejector system. Vertical installation is recommended.

FEATURES

- Fits 2.0" black, galvanized or schedule 40 pipe
- Strong ABS plastic valve body
- Extremely durable flapper
- Stainless steel clamps and fasteners
- Made in the USA



SPECIFICATIONS

VALVE BODY	ABS PLASTIC
PIPE ADAPTERS	PVC PLASTIC
CLAMPS	STAINLESS STEEL
SCREWS	STAINLESS STEEL

Sewage Ejector System Check Valve | 2.0" x 2.0"

Model: CUCV-2C



APPLICATION

Designed to prevent the backflow of wastewater in a sewage ejector system. Vertical installation is recommended.

FEATURES

- Fits 2.0" black, galvanized or schedule 40 and 80 pipe
- Strong ABS plastic valve body
- Extremely durable flapper
- Compression sealed couplings
- Made in the USA



SPECIFICATIONS

VALVE BODY	ABS PLASTIC
COUPLINGS	ABS PLASTIC
PIPE ADAPTERS	ABS PLASTIC
SEALS	PVC PLASTIC

Sewage Ejector System Check Valve | 2.0" x 2.0"

Model: CUCV-2W



APPLICATION

Designed to prevent the backflow of wastewater in a sewage ejector system. Vertical installation is recommended.

FEATURES

- Fits 2.0" black, galvanized or schedule 40 and 80 pipe
- Strong ABS plastic valve body
- Extremely durable flapper
- Compression sealed couplings
- Made in the USA



SPECIFICATIONS

VALVE BODY	ABS PLASTIC
COUPLINGS	ABS PLASTIC
PIPE ADAPTERS	PVC PLASTIC
SEALS	PVC PLASTIC

Snap-In Basin Hub | 4.0" ID

Model: SIH4



APPLICATION

Designed to accept an inlet pipe and attach it to a sump or sewage basin in a basement sump system or sewage ejector system.

FEATURES

- Fits 4.0" OD PVC pipe
- Molded with flexible PVC plastic allowing for easy installation
- Stainless steel clamp
- Made in the USA



SPECIFICATIONS

HUB MATERIAL	PVC
CLAMPS	STAINLESS STEEL

Sump-Sewage Basin Extension | 18" ID x 6" H

Model: RM18x06EXT



APPLICATION

For use extending the capacity of a sump or sewage basin.

FEATURES

- Ready for quick and easy installation
- Extension is molded as one single piece making it exceptionally strong and durable
- Non-corrosive metal threaded inserts for attaching to basin and cover
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	22 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
HEIGHT	6 IN.
WEIGHT	4 LBS.
EXTNSION MATERIAL	HDPE
INSERT MATERIAL	METAL

Sump-Sewage Basin Extension | 18" ID x 12" H

Model: RM18x12EXT



APPLICATION

For use extending the capacity of a sump or sewage basin.

FEATURES

- Ready for quick and easy installation
- Extension is molded as one single piece making it exceptionally strong and durable
- Non-corrosive metal threaded inserts for attaching to basin and cover
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	22 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
HEIGHT	12 IN.
WEIGHT	8 LBS.
EXTNSION MATERIAL	HDPE
INSERT MATERIAL	METAL

Sump-Sewage Basin Extension | 24" ID x 12" H

Model: RM24x12EXT



APPLICATION

For use extending the capacity of a sump or sewage basin.

FEATURES

- Ready for quick and easy installation
- Extension is molded as one single piece making it exceptionally strong and durable
- Non-corrosive metal threaded inserts for attaching to basin and cover
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	30 IN.
INNER DIAMETER	24 IN.
BOLT CIRCLE	26-1/2 IN.
HEIGHT	12 IN.
WEIGHT	10 LBS.
EXTNSION MATERIAL	HDPE
INSERT MATERIAL	METAL

Structural Foam Drainage Basin Cover | 20-1/2" OD

Model: SFDC18-G



APPLICATION

For use with 18 in. diameter drainage basins.

FEATURES

- Ready for quick and easy installation
- Basin cover is molded as one single piece making it exceptionally strong and durable
- Stainless steel bolts and washers
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	20-1/2 IN.
INNER DIAMETER	18 IN.
BOLT CIRCLE	19-1/2 IN.
THICKNESS	1/2 IN.
WEIGHT	3 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
BOLTS & WASHERS	STAINLESS STEEL

Structural Foam Drainage Basin Cover | 26-1/2" OD

Model: SFDC24-G



APPLICATION

For use with 24 in. diameter drainage basins.

FEATURES

- Ready for quick and easy installation
- Drainage cover is molded as one single piece making it exceptionally strong and durable
- Stainless steel screws
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	26-1/2 IN.
INNER DIAMETER	22-7/8 IN.
BOLT CIRCLE	24-1/4 IN.
THICKNESS	1-1/2 IN.
WEIGHT	10 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SCREWS	STAINLESS STEEL

Structural Foam Drainage Basin Cover | 26-1/2" OD

Model: SFDC24-B



APPLICATION

For use with 24 in. diameter drainage basins.

FEATURES

- Ready for quick and easy installation
- Drainage cover is molded as one single piece making it exceptionally strong and durable
- Stainless steel screws
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	26-1/2 IN.
INNER DIAMETER	22-7/8 IN.
BOLT CIRCLE	24-1/4 IN.
THICKNESS	1-1/2 IN.
WEIGHT	10 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SCREWS	STAINLESS STEEL

Structural Foam Septic Tank Riser Cover | 14-1/4" OD

Model: SFRC12G



APPLICATION

For use with 12 in. diameter septic tank risers.

FEATURES

- Ready for quick and easy installation
- Riser cover is molded as one single piece making it exceptionally strong and durable
- Reusable seal
- Stainless steel screws
- Optional custom logo
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	14-1/4 IN.
INNER DIAMETER	11-1/4 IN.
BOLT CIRCLE	12-1/4 IN.
THICKNESS	1 IN.
WEIGHT	6 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	PVC
SCREWS	STAINLESS STEEL

Structural Foam Septic Tank Riser Cover | 14-1/4" OD

Model: SFRC12B



APPLICATION

For use with 12 in. diameter septic tank risers.

FEATURES

- Ready for quick and easy installation
- Riser cover is molded as one single piece making it exceptionally strong and durable
- Reusable seal
- Stainless steel screws
- Optional custom logo
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	14-1/4 IN.
INNER DIAMETER	11-1/4 IN.
BOLT CIRCLE	12-1/4 IN.
THICKNESS	1 IN.
WEIGHT	6 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	PVC
SCREWS	STAINLESS STEEL

Structural Foam Septic Tank Riser Cover | 21-3/8" OD

Model: SFRC18G



APPLICATION

For use with 18 in. diameter septic tank risers.

FEATURES

- Ready for quick and easy installation
- Riser cover is molded as one single piece making it exceptionally strong and durable
- Reusable seal
- Stainless steel screws
- Optional custom logo
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	21-3/8 IN.
INNER DIAMETER	17-1/4 IN.
BOLT CIRCLE	17-3/4 IN.
THICKNESS	1-1/4 IN.
WEIGHT	9 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	PVC
SCREWS	STAINLESS STEEL

Structural Foam Septic Tank Riser Cover | 21-3/8" OD

Model: SFRC18B



APPLICATION

For use with 18 in. diameter septic tank risers.

FEATURES

- Ready for quick and easy installation
- Riser cover is molded as one single piece making it exceptionally strong and durable
- Reusable seal
- Stainless steel screws
- Optional custom logo
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	21-3/8 IN.
INNER DIAMETER	17-1/4 IN.
BOLT CIRCLE	17-3/4 IN.
THICKNESS	1-1/4 IN.
WEIGHT	9 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	PVC
SCREWS	STAINLESS STEEL

Structural Foam Septic Tank Riser Cover | 26-1/2" OD

Model: SFRC24G



APPLICATION

For use with 24 in. diameter septic tank risers.

FEATURES

- Ready for quick and easy installation
- Riser cover is molded as one single piece making it exceptionally strong and durable
- Reusable seal
- Stainless steel screws
- Optional custom logo
- Made in the USA




SPECIFICATIONS

OUTER DIAMETER	26-1/2 IN.
INNER DIAMETER	22-7/8 IN.
BOLT CIRCLE	24-1/4 IN.
THICKNESS	1-1/2 IN.
WEIGHT	12 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	PVC
SCREWS	STAINLESS STEEL

Structural Foam Septic Tank Riser Cover | 26-1/2" OD

Model: SFRC24B



APPLICATION

For use with 24 in. diameter septic tank risers.

FEATURES

- Ready for quick and easy installation
- Riser cover is molded as one single piece making it exceptionally strong and durable
- Reusable seal
- Stainless steel screws
- Optional custom logo
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	26-1/2 IN.
INNER DIAMETER	22-7/8 IN.
BOLT CIRCLE	24-1/4 IN.
THICKNESS	1-1/2 IN.
WEIGHT	12 LBS.
COVER MATERIAL	HDPE STRUCTURAL FOAM
SEAL MATERIAL	PVC
SCREWS	STAINLESS STEEL

Crawl Space Access Doors | Black

Models: CSD1232B, CSD1624B, CSD1632B, CSD2032B, CSD2436B



APPLICATION

Designed to provide a secure access to a home's crawl space.

FEATURES

- One price door with frame
- UV stabilized ABS plastic - will not fade, rust or rot
- Includes door fasteners and mounting screws
- Can be painted and insulated
- Made in the USA



SIZES

MODELS	OPENING (OUTER) DIMENSIONS
CSD1232B	12" H x 32" W (17.75" H x 37.5" W)
CSD1624B	16" H x 24" W (21.5" H x 29.5" W)
CSD1632B	16" H x 32" W (21.5" H x 38" W)
CSD2032B	16" H x 32" W (21.5" H x 38" W)
CSD2436B	24" H x 36" W (29.75" H x 42" W)

Crawl Space Access Doors | White

Models: CSD1232W, CSD1624W, CSD1632W, CSD2032W, CSD2436W



APPLICATION

Designed to provide a secure access to a home's crawl space.

FEATURES

- One price door with frame
- UV stabilized ABS plastic - will not fade, rust or rot
- Includes door fasteners and mounting screws
- Can be painted and insulated
- Made in the USA



SIZES

MODELS	OPENING (OUTER) DIMENSIONS
CSD1232W	12" H x 32" W (17.75" H x 37.5" W)
CSD1624W	16" H x 24" W (21.5" H x 29.5" W)
CSD1632W	16" H x 32" W (21.5" H x 38" W)
CSD2032W	16" H x 32" W (21.5" H x 38" W)
CSD2436W	24" H x 36" W (29.75" H x 42" W)

Crawl Space Vent Cover | 8" x 16" Vent Size

Model: CSVC816B

APPLICATION

Designed as a secure cover for a home's crawl space vents.



FEATURES

- UV stabilized ABS plastic - will not fade, rust or rot
- Can be painted and insulated
- Includes fasteners
- Made in the USA



SPECIFICATIONS

OUTER DIAMETER	11-1/4" H x 18-3/4" W
INNER DIAMETER	7-1/4" H x 14-1/4" W
MATERIAL	ABS