

Helping you understand ADA guidelines



For the 2010 Americans with Disabilities Act Accessibility Guidelines (ADAAG) Requirements and the Title 24, the California Building Standards Code



Introduction to ADA

The Americans with Disabilities Act (ADA) was signed into law on July 26, 1990, by President George H.W. Bush. The ADA is one of America's most comprehensive pieces of civil rights legislation that prohibits discrimination and guarantees that people with disabilities have the same opportunities as everyone else to participate in the mainstream of American life – to enjoy employment opportunities, to purchase goods and services, and to participate in State and local government programs and services. Modeled after the Civil Rights Act of 1964, which prohibits discrimination on the basis of race, color, religion, sex, or national origin – and Section 504 of the Rehabilitation Act of 1973 – the ADA is an “equal opportunity” law for people with disabilities.

Title III of the ADA provides that commercial facilities and places of public accommodation do not create or maintain barriers to access for a person with disabilities. To be protected by the ADA, one must have a disability, which is defined by the ADA as a physical or mental impairment that substantially limits one or more major life activities, a person who has a history or record of such an impairment, or a person who is perceived by others as having such an impairment. The ADA does not specifically name all of the impairments that are covered.

To get answers to questions about the ADA or to learn more about the law call the Department of Justice ADA Information Line, toll-free (1-800-514-0301 voice and 1-800-514-0383 TDD).



This document provides guidance to assist you in understanding the ADA and the Title 24, the California Building Standards Code regulation. However, this technical assistance does not constitute a legal interpretation of the statute.

Essity cares

Because Essity is a leading supplier of away-from-home hygiene products . . . and because we care . . . we are providing this document to educate and inform our sales representatives, distributor partners and customers about the Americans with Disabilities Act. We know these regulations can be complicated, so we broke it down to make it simple to understand how the ADA applies to properly installing Tork dispensers.





ADA requirements for hand drying and skincare

1

Protrusion from wall

Dispensers that are in a passageway, walkway, hall, corridor, or aisle, must protrude no more than 4 inches from the wall if their leading edge is between 27 and 80 inches from the finished floor. See drawing to the right.



2

Maximum side reach, over an obstruction

If there are unobstructed floor spaces which allow a person in a wheelchair to approach parallel to an obstruction, such as a counter, then the forward reach must have a minimum of 15 inches and a maximum of 48 inches* from the operational part of the dispenser. See drawing to left.



***For customers that operate in the State of California:** Title 24, the California Building Standards Code requires that the operating mechanism for a towel dispenser must be mounted no higher than 40" above the finished floor.

3

Maximum forward reach, unobstructed

If unobstructed floor space allows a person in a wheelchair to approach with a forward approach, then the forward reach must have a minimum of 15 inches and a maximum of 48 inches* from the operational part of the dispenser. See figure to the right.

***For customers that operate in the State of California:** Title 24, the California Building Standards Code requires that the operating mechanism for a towel dispenser must be mounted no higher than 40" above the finished floor.




4

Maximum forward reach, with obstruction


If the forward reach is over an obstruction (like a countertop), then the obstruction can not exceed 25 inches deep and there must be knee space underneath the obstruction that is as deep as the obstruction itself.

Figure (a): If the obstruction is less than 20 inches deep, then the forward reach cannot exceed 48 inches high.

Figure (b): If the obstruction is 20 to 25" deep, then the forward reach cannot exceed 44 inches high.



(a) forward



(b) parallel

5

Clear floor space

Any element, such as a towel dispenser, requires clear floor space of at least 30 by 48 inches*. See drawing to left.

For customers that operate in the State of California:

Title 24, the California Building Standards Code requires that the operating mechanism for a towel dispenser must be mounted no higher than 40" above the finished floor.



6

One hand operation

Operable parts must be operable with one hand.



7

5 pound force

The force required to activate operable parts shall not exceed 5 pounds of force (lbf) (22.2N).



8

No tight grasping, pinching or twisting required

Operable parts shall not require tight grasping, pinching or twisting of the wrist.

Essity ADA compliant dispensers

Hand drying

The following products are capable of being installed in a manner that would render them ADA compliant, provided that the ADA installation requirements are met.



Tork PeakServe® Continuous™ Hand Towel Dispenser

The Tork Peakserve Continuous Hand Towel Dispenser family in Elevation® design is the latest innovation designed for high and peak traffic washrooms where staff needs to maximize cleaning time and maintain a good flow of people. The family offers three different solutions to outfit an entire facility with systems that use one refill. Tork PeakServe dispensers (552520 and 552528) are high capacity holding 2,100 towels, dispenser quickly and quickly and have a continuous flow of towels with our unique combination of towel and refill technology. New additions to the family include Tork PeakServe Mini and Tork PeakServe Recessed Cabinet Adapters in two sizes. Tork PeakServe mini provides the same benefits in the slimmest and highest capacity system on the market designed to fit into any washroom type and provide 1,230 towel capacity. Tork PeakServe recessed adapters allow customers to improve functionality of existing recessed cabinets without major refurbishing and can provide up to 40%* additional capacity. The large recessed adapter has a capacity of 1,230 towels and the small can fit up to 1,000 towels when topped up. The compressed refills are fast to fill, can be topped up at any time and are easy to store and transport, enabling staff to focus on cleaning, not refilling.

Dispenser Size:

- 552520, 552528 (H x W x D): 28.74" x 14.57" x 3.98" (73.0 x 37.01 x 10.11 cm)
- 552530, 552538 (H x W x D): 19.3" x 14.44" x 3.97" (49.02 x 36.68 x 10.08 cm)
- 552522 (H x W x D): 20.35" x 14.37" x 4.29" (51.69 x 36.5 x 10.9 cm)
- 552521 (H x W x D): 17.72" x 14.37" x 4.29" (45 x 36.5 x 10.9 cm)

*Compared with using Tork Advanced 1-ply folded towels in recessed cabinets



552020



552028

Tork Xpress® Multifold Hand Towel Dispenser

The Xpress Multifold Hand Towel Dispenser in Elevation Design is for multifold hand towels and works best for environments that demand both comfort and hygiene. The slim design saves space, and one-at-a-time dispensing means you touch only the towel you use – no cross-contamination from levers or cranks.

Dispenser Size (H x W x D): 17.5" x 11.9" x 4" (44.45 x 30.23 x 10.16 cm)



552120



552108

Tork Xpress Mini Hand Towel Dispenser

The Xpress Mini Hand Towel Dispenser in Elevation Design is for multifold hand towels and works best for environments that demand both comfort and hygiene and a small dispenser footprint. Tork Xpress Mini fits where other dispensers can't. Measuring just 12 inches high, the Xpress Mini is perfect for wall areas where space is at a premium.

Dispenser Size (H x W x D): 11.6" x 11.9" x 4" (29.46 x 30.23 x 10.16 cm)



463002

Tork Xpress Multifold Hand Towel Dispenser

Tork Xpress Multifold Hand Towel Dispenser in Image Design™ features a gently brushed stainless steel with fine lines; and subtle curves provide clean lines and smooth surfaces. Extra slim design is both space-saving and elegant. One at-a-time dispensing reduces costs and delivers optimal hygiene. Touch free dispensers, ideal for washrooms looking for a more sophisticated touch. Easy to clean anti-fingerprint stainless steel coating. Keeps the washroom clean and tidy, while complementing the unique design.

Dispenser Size (H x W x D): 18.6" x 13.0" x 3.9" (47.31 x 33.02 x 10.0 cm)



302020



302030



302028

Tork Xpress Countertop Multifold Hand Towel Dispenser

These dispensers are stylish countertop towel dispensers that add a hygienic, upscale touch to restaurant restrooms. The dispenser utilizes a unique folded towel system with fully enclosed towels that deliver only one towel at a time, minimizing the risk of cross contamination while reducing waste and refilling expenses.

Dispenser Size (H x W x D): 7.92" x 12.68" x 4.56" (20.12 x 32.21 x 11.58 cm)



5510202



5510282

Tork Matic® Hand Towel Roll Dispenser

The Tork Matic Hand Towel Roll Dispenser in Elevation Design is a high capacity system that is ideal for busy washrooms. Hands-free dispensing provides a hygienic, one-at-a-time solution for your washroom. The user touches only the towel needed, reducing the risk of cross-contamination.

Dispenser Size (H x W x D): 14.65" x 13.2" x 8.1" (37.21 x 33.53 x 20.57 cm)



461002



461022



461023

Tork Matic Hand Towel Roll Dispenser

The Tork Matic Hand Towel Roll Dispenser in Image Design creates a sophisticated impression in the washroom. No need to sacrifice function for style, because this dispenser delivers reliable performance and reduces consumption with one-at-a-time towel dispensing. High capacity serves more customers with fewer rolls. Viewing windows make it easy to see when to refill. Intuitive refilling saves time. Available in semi-recessed design. 461022 for mounting in an existing Stainless Steel folded towel and waste unit protrudes <4.0" (10 cm). 461023 when mounted directly into a wall protrudes <4.0" (10 cm)

Dispenser Size:

461002 (H x W x D): 15.8" x 13.6" x 8.0" (40.0 x 34.5 x 20.5 cm)

461022 (H x W x D): 27.0" x 17.6" x 7.9" (68.5 x 44.8 x 20 cm)

461023 (H x W x D): 20.1" x 17.6" x 7.9" (52.2 x 44.8 x 20 cm)

Hand drying



772828



772728

Tork Mechanical Hand Towel Roll Dispenser

The Tork Mechanical Hand Towel Roll Dispenser is designed to last in busy restrooms and gives reliability you can count on. Durable and easy to maintain, it delivers a hygienic dispensing experience which reduces consumption with one at a time dispensing.

Dispenser Size (H x W x D): 15.955" x 12.32" x 9.32" (40.51 x 31.29 x 23.67 cm)



5511202



5511282

Tork Matic Hand Towel Roll Dispenser – with Intuition® Sensor

The Tork Matic Hand Towel Roll Dispenser with Intuition Sensor in Elevation Design virtually eliminates cross contamination while cutting back on waste. Each unit features a choice of two dispensing modes, towel hand mode or towel sensor mode. The towel remains inside the cabinet until the user activates the sensor, delivering maximum hygiene. An adjustable towel length of 8, 10, 14 or 18 inches, and a stub roll compartment combine to deliver more precise control of consumption.

Dispenser Size (H x W x D): 14.5" x 13" x 8" (36.83 x 33.02 x 20.32 cm)



461202

461222

461223

Tork Matic Hand Towel Roll Dispenser – with Intuition Sensor

The Tork Matic Hand Towel Roll Dispenser with Intuition Sensor in Image Design features a gently brushed stainless steel with fine lines; and subtle curves provide clean lines and smooth surfaces. Easy to use controls allow for sheet length adjustments. LED refill and low battery light indicators. Touch-free delivery of each soft towel enables hygiene at it's comforting best. One-at-a-time, no-touch towel dispensing improves hygiene. Large towel capacity and adjustable sheet lengths reduces run-outs and over-consumption. Available in semi-recessed design. 461122 for mounting in an existing Stainless Steel folded towel and waste unit protrudes <4.0" (10 cm). 461123 when mounted directly into a wall protrudes <4.0" (10 cm).

Dispenser Size:

461202 (H x W x D): 14.9" x 13.6" x 8.0" (40.0 x 34.5 x 20.5 cm)

461222 (H x W x D): 27.0" x 17.6" x 7.9" (68.5 x 44.8 x 20 cm)

461223 (H x W x D): 20.1" x 17.6" x 7.9" (52.2 x 44.8 x 20 cm)



771828



771728

Tork Electronic Hand Towel Roll Dispenser

The Tork Electronic Hand Towel Roll Dispenser is designed to last in busy restrooms, so you can rest assured it will always function as smoothly as day one. The paper roll index allows for quick and easy loading. An intuitive, one-touch, control panel helps you manage the length of the hand towel being dispensed at either 10 inches and 18 inches, and Sensor Mode for patron-activated dispensing, or Hanging Mode for ready-for-use hanging towel. The roll consumption indicator informs your staff at a glance, when it's time to refill.

Dispenser Size (H x W x D): 15.955" x 12.32" x 9.32" (40.51 x 31.29 x 23.67 cm)



559020A



559028A



558028A

Tork Centerfeed Hand Towel Dispenser

The Tork Centerfeed Pro and Tork Centerfeed Mini Pro Dispensers in Elevation Design enable an easy, one-handed operation and controlled consumption with the enhanced pro feature. They are the ideal systems for areas where hand and light surface wiping are combined.

Dispenser Size:

559020A, 559028A (H x W x D): 14.39" x 9.42" x 8.95" (36.55 x 23.93 x 22.73 cm)

558028A (H x W x D): 13.05" x 6.86" x 6.51" (33.15 x 17.42 x 16.54 cm)

Skincare



570020A



570028A

Tork Skincare Dispenser

The Tork Skincare Dispenser in Elevation Design is suitable for all kinds of washrooms, including tough and demanding environments. The soap pump dispenses up to 1 ml every time, controlling portions. The high-capacity 1 liter bottle allows for 1000 hand washes.

Dispenser Size (H x W x D): 11.5" x 4.4" x 4.5" (29.21 x 11.18 x 11.43 cm)



571501



571508

Tork Skincare Dispenser

The perfect balance between luxury and value, our Tork Skincare Dispenser in Elevation Design uses highly concentrated, rich foam in a controlled closed dispensing system. This new system delivers nearly four times more hand washes per refill than liquid soap while offering a unique, luxurious, refreshing, and hygienic experience. Controlled usage 0.4 ml per dose. Low maintenance easy and quick to replace refills. More hand washings per refill & high capacity results in low cost-in-use – Sealed collapsible bottle refills reducing contamination and ensuring complete usage of the product.

Dispenser Size (H x W x D): 11.26" x 4.45" x 4.13" (28.60 x 11.30 x 10.49 cm)



466000

Tork Skincare Dispenser

The Tork Skincare Dispenser in Image Design features a gently brushed stainless steel with fine lines; and subtle curves provide clean lines and smooth surfaces. Easy to load, high capacity refill: 2,500 doses (0.4 ml per dosage). Enclosed system avoids cross contamination. Refill bottle reduces waste volume by up to 70%; recyclable plastic bottles. No batteries needed.

Dispenser Size (H x W x D): 11.375" x 4.45" x 4.25" (28.89 x 10.8 x 10.8 cm)



571600



571608

Tork Skincare Dispenser – with Intuition Sensor

The Tork Skincare Dispenser in Elevation Design delivers a touchfree luxurious handwashing experience. The sealed refill bottle with a single use pump provides quick and easy maintenance while reducing any potential for cross contamination. 2,500 doses of soap provides a high capacity and minimizes maintenance time and LED indicators signal when a refill or new batteries are needed.

Dispenser Size (H x W x D): 10.94" x 4.45" x 5.12" (27.79 x 11.30 x 13.00 cm)

To ensure optimal dispenser performance, please follow ADA guidelines and sensor range requirements detailed in dispenser manual.



466100

Tork Skincare Automatic Dispenser – with Intuition Sensor

The Tork Skincare Automatic Dispenser with Intuition Sensor in Image Design features a gently brushed stainless steel with fine lines; and subtle curves provide clean lines and smooth surfaces. Touch free convenient dispensing. Easy to load, high capacity refill: 2,500 doses (0.4 ml per dosage). Enclosed system avoids cross contamination. LED indicators signal when a refill or new batteries are needed.

Dispenser Size (H x W x D): 11.69" x 4.13" x 4.02" (29.69 x 10.49 x 10.21 cm)



To ensure optimal dispenser performance, please follow ADA guidelines and sensor range requirements detailed in dispenser manual.

ADA requirements for bath tissue

1

Protrusion from the wall

The four inch depth requirement described in step one on page 3 does not apply if the product is installed on a toilet stall side wall or other area that is not a passageway, walkway, hall, corridor, or aisle.



2

Toilet paper dispenser placement

To meet Federal ADA requirements, bath tissue dispensers must be installed in the following manner:

- A minimum of 7 inches and a maximum of 9 inches in front of the water closet, to the centerline of the dispenser.
- The permissible height is between 15 and 48 inches between the outlet of the dispenser and the floor.
- It shall not be located behind the grab bar. If toilet paper dispensers are installed above the side wall grab bar, the outlet of the toilet paper dispenser must be 48 inches (1220 mm) maximum above the finished floor and the top of the gripping surface of the grab bar must be 33 inches (840 mm) minimum and 36 inches (915 mm) maximum above the finished floor.

Toilet tissue dispensers must not control delivery. They must allow continuous paper flow.

For customers that operate in the State of California:

Title 24, the California Building Standards Code requires that the toilet tissue dispenser shall be installed in the following manner:

- Within 12 inches of the front edge of the toilet seat.
- A minimum height of 19 inches.
- A maximum of 36 inches from the rear wall to the far edge of the dispenser.
- Below the grab bar.

Please note, to comply with both the federal AND California systems, the dispenser should be:

- Installed between 7 and 9 inches from the front of the toilet seat to the centerline of the dispenser.
- At a height of at least 19 inches or greater.
- Below the grab bar.
- Be of continuous flow.



Essity ADA compliant dispensers

Bath tissue

The following products are capable of being installed in a manner that would render them ADA compliant, provided that the ADA installation requirements are met.



565828

Tork 3 Roll Bath Tissue Roll Dispenser for OptiCore®

The Tork 3 Roll Bath Tissue Roll Dispenser for OptiCore is designed to minimize maintenance and maximize cost savings for high-traffic areas. Revolving design and patented OptiCore tissue ensures that a roll is completely depleted before the dispenser will advance to the next roll, eliminating waste. Capacity for three full rolls of tissue allows for longer periods between maintenance. Features a locking cover to prevent product pilferage.

Dispenser Size (H x W x D): 14.56" x 14.12" x 6.31" (36.98 x 35.86 x 16.03 cm)



565720



565728

Tork Twin Bath Tissue Roll Dispenser for OptiCore

The Tork Twin Bath Tissue Roll Dispenser for OptiCore holds two rolls of patented OptiCore tissue. Controlled use design reduces waste and cost by ensuring each roll is completely utilized before the next roll is accessible. Features a locking cover to prevent product pilferage. Sleek, contemporary style for a wide range of restroom environments. Translucent cover allows service staff to see at-a-glance when it's time to refill.

Dispenser Size (H x W x D): 8.81" x 11.06" x 7.18" (22.37 x 28.09 x 18.24 cm)



565520



565528

Tork High Capacity Bath Tissue Roll Dispenser for OptiCore

The Tork High Capacity Bath Tissue Roll Dispenser for OptiCore provides an attractive solution for high traffic accounts where the flow of traffic demands high footage rolls of product. Accommodates two 2,000-sheet rolls of high-quality perforated tissue to lower maintenance costs in the busiest washrooms. Patented OptiCore technology prevents stub roll waste and ensures complete utilization. Once a roll has been depleted, the core remains securely inside the dispenser, ensuring no cores are left on the floor or make their way into the plumbing system. Features sliding cover that securely protects both rolls and locks to prevent product pilferage. Glossy translucent finish for upscale design and rugged reliability.

Dispenser Size (H x W x D): 9.93" x 16.62" x 5.25" (25.22 x 42.21 x 13.34 cm)



473200



473208

Tork Coreless High Capacity Bath Tissue Dispenser

A perfect fit for washrooms with limited space. The Tork Coreless High Capacity Bath Tissue Dispenser in Elevation Design ensures easy and intuitive maintenance, refilling and use – a great choice for higher traffic washrooms as well as environments where efficiency and reduced cost are priorities. Rolls are protected for less waste.

Dispenser Size (H x W x D): 8.228" x 14.173" x 5.078" (20.9 X 36.0 x 12.9 cm)

To ensure optimal dispenser performance, please follow ADA guidelines and recommended dispenser height placement detailed in dispenser manual.



555620



555628

Tork High-Capacity Bath Tissue Roll Dispenser

The innovative auto-transfer feature promotes hygiene and reduces refill maintenance time. Promotes hygiene with covered rolls. Prevents waste by dropping the reserve roll only after the primary roll is depleted and perfect for washrooms with limited space.

Dispenser Size (H x W x D): 14.2" x 6.3" x 6.46" (36.07 X 16.0 x 16.41 cm)

Bath tissue



465500

Tork Mini Jumbo Bath Tissue Roll Dispenser with Reserve

The Tork Mini Jumbo Bath Tissue Roll Dispenser with Reserve in Image Design features a gently brushed stainless steel with fine lines, and subtle curves provide clean lines and smooth surfaces. Roll break prevents paper over spin. Stub roll feature allows for full roll consumption. Large capacity rolls allow service for high-traffic areas without adding extra dispensers. Roll is covered to minimize cross contamination.

Dispenser Size (H x W x D): 9.875" x 14" x 5.125" (25.08 x 35.56 x 13.02 cm)



555020A



555028A

Tork Mini Jumbo Bath Tissue Roll Dispenser

The Tork Mini Jumbo Bath Tissue Roll Dispenser in Elevation Design is a perfect choice for high-traffic washrooms as well as environments where efficiency and reduced cost are priorities. Roll is protected creating less waste, improved hygiene and reduced pilferage. A new stub roll feature provides extra high capacity.

Dispenser Size (H x W x D): 10.8" x 13.6" x 5.2" (27.43 x 34.54 x 13.21 cm)



5555200



5555290

Tork Twin Mini Jumbo Bath Tissue Roll Dispenser

The Tork Twin Mini Jumbo Bath Tissue Roll Dispenser in Elevation Design features two high-capacity rolls and a roll brake, which exposes a second roll of bath tissue only after roll one has been depleted. That means less waste, less mess, and less effort. The dispensers simplify and complement any environment, providing a clean, hygienic appearance.

Dispenser Size (H x W x D): 10.125" x 17.0" x 5.6875" (25.72 x 43.18 x 14.45 cm)



554020A



554028A

Tork Jumbo Bath Tissue Roll Dispenser

The Tork Jumbo Bath Tissue Roll Dispenser in Elevation Design is a perfect choice for high-traffic washrooms as well as environments where efficiency and reduced cost are priorities. A new stub roll feature provides extra high capacity. Goes longer between refills and reduces maintenance costs.



Dispenser Size (H x W x D): 14.2" x 17.2" x 5.2" (36.07 x 43.69 x 13.21 cm)

ADA requirements for toilet seat covers


1

Toilet seat cover install location

The opening to dispense the toilet seat cover is considered the operating mechanism, and must be located 15 to 48 inches above the finished floor. If mounted by a grab bar, dispensers must be placed at least 12" above the grab bar, or at least 1.5" below the grab bar.



(a)



(b)

2

Toilet seat cover accessibility

The toilet seat cover dispenser should be accessible by persons in a wheelchair. It should not be placed behind the toilet. The best location is beside the toilet where it can be accessed prior to transfer to the toilet, and at the mounting height as described in "1".

Essity ADA compliant dispensers

Toilet seat covers



1951001



99A

Tork Toilet Seat Cover Dispenser

This Tork dispenser keeps toilet seat cover neat and sanitary for users and projects a clean image.

Dispenser Size (H x W x D): 11.5" x 16" x 3.125" (29.21 x 40.64 x 7.94 cm) (1951001)

Dispenser Size (H x W x D): 11.5" x 16" x 3" (29.21 x 40.64 x 7.62 cm) (99A)

ADA requirements for accessories

1

Protrusion from wall

Paper towel dispensers and recessed accessories must not protrude more than 4 inches horizontally into a circulation path if they have leading edges between 27 inches and 80 inches off the finished floor. If the leading edge of the accessory is less than 27 inches off the floor, it may protrude any amount as long as the minimum clear aisle space for the circulation path is maintained.

2

Maximum reach with obstruction

The product may be installed such that the dispenser and the receptacle opening are no higher than 48 inches from the finished floor. In California, both the dispenser and the receptacle opening should not exceed 40 inches above the finished floor.

Essity ADA compliant dispensers

Accessories



309051

Tork Stainless Steel Recessed Frame and Waste Receptacle*

Offers a beautiful stainless steel solution for customers wanting to semi-recess the Tork Matic or Tork Matic with Intuition Sensor Roll Towel Dispensing system in Image Design. This unit is a full-height 4" recessed frame with removable 22 gauge stainless steel waste receptacle which is secured to the frame with a tumbler lock. Simply select the H1 system 461022 Tork Matic Roll Towel – Recessed assembly in Image Design; or the H11 System Tork Matic Roll Towel – Recessed with Intuition Sensor assembly in Image Design which deliver a high-capacity, no-touch hardwound roll towel dispensing system. The roll towel and waste receptacle protrude <4.0" when installed to meet ADA requirements (when mounted at the appropriate height of the finished floor). Unit is #304 heavy-gauge stainless steel, and all exposed surfaces have an attractive #4 satin finish.

*Unit includes recessed frame and waste receptacle only. Order 461022 or 461122 for a complete hardwound roll towel system.

ADA requirements for free standing objects

1

Free standing object overhang

Objects attached to freestanding items, may not have an overhang in their design that exceeds 12 inches if the overhang is at a height somewhere between 27 and 80 inches from the finished floor.

Essity ADA compliant dispensers

Free standing objects

The following product is capable of being installed in a manner that would render it ADA compliant, provided that the ADA installation requirements above are met.

Tork Foam Skincare Automatic Dispenser Stand

Use with Tork Automatic Foam Skincare Dispensers 571600 and 571608.

Stand Size: 15 inch square base; height of stand including mounting plate is 58 inches.



570038

