

BATTERIES

POL-R


TECHNICAL DATA SHEET



P27AGMDT

SPECIFICATIONS

Part Number	P27AGMDT	
BCI	27	
Volt	12 Volts	
Type	AGM	
Terminal	Dual, auto post + stud 3/8"	
Terminal Torque	176 in-lbs (20-23 Nm)	
Container Material	Polypropelene	
Life Cycles	700 cycles at 80% DOD	
Reserve Capacity	25 A	220 min.
	75 A	44 min.
Capacity	20 Hr	105 Ah
	5 Hr	88 Ah
Operating Temp. Range	Discharge	-20~55°C (-4~131°F)
	Charge	0~40°C (32~104°F)
	Storage	-15~40°C (5~104°F)



GENERAL FEATURES

Stable initial capacity

- PAM/NAM amount optimization
- 4BS crystal paste mixing & curing technology
- Double layer separator technology
- Improved design electrolyte S.G.

Less water loss

- PAM/NAM amount optimization
- New PAM/NAM recipe introduced
- Rare earth alloy

Solve NAM sulphation

- Carbon boost technology
- Pre-sulfate technology

Improved PSoC cycling

- Carbon boost technology
- Mix carbon boost technology
- Targeting for higher level through carbon technology

Delay PAM softening and shedding

- Plate assembly pressure re-engineering
- 4BS crystal paste mixing & curing technology
- Higher paste density

Optimize electrolyte stratification

- Introduce new AGM technology


Excellent deep cycle performance

- Plate assembly pressure re-engineering
- New PAM/NAM recipe introduced
- AGM electrolyte technology
- Rare earth alloy
- Double layer separator technology
- Lower acid filling temperature

DIMENSIONS


Length	306 mm (12 1/16")
Width	168 mm (6 5/8")
Case Height	208 mm (8 3/16")
Overall Height	232 mm (9 1/8")
Weight	27.8 kg (61.3 lbs)

DRAWING




CHARGE / DISCHARGE PERFORMANCE CURVES


Charging Profiles




Relationship of OCV and State Of Charge



Cycle Life in Relation to Depth Of Discharges



Self-discharge Characteristics



POL-R, all rights reserved. POL-R is not liable for damages that may occur from any information provided in or omitted from this publication, under any circumstances. POL-R reserves the right to make changes or adjustments to this publication at any time without notices or obligations.

POL-R