

Voice Over Basic

Single-Wall Sound Booth | 4' x 4'



Voice Over Basic

Single-Wall Sound Booth | 4' x 4'




Exterior Dimensions	4' 2" x 4' 2" x 6' 11"
Interior Dimensions	3' 10" x 3' 10" x 6' 8"
Assembled Weight	796 lbs (361 kg)
Assembly Time	~ 2 hours
Wall Thickness	1" MDF barrier
Wall Panel Layers	1" MDF barrier + 2" foam
Door Window Thickness	3/4"
Door Window Layers	laminated safety glass + air gap
Window Size	16" x 30"

Note: Exterior dimensions exclude 5.5" ventilation duct protrusion. Height increases by 5" with the optional caster plate.

Voice Over Basic


Single-Wall Sound Booth | 4' x 4'

Top-Down Layout & Modular Panel Configuration



All 46" wall components are interchangeable:

- Solid Wall Panels
- Wall with Ventilation
- Wall with Door
- Wall with Window (optional)



Ventilation & Clearance:

- Vent system protrudes 5.5"
- Allow 6" from host room walls
- Door swing: 30", opens outward

Voice Over Basic

Single-Wall Sound Booth | 4' x 4'

Basic Features (Included)




Ventilation system



16" x 30" door window



Cable passages (2)



Acoustic studiofoam (3)



18" LED light

Options & Accessories (Included)




Office desk




Exterior fan silencer



Studio light



Acoustic package & bass traps (2)



Ventilation silencing system