


SINGLE-WALL AUDIOMETRIC BOOTH • 4' × 6'

Audiology Basic **Plus**

MODULAR SOUND ISOLATION



EXTERIOR FOOTPRINT

4' 2" × 6' 2"


ASSEMBLED WEIGHT

1,274 lbs (578 kg)

ASSEMBLY TIME

~2.5 hours

02 Dimensions & Construction



DIMENSIONS


EXTERIOR	4' 2" x 6' 2" x 6' 11"
INTERIOR	3' 10" x 5' 10" x 6' 8"
WINDOW SIZE	16" x 30"

Note: Exterior dimensions exclude 5.5" ventilation duct protrusion. Height increases by 5" with the optional caster plate.

CONSTRUCTION

ASSEMBLED WEIGHT	1,274 lbs (578 kg)
ASSEMBLY TIME	~2.5 hours
WALL THICKNESS	1" MDF barrier
WALL PANEL LAYERS	1" MDF barrier + 2" foam
DOOR WINDOW THICKNESS	3/4"
DOOR WINDOW LAYERS	Laminated safety glass + air gap

03 Top-Down Layout & Modular Panel Configuration



All 46" wall components are interchangeable

- Solid wall panels
- Wall with ventilation
- Wall with window



Ventilation & clearance


- Vent system protrudes 5.5"
- Allow 6" from host room walls
- Door swing: 30", opens outward

Audiology Basic Plus

SINGLE-WALL AUDIOMETRIC BOOTH | 4' x 6'

WhisperRoom®

04 Basic Features (Included)



Ventilation system




16" x 48" door window



Cable passages

×3




Acoustic studiofoam

×4



18" LED light



Remote switch

Options & Accessories

INCLUDED




Office desk



Multi jack panel




Wall window (32" x 36")



Accessibility Package



Exterior fan silencer



Ventilation silencing system

Configure your booth or
request a quote.

whisperroom.com