


SINGLE-WALL SOUND BOOTH • 4' x 4'

Voice Over Basic

MODULAR SOUND ISOLATION



EXTERIOR FOOTPRINT

4' 2" x 4' 2"

ASSEMBLED WEIGHT

796 lbs (361 kg)

ASSEMBLY TIME

~2 hours

02 Dimensions & Construction



DIMENSIONS


EXTERIOR	4' 2" x 4' 2" x 6' 11"
INTERIOR	3' 10" x 3' 10" x 6' 8"
WINDOW SIZE	16" x 30"

Note: Exterior dimensions exclude 5.5" ventilation duct protrusion. Height increases by 5" with the optional caster plate.

CONSTRUCTION

ASSEMBLED WEIGHT	796 lbs (361 kg)
ASSEMBLY TIME	~2 hours
WALL THICKNESS	1" MDF barrier
WALL PANEL LAYERS	1" MDF barrier + 2" foam
DOOR WINDOW THICKNESS	3/4"
DOOR WINDOW LAYERS	Laminated safety glass + air gap

03 Top-Down Layout & Modular Panel Configuration



All 46" wall components are interchangeable

- Solid wall panels
- Wall with ventilation
- Wall with door
- Wall with window (optional)



Ventilation & clearance




- Vent system protrudes 5.5"
- Allow 6" from host room walls
- Door swing: 30", opens outward

Voice Over Basic

SINGLE-WALL SOUND BOOTH | 4' x 4'






WhisperRoom®

04 Basic Features (Included)



Options & Accessories

INCLUDED



Configure your booth or
request a quote.

whisperroom.com