


DOUBLE-WALL SOUND BOOTH • 8.5' × 15.5'

MDL 102186 E

MODULAR SOUND ISOLATION



Shown with optional studio light and wall window

EXTERIOR FOOTPRINT

8' 8" × 15' 8"

ASSEMBLED WEIGHT

4,605 lbs (2089 kg)

ASSEMBLY TIME


~13 hours

MDL 102186 E

DOUBLE-WALL SOUND BOOTH | 8.5' x 15.5'

WhisperRoom®

02 Dimensions & Construction



DIMENSIONS

EXTERIOR	8' 8" x 15' 8" x 7' 1"
INTERIOR	7' 11.5" x 14' 11.5" x 6' 8"
WINDOW SIZE	12" x 30"

Note: Exterior dimensions exclude 5.5" ventilation duct protrusion. Height increases by 5" with the optional caster plate.

CONSTRUCTION


ASSEMBLED WEIGHT	4,605 lbs (2089 kg)
ASSEMBLY TIME	~13 hours
WALL THICKNESS	1" MDF barrier + 1.25" air gap + 1" MDF barrier
WALL PANEL LAYERS	Two 1" MDF barrier + 1.25" air gap + 2" foam
DOOR WINDOW THICKNESS	3 1/8"
DOOR WINDOW LAYERS	Dual laminated glass sets with central air gap

MDL 102186 E

DOUBLE-WALL SOUND BOOTH | 8.5' x 15.5'

WhisperRoom®

03 Top-Down Layout & Modular Panel Configuration



All 40" wall components are interchangeable



- Solid wall panels
- Wall with ventilation
- Wall with door
- Wall with window (optional)

Ventilation & clearance




- Vent system protrudes 5.5"
- Allow 6" from host room walls
- Door swing: 24", opens outward

MDL 102186 E

DOUBLE-WALL SOUND BOOTH | 8.5' x 15.5'

WhisperRoom®

04 Basic Features (Included)



Options & Accessories

SOLD SEPARATELY

INTERIOR UPGRADES

Studio light
Audimute acoustic panels
Acoustic package
LENRD bass traps

STRUCTURAL MODS

10" height extension
Wall windows

ACCESS & MOBILITY

Caster plate
Step
Wide access door

VENTILATION UPGRADES

HEPA filter
Ventilation silencing system
Exterior fan silencer

FUNCTIONAL ADD-ONS

Multi jack panel
Office desk

Configure your booth
or request a quote.

whisperroom.com