

SINGLE-WALL SOUND BOOTH • 3.5' × 5'

MDL 4260 S

MODULAR SOUND ISOLATION



Shown with optional studio light

EXTERIOR FOOTPRINT

3' 8" × 5' 2"

ASSEMBLED WEIGHT

685 lbs (311 kg)

ASSEMBLY TIME


~2 hours

MDL 4260 S

SINGLE-WALL SOUND BOOTH | 3.5' x 5'

WhisperRoom®

02 Dimensions & Construction



DIMENSIONS

EXTERIOR	3' 8" x 5' 2" x 6' 11"
INTERIOR	3' 4" x 4' 10" x 6' 8"
WINDOW SIZE	12" x 30"

Note: Exterior dimensions exclude 5.5" ventilation duct protrusion. Height increases by 5" with the optional caster plate.

CONSTRUCTION


ASSEMBLED WEIGHT	685 lbs (311 kg)
ASSEMBLY TIME	~2 hours
WALL THICKNESS	1" MDF barrier
WALL PANEL LAYERS	1" MDF barrier + 2" foam
DOOR WINDOW THICKNESS	3/4"
DOOR WINDOW LAYERS	Laminated safety glass + air gap

MDL 4260 S

SINGLE-WALL SOUND BOOTH | 3.5' x 5'

WhisperRoom®

03 Top-Down Layout & Modular Panel Configuration



All 40\" wall components are interchangeable



- Solid wall panels
- Wall with ventilation
- Wall with door
- Wall with window (optional)

Ventilation & clearance




- Vent system protrudes 5.5"
- Allow 6\" from host room walls
- Door swing: 24\", opens outward

MDL 4260 S

SINGLE-WALL SOUND BOOTH | 3.5' x 5'

WhisperRoom®

04 Basic Features (Included)



Options & Accessories

SOLD SEPARATELY

INTERIOR UPGRADES

Studio light
Audimute acoustic panels
Acoustic package
LENRD bass traps

STRUCTURAL MODS

10" height extension
Wall windows
IEP floor

ACCESS & MOBILITY

Caster plate
Step
Wide access door

VENTILATION UPGRADES

HEPA filter
Ventilation silencing system
Exterior fan silencer

FUNCTIONAL ADD-ONS

Multi jack panel
Office desk

**Configure your booth
or request a quote.**

whisperroom.com