


# Amazon Yard Truck

## Rear Lower Leg Replacement Procedure




1




**Raise Body All The Way Up.**

2




**Remove Bolt, Washers, And Nut Of The Lower Leg.**

3




**Carefully Unlock Lock Handle.**

4



**Hold Lower Leg And Move Gravity Lock Out.**

5




**Remove The Lower Leg And Place On The Ground**

# Amazon Yard Truck

## Rear Lower Leg Replacement Procedure




6




**Remove Spring Located Inside Of The Damaged Lower Leg.**

7




**Insert Spring Inside Of The New Lower Leg**

8




**Insert Lower Leg In The Top Leg.**

9



**Push The Lock Handle To Secure Lower Leg And Push Gravity Lock In**

10




**Insert The 5-Inch Bolt And Washer In The Top Hole And Fish The Spring.**

# Amazon Yard Truck

## Rear Lower Leg Replacement Procedure




11



**Make Sure The Bolt Goes All The Way Through The Top Leg With The Spring Attached.**

12




**Insert Washer With Lock Nut.**

13



**To Verify The Leg Has Been Properly Repaired, Perform The Following Steps:**


14



**Unlock The Bottom Lock Handle While The Gravity Lock Pin Is In The Hole.**

**KEEP FOOT AWAY OF LOWER LEG TRAVEL PATH!**

15



**Hold The Lower leg And Pull Gravity Lock Out Of The Hole.**


**KEEP FOOT AWAY OF LOWER LEG TRAVEL PATH!**

# Amazon Yard Truck

## Rear Lower Leg Replacement Procedure




16



**Release Lower Leg Carefully**

**KEEP FOOT AWAY OF LOWER LEG TRAVEL PATH!**

17



**Lower Leg Should Slide Down Slowly With The Spring Attached, If Not, Repeat Steps 7-12.**



For Service and Parts:

**Phone:** 1-844-364-4021

**E-mail:** [sales@demount.com](mailto:sales@demount.com)

**Web:** [demount.com](http://demount.com)

Demountable Concepts  
200 Dr. Leo J. McCabe Blvd.  
Glassboro, NJ 08028 USA