SUBMITTAL DATA SHEET

AUX R32 - The Free Match Inverter Series - AFEB12HP230V1CC

Job Name _____ Location _____ Date _____

Purchaser _____ Engineer _____

For ☐ Reference ☐ Approval ☐ Construction

Submitted to _____ Schedule # _____

Unit Designation _____



AFEB12HP230V1CC

- ❖ Square panel
- ❖ Detachable air guide vane
- ❖ Health filter
- ❖ Compact body
- ❖ 360° air supply
- ❖ Fresh air intake
- ❖ New anti-leakage water pan
- ❖ Built-in pump
- ❖ Digital display
- ❖ Wi-Fi control (optional)

Ceiling Cassette Indoor Unit (4-Way)			
Indoor Unit			**AFEB12HP230V1CC**
AHRI Ref. No. (single-zone with AFEB12HP230V1CO-U)			**218332330**
Capacity	Cooling	Btu/h	12000
	Heating	Btu/h	12000*
Electrical	Power Supply	V~, Hz, Ph	208~230,60,1
	Input Current	A	0.2
Indoor Unit	Air Flow Rate (Hi/Mi/Lo)	CFM	412/365/312
	Sound Pressure Level	dB(A)	40
	Net Dimensions (W×D×H)	inch	22.44×22.44×10.24
		mm	570×570×260
	Package Dimensions (W×D×H)	inch	28.35×25.59×11.42
		mm	720×650×290
	Net Dimensions (Panel)	inch	25.59×25.59×2.17
		mm	650×650×55
	Package Dimensions (Panel)	inch	27.95×27.95×3.15
		mm	710×710×80
	Net / Gross Weight (Body)	lbs	30.9/37.5
	Net / Gross Weight (Panel)	lbs	4.9/8.2
Piping	Liquid Side	in. [mm]	1/4 [6.35]
	Gas Side	in. [mm]	3/8 [9.52]

Specifications are subject to change without notice.

 © 2026 Aux Cloud Commerce (USA) Inc. All rights reserved


Remarks:


1. All specifications are subject to change by the manufacturer without prior notice.
2. Ratings marked * are AHRI-certified (AHRI 210/240-2024) and match the AHRI Directory (ahridirectory.org) for the reference number(s) above as of October 2026.
3. Sound pressure levels are measured in anechoic chamber. During actual operation, sound pressure level will be higher as a result of room specification condition.
4. Data from AUX lab, 08/03/24. Data may change according to test surroundings; AUX reserves right of explanation on data.


 © 2026 Aux Cloud Commerce (USA) Inc. All rights reserved

Dimensions

Indoor Unit
AFEB12HP230V1CC







 © 2026 Aux Cloud Commerce (USA) Inc. All rights reserved