



dortrend  
International Ltd.

We have been manufacturing high quality door fittings for over a quarter of a century. The company commenced manufacturing in Wilden near Stourport on Severn, relocating to the present 20,000 sq ft factory in 1986. Clifford Brothers Limited of Willenhall was merged into Dortrend in 1997. They had been established since the early part of the twentieth century with a reputation for producing high quality window fittings - a tradition we have continued.

In addition to the products illustrated in this catalogue we produce the well known Wilden, Sadler and Oval-ution Range and are the UK agents for the top quality Mason Range which is manufactured in New Zealand. We also manufacture own label products for major distributors. We are committed to provide high quality products and service.

With the skills and experience within the company we are able to produce specials to customer drawings or develop special products in consultation with customers. We can also customise existing products for your requirements.



Our Offices and Factory at the  
Riverside Business Centre

Raw materials are  
pressed into shape....



....profile sections are  
sawn, drilled and  
milled in one  
operation....



.... components are  
assembled....



.... and all designs are  
tested for operation  
& performance to  
current standards.





# dortrend


## GLOSSARY OF FINISHES

- AS – Polished and anodised silver aluminium
- AB – Polished and anodised bronze aluminium
- AG – Polished and anodised gold aluminium
- BCP – Polished chrome plate
- BBPC – Black brass powder coated
- BPC – Black powder coated
- BS – Bright silver anodised aluminium
- IBMA – Imitation BMA bronze
- MS – Matt silver anodised aluminium
- PB – Polished and lacquered brass
- PC – Powder coated
- PSS – Mirror polished stainless steel
- SCP – Satin chrome plate
- SSS – Satin stainless steel


## GUIDE TO

... ordering Witley handles


### example 1.



### example 2.



### example 3.



All Dimensions in this brochure are in mm.

## Index

### Witley suite

Lever handles	4
Levers on roses	6
escutcheons	
turn & release	
Pull handles	7
Fittings for the less able	8
Entrance door handles	10

### Astral, Shirley & Sigma

Astral	12-13
Shirley	12-13
Sigma	12-13

### Clifford Aluminium


Pull handles	14
Letter plates	15
Tidies	
Door stops	
Kick plates	
Signs	
Numerals	
Letters	
Hooks	
Window & facility fittings	16

### Clifford Brass

Door furniture	18
Door knobs	20
Window furniture	21
Door furniture	22
Door accessories	23

### Clifford Black Antique

Door furniture & accessories	24-26
---------------------------------	-------




## Witley suite - lever handles

A wide range of return to door and straight lever handles manufactured from aluminium brass and stainless steel. Manufactured to superior quality standards from the finest materials available HE9 aluminium extrusion and 5005 aluminium sheet for anodised aluminium products; in AISI316 for stainless steel (where external use is required) or 304 stainless steel for internal applications.

The Witley Suite can be altered to your specification. For example, centres to accommodate oval or profile cylinders can be varied for the selected lock and levers are fully interchangeable. All our products can be bolted through the door

*Lock centres – when ordering oval or profile, please state centres required. Standard centres are 48.5mm, but any centres can be accommodated. Face fixing plates are 10g in aluminium and 16g in stainless steel and brass.*

## Concealed



16RCH  
20RCH  
22RCH  
16RSTCH  
20RSTCH  
22RSTCH

16RCK  
20RCK  
22RCK  
16RSTCK  
20RSTCK  
22RSTCK

16RCL  
20RCL  
22RCL  
16RSTCL  
20RSTCL  
22RSTCL


16RCE  
20RCE  
22RCE  
16RSTCE  
20RSTCE  
22RSTCE

16RCM  
20RCM  
22RCM  
16RSTCM  
20RSTCM  
22RSTCM

16RCMD  
20RCMD  
22RCMD  
16RSTCMD  
20RSTCMD  
22RSTCMD

16RCL  
20RCL  
22RCL  
16RSTCL  
20RSTCL  
22RSTCL

## Face fix



16RNH  
20RNH  
22RNH  
16RSTNH  
20RSTNH  
22RSTNH

16RNK  
20RNK  
22RNK  
16RSTNK  
20RSTNK  
22RSTNK


16RNL  
20RNL  
22RNL  
16RSTNL  
20RSTNL  
22RSTNL

16RNE  
20RNE  
22RNE  
16RSTNE  
20RSTNE  
22RSTNE


16RNM  
20RNM  
22RNM  
16RSTNM  
20RSTNM  
22RSTNM

16RNMD  
20RNMD  
22RNMD  
16RSTNMD  
20RSTNMD  
22RSTNMD


16RCL  
20RCL  
22RCL  
16RSTCL  
20RSTCL  
22RSTCL




16RWH  
20RWH  
22RWH




16RWK  
20RWK  
22RWK




16RWL  
20RWL  
22RWL




16RWE  
20RWE  
22RWE




16RWM  
20RWM  
22RWM



16RSTWH  
20RSTWH  
22RSTWH



16RSTWMD  
20RSTWMD  
22RSTWMD



All the items listed are available in the following finishes: AS, PB, SSS, PSS

Refer to page 3 for glossary of finishes.

For care of our fine finishes please refer to page 27

Witley suite | page 5



6mm deep Escutcheons



ECK35



ECL35



ECE35

10mm deep Escutcheons



10ECK1



10ECL2




10ECE3

Oval door stop



DS6

Concealed skirting door stop



DS2

Secret fix door stop




DS3

Floor round door stop



DS5


Cylinder pulls




CPH1




CPK2




CPL3




CPE4



CPR6



Concealed slimline



Concealed

All rose fittings (including escutcheons) can be supplied with bolt through at standard 38mm centres using 'T' fix bolts. For variations please contact a member of our technical staff.

Levers on roses



16RCR  
20RCR  
22RCR  
16RCRS  
20RCRS  
22RCRS

16RSTCR  
20RSTCR  
22RSTCR  
16RSTCRS  
20RSTCRS  
22RSTCRS

Heavy duty handrail bracket



HRB2

Letter plates

aluminium inward opening  
300mm x 100mm ASLP135  
350mm x 125mm ASLP156  
400mm x 125mm ASLP176


stainless steel inward opening  
330mm x 100mm SSLP135

Other sizes to special order

## Witley suite - levers on roses, escutcheons, turns & releases

A range of levers and knobs on either 10mm sprung roses or slimline unsprung roses. Escutcheons to suit most applications, slimline, standard or 10g face fix. All levers are spindle fixed using grub screws.

All the items listed are available in the following finishes: AS, PB, SSS, PSS  
Refer to page 3 for glossary of finishes.



Back to back handles are supplied with beefeater bolts for a secure fixing. Standard bolts are designed for 45mm - 55mm width doors. For thicker doors of 60mm and over, please advise thickness when ordering. Please also state when ordering for glass doors.

As an alternative to back to back handles, roses or plates can be bolted through for extra security using 'T' fix bolts.

Please refer to our price list for standard sizes for pull handles on plates. Specials can be produced to any size and gauge.

Bolt through

16RBT150  
16RBT225  
16RBT300  
20RBT150  
20RBT225  
20RBT300  
22RBT150  
22RBT225  
22RBT300  
26RBT150  
26RBT225  
26RBT300

On concealed rose

16RCR150  
16RCR225  
16RCR300  
20RCR150  
20RCR225  
20RCR300  
22RCR150  
22RCR225  
22RCR300  
26RCR150  
26RCR225  
26RCR300

Cranked bolt through

20RBTCR150  
20RBTCR225  
20RBTCR300  
20RBTCR425  
20RBTCR600  
22RBTCR150  
22RBTCR225  
22RBTCR300  
22RBTCR425  
22RBTCR600  
25RBTCR150  
25RBTCR225  
25RBTCR300  
25RBTCR425  
25RBTCR600

Back to back

16RBB150  
16RBB225  
16RBB300  
20RBB150  
20RBB225  
20RBB300  
22RBB150  
22RBB225  
22RBB300  
26RBB150  
26RBB225  
26RBB300

On plate


16RPP150  
16RPP225  
16RPP300  
20RPP150  
20RPP225  
20RPP300  
22RPP150  
22RPP225  
22RPP300  
26RPP150  
26RPP225  
26RPP300

On engraved plate

16REP150 22REP150  
16REP225 22REP225  
16REP300 22REP300  
20REP150 26REP150  
20REP225 26REP225  
20REP300 26REP300



On square plate



## Witley suite - pull handles

A range offering four diameters and four lengths as standard with the option of specifying any length required.

All the items listed are available in the following finishes: AS, PB, SSS, PSS  
Refer to page 3 for glossary of finishes.  
Please contact our sales office for alternative finishes.




## Witley suite - fittings for the less able

Although our range can be accurately described as user friendly, we have developed a suite of products specifically to assist the disabled, including extended bathroom turns which are easy to grip. Our specially extended lever handle is easy to operate with elbows, but safely returns to the door, to avoid catching clothing, particularly sleeves and pockets.

As with most of our range, we can produce special items to complement our standard fittings to help the less able, and our technical staff are always available to offer advice or review sketches / drawings of products to meet special needs.


All the items listed are available in the following finishes: AS, PB, SSS, PSS  
Refer to page 3 for glossary of finishes.

Triple bend lever




ASD19RCR  
ASD1FM12  
ASD19RCH  
ASD19RCK  
ASD19RCL  
ASD19RCE  
ASD19RCM


Triple bend lever on rose  
Bathroom indicators with easy to use turn  
Triple bend lever on long latch plate  
Triple bend lever on lock plate  
Triple bend lever on oval concealed plate  
Triple bend lever on profile concealed plate  
Triple bend lever on bathroom plate with  
easy to use turn available in white epoxy  
coated or polished aluminium




ASD19RCH




ASD19RCK



ASD19RCL



ASD19RCE




ASD19RCMD




ASD19M1

Easy to use extended pull handle



HTM lever handle




19RCRHTM

19RHTMCR 19mm lever on rose  
19RHTMCH Lever on latch plate concealed  
19RHTMCK Lever on lock plate concealed  
19RHTMCL Lever on oval lock plate concealed  
19RHTMCE Lever on profile lock plate concealed  
19RHTMCM Lever on bathroom plate  
19RHTMCMRD Lever on bathroom plate with easy to use turn  
22RHTMCR 22mm lever on rose  
22RHTMCH Lever on latch plate concealed  
22RHTMCK Lever on lock plate concealed  
22RHTMCL Lever on oval lock plate concealed  
22RHTMCE Lever on profile lock plate concealed  
22RHTMCM Lever on bathroom plate  
22RHTMCMRD Lever on bathroom plate with easy to use turn


Anti ligature knob

Designed to discourage  
the attachment of ligatures  
to the body of the knob.  
Can be bolted through the  
door or fitted to the face  
with recommended  
concealed fittings



ANT1

Anti ligature pull handle



ANT2



Materials; Aluminium, Brass, Stainless Steel

Standard finishes available - polished aluminium, polished and EPC coated brass, satin stainless steel and mirror polished stainless steel.

Non Standard Finishes:  
Gold and bronze anodised satin brass, colour coated to RAL B.S. No's, IBMA, satin Aluminium. Stainless steel contrast finish polished and satin.

Fittings:  
For wooden, glass or metal doors. Bolt through back to back, cranked or straight feet. Concealed rose fixing.

Diameters Available:  
25mm, 32mm, 38mm & 50mm

For standard lengths please see our price list. We are pleased to advise the most suitable application. Longer pull handles, 2100mm can be supplied with three or four feet for added strength and stability.

## Witley suite - entrance doors



A prestigious range of door handles available in a comprehensive range of sizes tailored to suit individual requirements.

On the page opposite is illustrated the standard range of Witley entrance handles, together with a stock range of standard cranked pull handles.

Each of these are available in a range of finishes: polished anodised aluminium, satin or polished 316 stainless steel, polyester powder coated to standard RAL colours. Fixing centres can be offset if required.

Should you require a special design for an individual application, please contact our technical department.



All the items listed are available in the following finishes; AS, PB, SSS, PSS  
Refer to page 3 for glossary of finishes.




Cranked Pull Handles

DIA.	C/S	FITTING	
32	225	B/Through	32RBTPR225
32	300	B/Through	32RBTPR300
32	425	B/Through	32RBTPR425
32	225	Back/Back	32RBBPR225
32	300	Back/Back	32RBBPR300
32	425	Back/Back	32RBBPR425


(available in AS, PB, SSS, PSS)



Circular entrance handle



Push pads




100 x 150 AS PP150  
100 x 225 AS PP225  
100 x 300 AS PP300

Diameters of feet

Pull handle diameter = feet diameter  
25mm = 22mm  
32mm = 25mm  
38mm = 32mm  
50mm = 32mm




## Astral, Shirley & Sigma



Refer to page 3 for glossary of finishes











<b>Shirley face fix</b>							
<b>Sigma face fix</b>							
<b>Sigma face Fix</b>							
<b>Sigma concealed</b>							
<b>Astral face fix</b>							
<b>Astral concealed</b>							



## Clifford Aluminium - pull handles

A range offering four diameters and four lengths as standard with the option of specifying any length required.

Refer to page 3 for glossary of finishes.










Face fix letter plate		406 (AS, AG) 250mm x 75mm 300mm x 100mm
Face fix letter plate		401 (AS,MS,AG,MG,AB) 250mm x 75mm 300mm x 100mm
Extension letter plate		4250 (AS, MS, AG, AB) 250mm x 75mm -with extension for engraving, state hand when ordering
Back fix letter plate		408 (AS, AG) 250mm x 75mm 300mm x 100mm
Face fix letter tidy		454 (AS,AG) 250mm x 75mm 300mm x 75mm
Decor flap		4117 (AS,AG) 275mm x 75mm 350mm x 75mm
Insulated letter plate		4235 (AS,AG, EPC) Black nylon insulated inner 295mm x 70mm x 65mm
Vertical back fix letter plate		412 (AS) 267mm x 75mm
Oval door stop		DS111 (AS,PB, SSS, PSS)
Shielded door stop		DS12 DS13 (AS,PB)
Pedestal door stop		DS14 (AS)
Projecting door stop face fix		DS19 (MS, AS, PB) 50mm DS20 (MS, AS) 75mm
Projecting door stop concealed fix		DS23 (MS, AS) 50mm DS24 (MS, AS) 75mm
Kicking plates		KP16 16 gauge (1.5mm) KP10 10 gauge (3mm) - cut to size
Finger plates		FP16 16 gauge (1.5mm) 300 x 75mm FP10 10 gauge (3mm) 300 x 75mm - or cut to size

# Clifford Aluminium

- letter plates, tides,  
door stops and kick plates

Refer to page 3 for glossary of finishes.


For care of our fine finishes please refer to page 27



# Clifford Aluminium

- signs, numerals,  
letters, hooks

Refer to page 3 for glossary of finishes.





## Clifford Brass - door furniture

All the items listed are electrophoretically lacquered polished brass  
Refer to page 3 for glossary of finishes.

356233	Latch	7070	Lever lock, 70mm c/s
356263	Lock	7092	Lever lock, 92mm c/s
356284	Bathroom	8042	Scroll lever, 92mm c/s

## Elsdale Narrow Style

Ref	Product	Size
<b>Victorian Door &amp; Window Fittings</b>		
7077	*Knightwick scroll lever on long latch plate	150mm x 45mm
7078	*Knightwick scroll lever on short latch plate	102mm x 45mm
7075	*Knightwick scroll lever on lock plate	150mm x 45mm
7081	*Knightwick scroll lever on profile lock plate 48.5c/s	150mm x 45mm
7082	*Knightwick scroll lever on Bathroom plate	150mm x 43mm
7078WPB	*Knightwick long latch	150mm x 43mm
7075WPB	*Knightwick long lock	150mm x 43mm
9097	*Beauchamp long latch	150mm x 43mm
9098	*Beauchamp long lock	150mm x 43mm
9098B	*Beauchamp bathroom	150mm x 43mm
8027	*Victorian lever on latch plate	112mm x 43mm
8026	*Victorian lever on lock plate	150mm x 43mm
8026B	*Victorian lever on bathroom plate	150mm x 43mm
8026P	*Victorian lever on privacy plate	150mm x 43mm
7032	*Victorian scroll lever on latch plate	150mm x 43mm
7031	*Victorian scroll lever on lock plate	150mm x 43mm
7034	*Victorian scroll lever on privacy plate	150mm x 43mm
70333	*Scroll lever on concealed latch plate	150mm x 43mm
70363	*Scroll lever on concealed lock plate	150mm x 43mm
70384	*Scroll lever on bathroom plates	150mm x 43mm
8036	Victorian cylinder pull	
8024	Victorian door knocker	152mm
8035	Victorian letter plate, spring flap	250mm x 75mm
8033	Interior flap	250mm x 75mm
8036	Numerals 0 - 9	50mm
<b>Georgian Door &amp; Window Fittings</b>		
8009	Georgian cylinder pull	
8010	Georgian door knocker	200mm x102mm
8022	Georgian door knocker	175mm x 50mm
8011	Georgian letter plate, spring flap	250mm x 75mm
8014	*Georgian lever on latch plate	150mm x 43mm
8013	*Georgian lever on lock plate	150mm x 43mm
8013B	*Georgian lever on bathroom plate	150mm x 43mm
8013P	*Georgian lever on privacy plate	150mm x 43mm
8012	Georgian centre door knob	80mm
8016	Georgian mortice knob	50mm
8019	Georgian escutcheon	
8017	Georgian pull handle	

\* Products are hot forged for enhanced strength, consistent shape and finer finish.



Knob furniture

3586	Ball knob, mortice 44mm
3589	Squat knob, mortice 54mm
3582	Oval knob, mortice 60mm
668	Octagonal centre door knob 63mm
669	Octagonal door knob, mortice 63mm

## Clifford Brass - door knobs

Refer to page 3 for glossary of finishes.



Casement window fittings

417W	*Wedge casement fastener
417WL	*Locking wedge casement fastener
417HP	*Hook plate casement fastener
417MP	*Mortice plate casement fastener
417	*Casement stay 200mm 250mm 300mm
417L	*Locking casement stay 200mm 250mm 300mm
5000NV	*Double night vent casement fastener
5000	*Casement stay, 250mm
5000L	*Locking casement stay, 250mm

Sash window fittings

223	Sash lift, cast brass 50mm
118	Sash lift, pressed brass 63mm
225	Ring sash lift on plate, cast 50mm x 25mm
228	Ring sash lift extruded, cast 22mm dia
639	Quadrant arm sash fastener 70mm
928	Straight arm sash fastener 70mm
1147	Fitch fastener 63mm
1147L	Locking fitch fastener 63mm
1W	Weekes sash stop 67mm x 67mm
160A	Pole hook

\* Products are hot forged for enhanced strength consistent shape and finer finish.

**Clifford Brass** - window furniture

Refer to page 3 for glossary of finishes.

For care of our fine finishes please refer to page 27

Clifford Brass | page 21



Pull handles & plates

3970	Cranked pull handle 225mm or 300mm
3133	Pull handle 200mm
3833	Pull handle on plate 200mm
3596	Finger plate 300mm x 75mm
3999	Pub handle
3999P	Pub handle on plate
4053	'D' handle, 100mm
4053	'D' handle, 150mm

**Clifford Brass** - door  
furniture

Refer to page 3 for glossary of finishes.



	Escutcheons	3551	Covered escutcheon 32mm	
		3553	Face Fix escutcheon 32mm	
		3771	Rectangular face fix escutcheon 32mm x 25mm (Not shown)	
Bolts		4115	Flush bolt lever action 150mm x 19mm 200mm x 19mm	
		3672	Flush bolt sunk side action 100mm x 16mm, 150mm x 16mm	
		55	Bathroom bolt 63mm x 25mm	
Letter plates		3845	Letter plate spring flap 250mm x 75mm	
		920	Letter plate spring flap 250mm x 100mm 300mm x 108mm 355mm x 108mm	
		3878	Letter plate gravity flap 10" x 3"	
				Hooks
			32	Hat & coat hook 100mm
			32W	Wardrobe hook 45mm
			30	Hat & coat hook 100mm
				Miscellaneous
			3578	Handrail bracket 63mm
			3602	Numerals, 0 - 9, 75mm

**Clifford Brass** - door  
accessories




# Clifford Black Antique

- door  
furniture

Manufactured from malleable iron, zinc plated to prevent corrosion, then black epoxy powder coated.

Refer to page 3 for glossary of finishes.



Knightwick black and gold and  
Knightwick black concealed



Fleur de lys and castellated



BL01	Black antique lever latch (castellated)	BPC
BL02	Black antique lever lock (castellated)	BPC
BL02C	Black antique bathroom (castellated)	BPC
BL03	Black antique door hinge	BPC
BL04	Black antique lever latch FDL	BPC
BL05	Black antique lever lock FDL	BPC
BL05C	Black antique bathroom FDL	BPC
BL06H	Black antique scroll lever on latch plate	BPC
BL06K	Black antique scroll lever on lock plate	BPC
BL06L	Black antique scroll lever on oval plate	BPC
BL06E	Black antique scroll lever on profile plate	BPC
BL06M	Black antique scroll lever on bathroom plate	BPC
BL07H	Knightwick scroll lever black & brass latch	BBPC
BL07K	Knightwick scroll lever black & brass lock	BBPC
BL07L	Knightwick scroll lever black & brass oval	BBPC
BL07E	Knightwick scroll lever black & brass profile	BBPC
BL07E	Knightwick scroll lever black & brass bathroom	BBPC
BL10E	Black antique letter plate (castellated)	BPC
BL10	Black antique letter plate FDL	BPC
BL24	Black antique casement stay, curly tail	BPC
BL25	Black antique centre door knob	BPC
BL26	Black antique casement fastener, curly tail	BPC
BL97	Black antique lion door knocker	BPC
BLH10	Black antique door hinge, heavy	BPC
BL1418H	Black antique cylinder pull	BPC
BL144_H	Black antique numerals, 0 - 9	BPC

BL08E	Black antique hat and coat hook	BPC
BLRH	Black antique wardrobe hook	BPC



BLDC	Black antique door chain	BPC
BLDB	Black antique bolt	BPC
BL1412H	Black antique bell push	BPC
BL1426H	Black antique door studs	BPC
BLMKH	Black antique escutcheon, keyhole	BPC



BL1433H Black antique suffolk latch BPC

## Clifford Black Antique

- door  
furniture

Manufactured from malleable iron, zinc plated to prevent corrosion, then black epoxy powder coated.

Refer to page 3 for glossary of finishes.

**Dortrend has taken special care in the selection of material and the processes that turn these materials into products that remain looking as new and fit for their purpose for years.**

AISI316 stainless steel is highly resistant to corrosion so that it is particularly suitable for coastal or polluted area's.

Hot forging of brass means the molecular strength is greatly increased compared to sand casting for example and consistent shape and finer surface finishing is achieved. Malleable iron is superior in strength and longevity to cast iron which is brittle and more likely to fracture.

We are consistently striving to develop and improve our products therefore some product specifications may vary.



**dortrend**  
International Ltd.

### **Caring for Anodised Aluminium, Polished Brass and Stainless Steel.**

These products are manufactured from high quality HE9 aluminium, 316 stainless steel and electrophoretic coated brass especially suitable for pressings, extrusions and diecastings. Most of these items require surface treatment to inhibit corrosion, and whilst a product may remain mechanically sound for a lifetime, its appearance may deteriorate more quickly, mainly due to the conditions of exposure in service. Dust is one of the main reasons for corrosion, either acid or alkaline. Salt in marine atmospheres is also very corrosive. We recommend, therefore, that our products be kept clean by frequent dusting, and an occasional wipe with warm soapy water. This is far more effective than the more drastic treatment with polishes, some of which are very abrasive and can damage the surface.

Our technical representatives are always available to offer advice and any technical information you may require.

All dimensions, weights etc. given in this brochure are approximate.

Dortrend International Ltd. are continually refining and improving their product range, and therefore reserve the right to alter specifications without prior notice, where this proves necessary for technical or other reasons.

Any items ordered from this catalogue are subject to our standard terms and conditions of sale, which are printed in our current price list, a copy of which is available on request.



International Ltd.  
**dortrend**

**Dortrend International Ltd.**  
Riverside Business Centre  
Worcester Road  
Stourport-on-Severn  
Worcestershire  
DY13 9BZ

Tel: 01299 827837  
Fax: 01299 827094

e-mail: [sales@dortrend.co.uk](mailto:sales@dortrend.co.uk)  
website: [www.dortrend.co.uk](http://www.dortrend.co.uk)