

High-Performance Industrial and Decorative Coatings




system 317

WEAR-GUARD

SLURRY TERRAZZO EPOXY FLOOR SYSTEM

WEAR-GUARD 317 is an 1/8" slurry terrazzo system that provides an extremely durable floor surface at a fraction of the cost of traditional epoxy terrazzo. It can be used with or without divider strips and provides an exquisite appearance in as little as two days of install time. Designers have a virtually limitless pallet to create just the right touch for their designs. With a wide range of finish coats this system can be configured to meet almost any performance requirements



COMMON APPLICATIONS

This proprietary flooring system is typically applied over clean prepared concrete. Specific applications include, but are not limited to: airports, hotel and office building lobbies and corridors, high end retail spaces, schools, health care facilities and hospitals.

COMPONENTS

F-01 / F-41 SLT / F-41 or F-61


LEED	MATRIX [N	1C 20091
------	-----------	----------

	YES	NO
MRc1.1 Building Reuse	~	
MRc2 Construction Waste Management	~	
MRc4.1 Recycled Content	✓	
MRc6 Rapidly Renewable Materials		*
IEQc4.2 Low Emitting Materials	~	





C



COLORS

For additional or custom system configurations, please contact your Polymer Nation Consultant.

SLT COLORS



These SLT color samples have a base color of white. You may choose any Standard color as the base color.

STANDARD COLORS



In the unlikely event of a problem, a resolution is one phone call away with the assurance that the blame game will not be a part of the process. Our goal is to develop long lasting relationships with our customers.

WE PLEDGE TO DO WHATEVER WE CAN TO BRING OUR **CUSTOMERS THE HIGHEST LEVEL OF SATISFACTION!**