
### Specification Sheet

# Imagine



## **Imagine**

#### PRODUCT DESCRIPTION

Imagine is a collection of sound absorbing art & photography that offers a unique opportunity to transform any space into an oasis of tranquillity while inspiring emotions. The collection boasts a diverse range of sizes ensuring a perfect fit for any room. Every artwork is framed in exquisite oak, showcasing the natural beauty of the material while adding a touch of sophistication to the overall composition.

#### **FEATURES**

- Superior acoustic performance
- An online gallery with a meticulously curated selection of contemporary artwork
- Easy installation
- Option for bespoke artwork

<b>DIMENSIONS</b> – Frame depth: 55mm	D	I٨	ΛEΙ	<b>USI</b>	ONS	- Frame	depth:	55mm
---------------------------------------	---	----	-----	------------	-----	---------	--------	------

VERTICAL:	HORIZONTAL:	SQUARE:
w:500 x h:700 mm	w:700 x h:500 mm	w:800 x h:800 mm
w:570 x h:800 mm	w:800 x h:570 mm	w:1000 x h:1000 m
w:600 x h:900 mm	w:900 x h:600 mm	w:1200 x h:1200 m
w:700 x h:1000 mm	w:1000 x h:700 mm	
w:860 x h:1200 mm	w:1200 x h:860 mm	
w:1000 x h:1400 mm	w:1400 x h:1000 mm	

w:1680 x h:1200 mm w:1800 x h:1200 mm

w:1000 x h:1400 mm w:1200 x h:1680 mm

w:1200 x h:1800 mm

mm mm

<sup>\*</sup>BESPOKE SIZES - Ask for options

### **Imagine**

#### **FRAME FINISH**



#### **CANVAS DESIGN OPTIONS**

/ Art and Photography - **akuartgallery.com** / Bespoke artwork

#### **COMPONENTS**

**Frame:** 0ak

Acoustic material: PET fibres from recycled plastic bottles

Canvas: Polyester made with 100% recycled polyester fibres

Mounting: Wall hangers

#### **PRINT**

Ink type: Water-based ink

Printing method: Dye sublimation print (fully embedded in canvas fabric)

Environment: Tested free from harmful substances according to Eco-Tex 100

#### PRODUCT CARE

Cleaning: Imagine panels are easy to clean. They can withstand daily

dusting, vacuuming and wiping with a damp cloth with the use of universal

cleaning products.

## **Imagine**

#### **ABSORPTION**

Sound absorption class: A Absorption coefficient( $\alpha_w$ ): 1.00

5 81.3	Absorption coefficient				
Freq. [Hz]	1/3-oct.	1/1-oct.	refcurve		
100	0.25				
125	0.25	0.35			
160	0.55				
200	0.69				
250	0.70	0.80	0.80		
315	0.93				
400	1.02				
500	1.03	1.00	1.00		
630	1.03				
800	1.15		1.00		
1000	1.16	1.00			
1250	1.13				
1600	1.09		1.00		
2000	1.09	1.00			
2500	1.00				
3150	1.02				
4000	1.07	1.00 0.90			
5000	0.98				

