

Circle

ECO_{cero} | Acoustic design.





Acoustic panel made from recycled polyester fiber from the ECO line by ECOcero, model ECObasic Circle, catalog design, supplied in a pack of 10 circles with a diameter of 585 mm, 12 circles with a diameter of 390 mm, and 24 circles with a diameter of 190 mm, with a thickness of 24 mm. Includes the adhesive system for direct attachment to the support, using ECOcero's contact glue. Available in two base colors (white and black), with the option of painting in any RAL or NCS color. CE marking, Euroclass B-s2, d0 fire reaction rating. Complies with VOC low emission specifications. GOLD certification for LEED and BREEAM, GLOBAL RECYCLED STANDARD, and OEKO-TEX STANDARD 100.

Composition	Recycled polyester fiber
Maximum Dimension	D585 mm
Thickness	24 mm
Weight	18 kg
Surface Density	4,0 kg/m ²
Absorption without Air Chamber	ISO: $\alpha_w=0,50$. ASTM: NRC=0,70
Absorption with 200 mm Air Chamber	ISO: $\alpha_w=1,00$. ASTM: NRC=0,95
Fire Resistance	B-s2,d0. Ignífugo. CTE for public spaces.
Thermal Resistance	0,600 (m ² ·K/W)
Thermal Conductivity	$\lambda=0,040$ (W/m·K)
Thickness Tolerance	± 1 mm
Cut Tolerance	± 2 mm
Installation	No structural work required, easy and quick installation. Fixed with adhesive or suspended with anchors, both provided by ECO-cero.
Cleaning	For surface cleaning, it is recommended to spray an alcohol-based solution (75%). For dust or lint, use a duster or vacuum cleaner. In case of heavy dirt, treat the material with hydrogen peroxide. Do not scrub.

ECO Line (PET) Certifications



LEED® Certificate (Pass)



BREEAM® Certificate (Exemplary level)



Green Building Council USGBC



Antifungal Certificate



VOCs Certificate (A+ classification)



Acoustic Absorption Certification



CE Certified (EN 15102:2007 + A1:2011)



GLOBAL RECYCLED STANDARD Certificate
(Minimum 60% Post-consumer)



OEKO-TEX STANDARD 100 Certificate



Recycled Content Certification

Colors



Black	Polar White	N
ECO-127	ECO-104	C
NCS: S 9000-N	NCS: S 0502-B50G	NCS

N: Name
C: Color code
NCS: NCS code

Beyond the 16 colors from the ECO line, which feature soft pastel tones designed to evoke emotions, we offer customized painting in any RAL or NCS color. Our special paint ensures perfect acoustic absorption and conditioning.

Get inspired:





