


Square

ECO_{zero} | Acoustic design.





Acoustic panel made of recycled polyester fiber from the ECO line by ECOcero, model ECObasic Square, catalog design, available in the following sizes: 585x585 mm, 780x780 mm, 1000x1000 mm, and 1170x1170 mm, with a thickness of 24 mm. Includes ECOcero's contact adhesive system for direct attachment to the surface. Available in 2 base colors (white and black), with the option of painting in any RAL or NCS color. CE marking, Euroclass B-s2, d0 fire reaction rating. Complies with low VOC emissions specifications. Certified GOLD in LEED and BREEAM, GLOBAL RECYCLED STANDARD, and OEKO-TEX STANDARD 100.

Composition	Recycled polyester fiber
Maximum dimension	2340x1170 mm / Custom
Thickness	24 mm
Weight	1.4 / 5.5 kg
Surface density	4.0 kg/m ²
Absorption without air chamber	ISO: $\alpha_w=0.50$. ASTM: NRC=0.70
Absorption with 200 mm air chamber	ISO: $\alpha_w=1.00$. ASTM: NRC=0.95
Fire resistance	B-s2,d0. Fire-resistant. CTE compliant for public spaces
Thermal resistance	0.600 (m ² ·K/W)
Thermal conductivity	$\lambda=0.040$ (W/m·K)
Thickness tolerance	± 1 mm
Cutting tolerance	± 2 mm
Installation	No construction required, easy and quick installation / Fixed with adhesive or suspended using anchors, both supplied by ECOcero
Cleaning	For surface cleaning, it is recommended to spray an alcohol solution (75%). In case of dust or lint, use a duster or vacuum cleaner. For heavy soiling, treat the material with hydrogen peroxide. Do not rub.

ECO Line Certificates (PET)



LEED® Certificate (Pass)



BREEAM® Certificate (Exemplary level)



Green Building Council USGBC



Antifungal Certificate



VOCs Certificate (A+ classification)



Acoustic Absorption Certification



CE Certified (EN 15102:2007 + A1:2011)



GLOBAL RECYCLED STANDARD Certificate
(Minimum 60% Post-consumer)



OEKO-TEX STANDARD 100 Certificate



Recycled Content Certification

Colors



Black	Polar White	N
ECO-127	ECO-104	C
NCS: S 9000-N	NCS: S 0502-B50G	NCS

N: Name
C: Color code
NCS: NCS code

Beyond the 16 colors of the ECO line, with their soft pastel tones designed to evoke emotions, we offer custom painting in any color from the RAL and NCS palettes. Our special paint ensures perfect absorption and acoustic conditioning.

Get inspired:





