



Altus XE2318GTv2

High GPU density 2U server for artificial intelligence training and inferencing



Overview

A step above, the Penguin Solutions® Altus® XE2318GTv2 server is a GPU power house, enabling support for 600W TDP GPUs.

Leveraging the latest compute technology from AMD, paired with fast and efficient memory and just the right amount of storage, the Altus XE2318GTv2 is the optimal 2U platform offering high density GPU availability for large scale enterprise and hyperscale deployments.

Key Features

- Dual AMD EPYC™
 9005 processors
- Up to 24 DDR4-6400 MT/s ECC memory modules to deliver speed and efficiency for data-intensive workloads
- Supports up to 8 double slot GPUs and 2x PCle Gen5 low-profile cards
- Storage for up to 8 x 2.5" SATA hot-swap drive bays with an option for 4 x U.2 NVMe

Technical Specifications

Form Factor	
Form Factor	2U Rackmount
Processors	20 Rackillount
Processor Number	2
Processor Type	AMD EPYC™ 9005/9004 Series
Maximum TDP	300W
Motherboard	
Chipset	SoC
Board Management	
BMC Chipset	ASpeed AST2600
Dedicated BMC Interface	RJ45
IPMI 2.0	Yes
Virtual Media Over LAN	Yes
KVM Over LAN	Yes
RedFish	Yes
Memory	
Memory Type	DDR5-6400 MT/s (EPYC 9005), DDR4-4800 MT/s (EPYC 9004)
Memory Capacity	Up to 6TB (24 DIMMs)
Storage System	
Hard Drive Bays	SATA (2.5") 4 Hot-Swappable Bays
	SATA/U.2 NVMe (2.5") 4 Gen5 Hot-swappable Bays
Networking	
Ethernet Controller	Broadcom® BCM57416
On-Board LAN	2x 10GbE/RJ45
PCI Expansion Slots	
Number of Slots/Gen/Speed (Size)	8x PCle Gen5 x16 FHFL (GPU), 2x PCle Gen5 x16 LP
GPU	
GPU Capable	Yes
GPU Supported	NVIDIA H200 NVL (max 4), RTX Pro 6000 Blackwell Server Edition (max 4)
External I/O Interfaces	
USB Ports	2 x USB 3.2 Gen1
Video Output	1x VGA
Supported Operating System	
Supported OS	RHEL, Rocky
Power System	
Power Supply Size	2x 3000W 80Plus Titanium

Regulatory Compliance	
Regulations	CE, FCC
Mounting Hardware	
Rackmount Rails	Standard Rails included
Operating Environment	
Operating Temperature	10C to 35C (50F to 95F)
Non-operating Temperature	OC to 60C (32F to 140F)
Operating Relative Humidity	8% to 80% (non-condensing)
Non-operating Relative Humidity	20% to 95% (non-condensing)
System Dimensions & Weight	
Height	3.44 inches
Width	17.64 inches
Depth	31.50 inches
Warranty	
Warranty	1 Year Standard; For details see the MPSA
Cooling Options	
Air Cooling	Standard
Direct-To-Liquid Cooling	N/A



Contact Us

For sales queries, please contact sales@penguinsolutions.com.

To learn more about the Altus XE2318GTv2 Server and other Penguin Solutions products, please visit: www.penguinsolutions.com

© 2025 Penguin Solutions, Inc. All rights reserved. Penguin Solutions, Penguin Computing, OriginAl, and ICE ClusterWare are trademarks or registered trademarks of Penguin Solutions. All other product names, trademarks, and registered trademarks are the property of their respective owners. All company, product, and service names used in this document are for identification purposes only. Use of these names, trademarks, and brands does not imply endorsement.