



# MANUAL APPLICATOR EVO LINE

Manual Applicator








## CD Evo


Manual Skeleton Applicator.

This lightweight and durable manual caulking gun is designed for easy application of silicone, adhesives, and sealants. Featuring a robust skeleton frame, it ensures precise control and smooth dispensing, making it perfect for both professional and DIY projects. The ergonomic handle and trigger mechanism provide comfortable and effortless operation, even during extended use. Equipped with an anti-drip system to prevent product waste.

WAY OF EXTRUSION	MANUAL
ART. CODE	1060551
Net weight	KG. 0,55
Clutch	Steel - one piece
Push Rod	Hexagonal section
Max. Force	180 Kgf
Thrust ratio	10:1
Progress/Stroke	8 mm

### PACKAGING

Multiple packing			
	36x20x30 cm	20 pz	11 Kg








## PS 300 Evo



Professional applicator with aluminum body, rotating cradle, lever in aluminum and ergonomic handle. For sealants and adhesives to medium/low viscosity in standard cartridge. Designed for optimum performance while maintaining good value for money.

WAY OF EXTRUSION	MANUAL
ART. CODE	1060548
Net weight	Kg. 0,75.
Clutch	one piece
Push Rod	High carbon steel
Max. Force	260 Kgf
Thrust ratio	18:1
Progress/Stroke	6 mm
Features	Cradle steel rotating, electrowelded

### PACKAGING

Multiple packing			
	46,5x36x19 cm	20 pz	15 Kg

### CARTRIDGE





## PS 301 VR Evo

### Professional Silicone Applicator with Variable Ratio

Our advanced silicone applicator is specifically designed to meet the demands of professionals seeking precision, versatility, and durability. This high-performance tool ensures effortless and accurate application of silicone, adhesives, and other sealants, thanks to its variable ratio system and dripless functionality..

#### Key Features:

**Variable Ratio Mechanism:** Adjustable ratios allow for precise control of material flow, ensuring optimal application for various viscosities and project requirements.

**Dripless Mechanism:**

Thanks to the dripless system, which can be activated with a switch, the applicator is perfect for dispensing low-viscosity materials without dripping.

**Robust Construction:** Made with high-quality, durable materials that ensure long-lasting performance, even under heavy use.




**Ergonomic Design:** Comfortable grip and lightweight design reduce hand fatigue, making it ideal for extended use.

**Smooth Dispensing:** Equipped with an advanced trigger system for seamless and consistent dispensing, minimizing waste and ensuring clean, professional results.



**Versatility:** Compatible with a wide range of silicone cartridges and sealant types, catering to different industries and applications.

WAY OF EXTRUSION	MANUAL
ART. CODE	1060547
Net weight	Kg. 0,80
Clutch Push Rod	Tempered - one piece High carbon steel
Max. Force	180 Kgf 12:1    320 Kgf 25:1
Thrust ratio variable	12:1 and 25:1
Progress/Stroke	7 mm and 3,5 mm
Features	Cradle steel rotating, electrowelded, variable ratio

#### PACKAGING

Multiple packing			
	39x24,5x40 cm	20 pz	16 Kg

#### CARTRIDGE










## PS 400 Evo

Professional applicator for medium to high-viscosity sealants and adhesives, compatible with standard soft packs and cartridges. Featuring a lightweight aluminum body and lever, a one-piece tempered pushing plate, durable aluminum tube and ring nuts, ergonomic grip, and smooth extrusion for precise and efficient application. Designed for optimum performance while maintaining good value for money.

WAY OF EXTRUSION	MANUAL
ART. CODE	1060549
Net weight	Kg. 0,93
Clutch	Tempered - one piece
Push Rod	High carbon steel
Max. Force	300 Kgf
Thrust ratio	18:1
Progress/Stroke	6 mm
Tube and ring nuts	Aluminium

### PACKAGING

Multiple packing			
	45x29x36 cm	20 pz	18,6 Kg





## PS 600 Evo


Professional applicator for medium to high-viscosity sealants and adhesives, compatible with standard soft packs and cartridges. Featuring a lightweight aluminum body and lever, a one-piece tempered pushing plate, durable aluminum tube and ring nuts, ergonomic grip, and smooth extrusion for precise and efficient application. Designed for optimum performance while maintaining good value for money.

WAY OF EXTRUSION	MANUAL
ART. CODE	1060550
Net weight	Kg. 1,03
Clutch Push Rod	Tempered - one piece High carbon steel
Max. Force	300 Kgf
Thrust ratio	18:1
Progress/Stroke	6 mm
Tube	Anodized aluminium
Ring nuts	Aluminium painted


### PACKAGING

Multiple packing			
	54x24x29 cm	10 pz	10,3 Kg

#### CARTRIDGE



#### SOFT-PACK





## CTX 400 Evo

Coaxial Two-Component Dispenser for Chemical Anchors

This professional-grade coaxial dispenser is specifically designed for two-component chemical anchoring systems. Engineered for durability and precision, it ensures optimal performance in construction and industrial applications.

**Sturdy Design:** Features a robust metal frame and a durable trigger mechanism for extended use.

**Coaxial Compatibility:** Perfectly suited for coaxial cartridges 380/400 ml 10:1 , enabling precise mixing and dispensing of two-component chemical anchors.




**Ergonomic Grip:** Designed for comfort and ease of use, reducing operator fatigue during prolonged tasks.

**Smooth Extrusion:** Guarantees consistent and accurate dispensing for reliable anchoring.


Ideal for professionals requiring high-quality and dependable performance.

WAY OF EXTRUSION	MANUAL
ART. CODE	1060555
Net weight	Kg. 1,1
Clutch	Tempered - two piece
Push Rod	High carbon steel
Max. Force	300 Kgf
Thrust ratio	26:1
Progress/Stroke	4,5 mm
Cradle	iron elettrowelding

### PACKAGING

Multiple packing			
	58x33x24 cm	12 pz	14,1 Kg

### CARTRIDGE



# Nozzle available for soft-pack and cartridges

For the extrusion of product contained in soft-pack and by using the following nozzles, use:

**THE ADAPTER FOR SOFT-PACK**  
Cod. 3080010



SOFT-PACK

**NOZZLE**  
for soft-pack



3080036

**ADAPTER**  
for soft-pack



1060102



Thread 15 x 1,5



Thread 15 x 2,5

**ALUMINUM**  
**CARTRIDGE**

Threaded  
15x1,5 mm



**NOZZLES**  
for aluminum  
cartridge

Threaded 15 x 1,5  
mm



3080005



4020761



3080002



3080009

For the extrusion of product contained in soft-pack and by using the following nozzles, use:

**THE ADAPTER FOR SOFT-PACK**  
Cod. 3080225

**PLASTIC**  
**CARTRIDGE**

Threaded  
15x2,5 mm



**ADAPTER**  
for plastic cartridge

Threaded 15 x 2,5 mm



1020054

**NOZZLES**  
for plastic cartridge

Threaded 15 x 2,5 mm



3080003



3080188



3080189



3080190

Nozzles for the extrusion of silicone and sealants, in different lengths.



300 mm


200 mm

100 mm

Different openings available in different positions, depending on user needs and material viscosity.



**ADAPTER** for cartridges and soft-pack.  
Also available Threaded 12x2,5 mm and 15x1,5 mm



For cartridges and soft-packs



# PRIVATE LABEL

**P.M.T. Made product customization** refers to the process of tailoring a product to meet the specific needs, preferences, or requirements of an individual customer or a target group. This approach allows customers to choose from a variety of features, options, or designs, resulting in a product that better aligns with their unique demands. Customization can involve adjustments to the product's functionality, materials, dimensions, colors, branding, or other attributes, ensuring the final product delivers higher value and satisfaction. This strategy not only enhances the customer experience but also helps businesses differentiate themselves in the market, fostering loyalty and engagement



## LOGO

Private Label is a product personalization service offered by P.M.T. to its customers.

Upon request, it is possible to customize the guns in line with your brand's style by adding your logo, name, and a description of the product.

Many P.M.T. customers take advantage of the Private Label service to personalize their products.

## COLOR

In keeping with the style of your brand, we produce individual components in your desired colors, such as handles or metal parts. For these, we apply specialized treatments, including anodizing and custom paint finishes.

Additionally, we collaborate with the best professionals to ensure your product is both unique and visually striking.



## Customized laser marking upon request





---

## Other products available

---



**Pneumatic Applicators**



**Manual applicators**




**Cordless Applicators**



**Foam guns and Adhesive guns**



**Coating guns**



**Spray guns**



**Fittings**



**Service guns**





## P.M.T. s.r.l.

Via G. Marconi, 3/7 - Zona Artigianale Nord  
24051 Antegnate (BG)  
Tel. +39 0363 905025 | Fax +39 0363 905200  
[www.pmt.it](http://www.pmt.it) | [info@pmt.it](mailto:info@pmt.it)

