

Safety Data Sheet according to the Hazardous Products Regulation (February 11, 2015) Date of issue: 03/29/2017 Revision date: 01/31/2018 Version: 1.0

SECTION 1: Identification	
1.1. Product identifier	
Product form	: Mixtures
Product name	: Sakrete Fast Setting Concrete Mix
Product code	: 65305535 - 50lb bag
1.2. Recommended use and restrictions	
Recommended use	: Various
1.3. Supplier	
Manufacturer Sakrete Of North America 625 Griffith Rd., Ste 100 Charlotte, NC 28217- USA T 866-725-7383	Distributor Add the name, address and tel. number of the Canadian manufacturer or importer who operates in Canada
1.4. Emergency telephone number	
Emergency number	 For Hazardous Materials [or Dangerous Goods] Incident Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night 1-800-424-9300 [USA] / +1 703-527-3887 [CAN]
SECTION 2: Hazard identification	
2.1. Classification of the substance or n	nixture
Classification (GHS-CA)	
Skin Irrit. 2 H315 Eye Dam. 1 H318 Carc. 1A H350 STOT RE 1 H372	
2.2. GHS Label elements, including pred	cautionary statements
GHS-CA labelling	
Hazard pictograms (GHS-CA)	: GHS05 GHS08
Signal word (GHS-CA)	: Danger
Hazard statements (GHS-CA)	: H315 - Causes skin irritation H318 - Causes serious eye damage H350 - May cause cancer H372 - Causes damage to organs through prolonged or repeated exposure
Precautionary statements (GHS-CA)	 P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood. P260 - Do not breathe dust P264 - Wash hands, forearms and face thoroughly after handling P270 - Do not eat, drink or smoke when using this product P280 - Wear eye protection, face protection, protective gloves, protective clothing P308+P313 - IF exposed or concerned: Get medical advice/attention P302+P352 - IF ON SKIN: Wash with plenty of water P362+P364 - Take off contaminated clothing and wash it before reuse P332+P313 - IF lskin irritation occurs: Get medical advice/attention P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor P405 - Store locked up P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation
2.3. Other hazards	
Other hazards not contributing to the classification	: Not applicable.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

2.4. Unknown acute toxicity (GHS-CA)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures			
Name	Product identifier	%	
Quartz	(CAS-No.) 14808-60-7	83.67	
Cement, portland, chemicals	(CAS-No.) 65997-15-1	10.58	
Limestone	(CAS-No.) 1317-65-3	0.56	

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
First-aid measures after eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.
First-aid measures after ingestion	: If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Immediately call a POISON CENTER or doctor/physician.
4.2. Most important symptoms and eff	fects (acute and delayed)
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin.
Symptoms/effects after eye contact	: Causes serious eye damage. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: Harmful if swallowed. May cause stomach distress, nausea or vomiting.
4.3. Immediate medical attention and s	special treatment, if necessary
Other medical advice or treatment	: Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).

SECT	ON 5: Fire-fighting measures		
5.1.	Suitable extinguishing media		
Suitable	extinguishing media	: Treat for surrounding material.	
5.2.	Unsuitable extinguishing media		
Unsuital	ble extinguishing media	: Not available.	
5.3.	Specific hazards arising from the ha	azardous product	
Fire haz	ard	: Products of combustion may include, and are not limited to: oxides of carbon.	
5.4.	Special protective equipment and p	recautions for fire-fighters	
Firefight	ing instructions	: Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).	
SECT	ON 6: Accidental release mea	sures	
6.1.	Personal precautions, protective eq	uipment and emergency procedures	
General	measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry unnecessary and unprotected personnel.	/ to
6.2.	Methods and materials for containm	nent and cleaning up	
For cont	tainment	: Contain spill, then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE). Minimize generation of dust.	
Methods	s for cleaning up	: Vacuum or sweep material and place in a disposal container.	
01/31/20	18	EN (English)	2/5

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

6.3.	Reference to other sections			
For fu	For further information refer to section 8: "Exposure controls/personal protection"			
SEC	SECTION 7: Handling and storage			
OLO	non 7. nanaling and stora			
7.1.	Precautions for safe handling			
Preca	utions for safe handling	: Do not swallow. Avoid contact with skin and eyes. Good housekeeping is important to prevent accumulation of dust. Avoid generating and breathing dust. The use of compressed air for cleaning clothing, equipment, etc, is not recommended. Handle and open container with care. When using do not eat, drink or smoke.		
Hygier	ne measures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.		
7.2.	.2. Conditions for safe storage, including any incompatibilities			
Storag	e conditions	: Keep out of the reach of children. Store in dust-tight, dry, labelled containers. Keep container tightly closed when not in use. Avoid any dust buildup by frequent cleaning and suitable construction of the storage area. Do not store in an area equipped with emergency water sprinklers.		

SECTION 8: Exposure controls/personal protection			
1. Control param	ieters		
Cement, portland, chemicals (65997-15-1)			
USA - ACGIH	ACGIH TWA (mg/m ³)	1 mg/m ³ (particulate matter containing no asbestos and <1% crystalline silica, respirable particulate matter)	
Quartz (14808-60-7)			
USA - ACGIH	ACGIH TWA (mg/m ³)	0.025 mg/m ³ (respirable particulate matter)	

Appropriate engineering controls

: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Wear suitable waterproof gloves

Eye protection:

Wear approved eye protection (properly fitted dust- or splash-proof chemical safety goggles) and face protection (face shield).

Skin and body protection:

Wear suitable waterproof protective clothing

Respiratory protection:

A NIOSH approved dust mask or filtering facepiece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).

Other information:

Handle according to established industrial hygiene and safety practices. Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Solid	
Appearance	: Powder	
Colour	: Various	
Odour	: Characteristic	
Odour threshold	: No data available	
рН	: 12 - 13	
Relative evaporation rate (butylacetate=1)	: No data available	
Relative evaporation rate (ether=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not flammable
Vapour pressure	: No data available
Vapour pressure at 50 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Viscosity, kinematic	: No data available
Explosive limits	: No data available
9.2. Other information	
VOC content	: 0%, Not applicable

SECTION 10: Stability and reactivity	
10.1. Reactivity	
Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal storage conditions. Keep dry in storage.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Conditions to avoid	: Incompatible materials. Moisture.
Incompatible materials	: Wet cement is alkaline and incompatible with acid, ammonium salts and aluminum metal.
Hazardous decomposition products	: May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information

Acute toxicity (oral)	: Not classified.
	: Not classified.
Acute toxicity (dermal)	: Not classified.
Acute toxicity (inhalation)	: Not classified.
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified.
Germ cell mutagenicity	: Not classified.
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Not classified.
STOT-single exposure	: Not classified.
STOT-repeated exposure	: Causes damage to lungs through prolonged or repeated exposure. Respirable crystalline silica in the form of quartz or cristobalite from occupational sources is listed by the International Agency for Research on Cancer (IARC) and National Toxicology Program (NTP) as a lung carcinogen. Prolonged exposure to respirable crystalline silica has been known to cause silicosis, a lung disease, which may be disabling. While there may be a factor of individual susceptibility to a given exposure to respirable silica dust, the risk of contracting silicosis and the severity of the disease is clearly related to the amount of dust exposure and the length of time (usually years) of exposure.
Aspiration hazard	: Not classified.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation. May cause burns in the presence of moisture. Skin contact during hydration may slowly develop sufficient heat that may cause severe burns possibly resulting in permanent injury. Do not allow product to harden around any body part or allow continuous, prolonged contact with skin. Handling can cause dry skin.
Symptoms/effects after eye contact	 Causes serious eye damage. May cause burns in the presence of moisture. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: Harmful if swallowed. May cause stomach distress, nausea or vomiting.

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)		
SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general	: No ecological consideration when used according to directions. Normal dilution of this product to drains, sewers, septic systems and treatment plants is not considered environmentally harmful.	
12.2. Persistence and degradability		
Sakrete Fast Setting Concrete Mix		
Persistence and degradability	No data available.	
12.3. Bioaccumulative potential		
Sakrete Fast Setting Concrete Mix		
Bioaccumulative potential	No data available.	
12.4. Mobility in soil		
Sakrete Fast Setting Concrete Mix		
Ecology - soil	No data available.	
12.5. Other adverse effects		
Other adverse effects	: No data available.	
SECTION 13: Disposal consideration	S	
13.1. Disposal methods		
Product/Packaging disposal recommendations	: This material must be disposed of in accordance with all local, state, provincial, and federal regulations.	
SECTION 14: Transport information		
14.1. Basic shipping description		
In accordance with TDG		

Transportation of Dangerous Goods

Not regulated for transport

14.2. Transport information/DOT

No additional information available

14.3. Air and sea transport

No additional information available

SECTION 15: Regulatory information

15.1. National regulations

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

15.2. International regulations

No additional information available

SECTION 16: Other information		
Date of issue Revision date	: 03/29/2017 : 03/29/2017	
Prepared by	: Nexreg Compliance Inc. www.Nexreg.com	N E X R E G

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.