

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

## Sample Result: PASS

|                           |                             |                          |                     |
|---------------------------|-----------------------------|--------------------------|---------------------|
| <b>Date Reported:</b>     | 9/16/2025                   | <b>Sample ID:</b>        | 20250827-SASS-003   |
| <b>Client Name:</b>       | RIJO BRANDS LLC dba SASS BK | <b>Sample Name:</b>      | KEY LIME PIE BONBON |
| <b>Sampling Location:</b> | Brooklyn, New York          | <b>Sample Matrix:</b>    | Edible              |
| <b>Contact Name:</b>      | Mary Rosado                 | <b>Sample Sub Type:</b>  | Chocolate           |
| <b>Contact Email:</b>     | Mary@sassbk.com             | <b>Package ID:</b>       | #00010              |
| <b>License Number:</b>    | OCM-PROC-24-000203          | <b>Batch Lot ID:</b>     | #00010              |
| <b>Medical/Adult Use:</b> | Adult Use                   | <b>Batch Size:</b>       | 500                 |
| <b>Sampling Date:</b>     | 08/27/2025 01:25:00 PM      | <b>Serving Size (g):</b> | 17.2846             |

|                       |          |                        |          |                                     |          |                   |          |
|-----------------------|----------|------------------------|----------|-------------------------------------|----------|-------------------|----------|
| <b>Potency</b>        | <b>T</b> | <b>Pesticides</b>      | <b>P</b> | <b>Heavy Metals</b>                 | <b>P</b> | <b>Mycotoxins</b> | <b>P</b> |
| <b>Water Activity</b> | <b>P</b> | <b>Microbiological</b> | <b>P</b> | <b>Residual Solvents</b>            | <b>P</b> | <b>Terpenes</b>   | <b>P</b> |
|                       |          | <b>Moisture</b>        | <b>-</b> | <b>Filth &amp; Foreign Material</b> | <b>-</b> |                   |          |

"-" = Not Tested; "T" = Tested; "P" = Pass; "F" = Fail

### Cannabinoids: KEY LIME PIE BONBON (20250827-SASS-003)

Potency analysis utilizing HPLC (SOP-025-NY, SOP-073-NY)

| Analyte   | % w/w | mg/serving | MRL (% w/w) |
|-----------|-------|------------|-------------|
| CBDV      | < MRL | < MRL      | 0.001       |
| CBDA      | < MRL | < MRL      | 0.001       |
| CBGA      | < MRL | < MRL      | 0.001       |
| CBG       | < MRL | < MRL      | 0.001       |
| CBD       | < MRL | < MRL      | 0.001       |
| THCV      | 0.003 | 0.519      | 0.001       |
| CBN       | < MRL | < MRL      | 0.001       |
| D9-THC    | 0.050 | 8.642      | 0.001       |
| D8-THC    | < MRL | < MRL      | 0.001       |
| D10-THC-S | < MRL | < MRL      | 0.001       |
| D10-THC-R | < MRL | < MRL      | 0.001       |
| CBC       | < MRL | < MRL      | 0.001       |
| THCA      | < MRL | < MRL      | 0.001       |

MRL = Minimum reporting limit/limit of quantification  
mg/serving = % w/w x10 x serving size weight (g)

Test ID: #134067 | Date Tested: 09/01/2025 02:14 PM

| Potency Summary                                                                            | % w/w | mg/serving |
|--------------------------------------------------------------------------------------------|-------|------------|
| <b>Total THC</b> [ $\Delta 8$ -THC + $\Delta 9$ -THC + $\Delta 10$ -THC + (THCA * 0.877) ] | 0.050 | 8.642      |
| <b>Total CBD</b> [ CBD + (CBDA * 0.877) ]                                                  | < MRL | < MRL      |
| <b>Total Cannabinoids</b>                                                                  | 0.053 | 9.161      |



Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Terpenes: KEY LIME PIE BONBON (20250827-SASS-003)

**PASS**

Terpenes analysis utilizing GC-MS (SOP-063-NY, SOP-069-NY)

| Analyte             | Result (% w/w) | MRL (% w/w) |
|---------------------|----------------|-------------|
| alpha-Pinene        | < MRL          | 0.05        |
| Camphene            | < MRL          | 0.05        |
| Sabinene            | < MRL          | 0.05        |
| beta-Pinene         | < MRL          | 0.05        |
| beta-Myrcene        | < MRL          | 0.05        |
| Alpha-phellandrene  | < MRL          | 0.05        |
| Carene              | < MRL          | 0.05        |
| alpha-terpinene     | < MRL          | 0.05        |
| p-Cymene            | < MRL          | 0.05        |
| Limonene            | < MRL          | 0.05        |
| Eucalyptol          | < MRL          | 0.05        |
| Ocimene             | < MRL          | 0.04        |
| gamma-Terpinene     | < MRL          | 0.05        |
| Sabinene Hydrate    | < MRL          | 0.05        |
| Terpinolene         | < MRL          | 0.05        |
| Linalool            | < MRL          | 0.05        |
| Fenchol             | < MRL          | 0.05        |
| Menthol             | < MRL          | 0.05        |
| Terpineol           | < MRL          | 0.05        |
| Citronellol         | < MRL          | 0.05        |
| Isopulegol          | < MRL          | 0.05        |
| Geraniol            | < MRL          | 0.05        |
| Alpha-cedrene       | < MRL          | 0.04        |
| Beta-Caryophyllene  | < MRL          | 0.05        |
| Farnesene           | < MRL          | 0.05        |
| alpha-Humulene      | < MRL          | 0.05        |
| Valencene           | < MRL          | 0.05        |
| cis-Nerolidol       | < MRL          | 0.02        |
| trans-Nerolidol     | < MRL          | 0.03        |
| Caryophyllene oxide | < MRL          | 0.05        |
| Guaiol              | < MRL          | 0.05        |
| alpha-Bisabolol     | < MRL          | 0.05        |

MRL = Minimum reporting limit/limit of quantification

Test ID: #134069 | Date Tested: 08/31/2025 10:31 AM

### Terpenes Summary

Result

Limit

Pass/Fail

**Total Terpenes (% w/w)**

< MRL

10

PASS



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits.

A sample is deemed acceptable when all analyte values are within those state determined limits.

Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Residual Solvents: KEY LIME PIE BONBON (20250827-SASS-003)

**PASS**

Residual solvents and processing chemicals analysis utilizing Headspace Gas Chromatography – Mass Spectrometry (SOP-067-NY, SOP-010-NY)

| Analyte                                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-----------------------------------------|-----------|---------------|--------------|------------|
| 1,2-Dichloroethane                      | PASS      | < MRL         | 5            | 3.500      |
| 2-Propanol                              | PASS      | < MRL         | 5000         | 500.000    |
| Acetone                                 | PASS      | < MRL         | 5000         | 2000.000   |
| Acetonitrile                            | PASS      | < MRL         | 410          | 40.000     |
| Butanes, total                          | PASS      | < MRL         | 5000         | 2500.000   |
| Benzene                                 | PASS      | < MRL         | 2            | 0.650      |
| Chloroform                              | PASS      | < MRL         | 60           | 6.000      |
| Dichloromethane                         | PASS      | < MRL         | 600          | 60.000     |
| Dimethyl Sulfoxide                      | PASS      | < MRL         | 5000         | 1000.000   |
| Ethanol                                 | PASS      | < MRL         | 5000         | 500.000    |
| Ethyl acetate                           | PASS      | < MRL         | 5000         | 500.000    |
| Ethyl ether                             | PASS      | < MRL         | 5000         | 500.000    |
| n-Heptane                               | PASS      | < MRL         | 5000         | 500.000    |
| Hexanes, total                          | PASS      | < MRL         | 290          | 30.000     |
| Methanol                                | PASS      | < MRL         | 3000         | 300.000    |
| Pentanes, total                         | PASS      | < MRL         | 5000         | 500.000    |
| Propane                                 | PASS      | < MRL         | 5000         | 500.000    |
| Tetrafluoroethane (1,1,1,2-) (HFC-134a) | PASS      | < MRL         | 1000         | 400.000    |
| Toluene                                 | PASS      | < MRL         | 890          | 100.000    |
| Trichloroethane                         | PASS      | < MRL         | 1500         | 1000.000   |
| Xylenes, total                          | PASS      | < MRL         | 2170         | 250.000    |

MRL = Minimum reporting limit/limit of quantification

Test ID: #134068 | Date Tested: 08/31/2025 12:44 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

### Pesticides: KEY LIME PIE BONBON (20250827-SASS-003)

**PASS**

Residual pesticide analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY)

| Analyte                 | Pass/Fail | Result (µg/g) | Limit (µg/g) | MRL (µg/g) |
|-------------------------|-----------|---------------|--------------|------------|
| Abamectin               | PASS      | < MRL         | 0.50         | 0.100      |
| Acephate                | PASS      | < MRL         | 0.40         | 0.100      |
| Acequinocyl             | PASS      | < MRL         | 2.00         | 0.100      |
| Acetamiprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Aldicarb                | PASS      | < MRL         | 0.40         | 0.100      |
| Azadirachtin            | PASS      | < MRL         | 1.00         | 0.250      |
| Azoxystrobin            | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenazate              | PASS      | < MRL         | 0.20         | 0.100      |
| Bifenthrin              | PASS      | < MRL         | 0.20         | 0.100      |
| Boscalid                | PASS      | < MRL         | 0.40         | 0.100      |
| Captan                  | PASS      | < MRL         | 1.00         | 0.500      |
| Carbaryl                | PASS      | < MRL         | 0.20         | 0.100      |
| Carbofuran              | PASS      | < MRL         | 0.20         | 0.100      |
| Chlorantranilprole      | PASS      | < MRL         | 0.20         | 0.100      |
| Chlordane               | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorfenapyr            | PASS      | < MRL         | 1.00         | 0.100      |
| Chloromequat chloride   | PASS      | < MRL         | 1.00         | 0.100      |
| Chlorpyrifos            | PASS      | < MRL         | 0.20         | 0.100      |
| Clofentezine            | PASS      | < MRL         | 0.20         | 0.100      |
| Coumaphos               | PASS      | < MRL         | 1.00         | 0.100      |
| Cyfluthrin              | PASS      | < MRL         | 1.00         | 0.100      |
| Cypermethrin            | PASS      | < MRL         | 1.00         | 0.100      |
| Daminozide              | PASS      | < MRL         | 1.00         | 0.100      |
| Diazinon                | PASS      | < MRL         | 0.20         | 0.100      |
| Dichlorvos              | PASS      | < MRL         | 1.00         | 0.100      |
| Dimethoate              | PASS      | < MRL         | 0.20         | 0.100      |
| Dimethomorph            | PASS      | < MRL         | 0.20         | 0.100      |
| Ethoprophos             | PASS      | < MRL         | 0.20         | 0.100      |
| Etofenprox              | PASS      | < MRL         | 0.40         | 0.100      |
| Etioazole               | PASS      | < MRL         | 0.20         | 0.100      |
| Fenhexamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fenoxycarb              | PASS      | < MRL         | 0.20         | 0.100      |
| Fenpyroximate           | PASS      | < MRL         | 0.40         | 0.100      |
| Fipronil                | PASS      | < MRL         | 0.40         | 0.100      |
| Flonicamid              | PASS      | < MRL         | 1.00         | 0.100      |
| Fludioxonil             | PASS      | < MRL         | 0.40         | 0.100      |
| Hexythiazox             | PASS      | < MRL         | 1.00         | 0.100      |
| Imazalil                | PASS      | < MRL         | 0.20         | 0.100      |
| Imidacloprid            | PASS      | < MRL         | 0.40         | 0.100      |
| Indole-3-butyric acid   | PASS      | < MRL         | 1.00         | 0.250      |
| Kresoxim-methyl         | PASS      | < MRL         | 0.40         | 0.100      |
| Malathion               | PASS      | < MRL         | 0.20         | 0.100      |
| Metalaxyl               | PASS      | < MRL         | 0.20         | 0.100      |
| Methiocarb              | PASS      | < MRL         | 0.20         | 0.100      |
| Methomyl                | PASS      | < MRL         | 0.40         | 0.100      |
| Methyl Parathion        | PASS      | < MRL         | 0.40         | 0.100      |
| Mevinphos               | PASS      | < MRL         | 1.00         | 0.100      |
| MGK-264 I/II            | PASS      | < MRL         | 0.20         | 0.100      |
| Myclobutanil            | PASS      | < MRL         | 0.20         | 0.100      |
| Naled                   | PASS      | < MRL         | 0.50         | 0.100      |
| Oxamyl                  | PASS      | < MRL         | 1.00         | 0.100      |
| Paclobutrazol           | PASS      | < MRL         | 0.40         | 0.100      |
| Pentachloronitrobenzene | PASS      | < MRL         | 0.40         | 0.100      |
| Permethrins, total      | PASS      | < MRL         | 0.20         | 0.100      |
| Phosmet                 | PASS      | < MRL         | 0.20         | 0.100      |
| Piperonyl butoxide      | PASS      | < MRL         | 2.00         | 0.100      |
| Prallethrin             | PASS      | < MRL         | 0.20         | 0.100      |
| Propiconazole           | PASS      | < MRL         | 0.40         | 0.100      |
| Propoxur                | PASS      | < MRL         | 0.20         | 0.100      |
| Pyrethrins              | PASS      | < MRL         | 1.00         | 0.100      |
| Pyridaben               | PASS      | < MRL         | 0.20         | 0.100      |
| Spinetoram, Total       | PASS      | < MRL         | 1.00         | 0.100      |
| Spinosad, Total         | PASS      | < MRL         | 0.20         | 0.100      |
| Spiromesifen            | PASS      | < MRL         | 0.20         | 0.100      |
| Spirotetramat           | PASS      | < MRL         | 0.20         | 0.100      |
| Spiroxamine             | PASS      | < MRL         | 0.20         | 0.100      |
| Tebuconazole            | PASS      | < MRL         | 0.40         | 0.100      |
| Thiacloprid             | PASS      | < MRL         | 0.20         | 0.100      |
| Thiamethoxam            | PASS      | < MRL         | 0.20         | 0.100      |
| Trifloxystrobin         | PASS      | < MRL         | 0.20         | 0.100      |

MRL = Minimum reporting limit/limit of quantification

Test ID: #134065 | Date Tested: 09/01/2025 03:55 PM



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.

Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
www.greenanalyticsllc.com  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09

| Mycotoxins: KEY LIME PIE BONBON (20250827-SASS-003)                                             |           |               |                                                     | PASS       |
|-------------------------------------------------------------------------------------------------|-----------|---------------|-----------------------------------------------------|------------|
| Mycotoxin analysis utilizing Liquid Chromatography - Mass Spectrometry (SOP-062-NY, SOP-070-NY) |           |               |                                                     |            |
| Analyte                                                                                         | Pass/Fail | Result (µg/g) | Limit (µg/g)                                        | MRL (µg/g) |
| Ochratoxin                                                                                      | PASS      | < MRL         | 0.02                                                | 0.010      |
| Total Aflatoxins                                                                                | PASS      | < MRL         | 0.02                                                | 0.010      |
| MRL = Minimum reporting limit/limit of quantification                                           |           |               | Test ID: #134066   Date Tested: 09/01/2025 03:59 PM |            |

| Heavy Metals: KEY LIME PIE BONBON (20250827-SASS-003)                                                 |           |               |                                                     | PASS       |
|-------------------------------------------------------------------------------------------------------|-----------|---------------|-----------------------------------------------------|------------|
| Heavy Metals analysis utilizing Inductively Coupled Plasma Mass Spectrometry (SOP-061-NY, SOP-072-NY) |           |               |                                                     |            |
| Analyte                                                                                               | Pass/Fail | Result (µg/g) | Limit (µg/g)                                        | MRL (µg/g) |
| Chromium                                                                                              | PASS      | < MRL         | 1100.0                                              | 8.00       |
| Nickel                                                                                                | PASS      | < MRL         | 20.0                                                | 1.00       |
| Copper                                                                                                | PASS      | < MRL         | 300.0                                               | 8.00       |
| Arsenic                                                                                               | PASS      | < MRL         | 1.5                                                 | 0.10       |
| Cadmium                                                                                               | PASS      | < MRL         | 0.5                                                 | 0.10       |
| Antimony                                                                                              | PASS      | < MRL         | 120.0                                               | 1.00       |
| Mercury                                                                                               | PASS      | < MRL         | 3.0                                                 | 0.05       |
| Lead                                                                                                  | PASS      | < MRL         | 0.5                                                 | 0.20       |
| MRL = Minimum reporting limit/limit of quantification                                                 |           |               | Test ID: #134064   Date Tested: 08/28/2025 07:34 PM |            |

| Microbiology - Plating: KEY LIME PIE BONBON (20250827-SASS-003)                  |           |                 |                                                                                                                                                | PASS        |
|----------------------------------------------------------------------------------|-----------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------|-------------|
| Microbial analysis utilizing microbial enumeration (SOP-700-NY)                  |           |                 |                                                                                                                                                |             |
| Analyte                                                                          | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                                                                                                                  | MRL (CFU/g) |
| Total Aerobic Bacteria                                                           | PASS      | < MRL           | 10000.0                                                                                                                                        | 10.0        |
| Total Yeast & Mold                                                               | PASS      | < MRL           | 1000.0                                                                                                                                         | 10.0        |
| Microbiology - qPCR:                                                             |           |                 |                                                                                                                                                |             |
| Microbial analysis utilizing quantitative Polymerase Chain Reaction (SOP-701-NY) |           |                 |                                                                                                                                                |             |
| Analyte                                                                          | Pass/Fail | Results (CFU/g) | Limit (CFU/g)                                                                                                                                  | MRL (CFU/g) |
| Salmonella spp                                                                   | PASS      | Absent          | Absent                                                                                                                                         | 1.0         |
| Shiga toxin-producing E. coli                                                    | PASS      | Absent          | Absent                                                                                                                                         | 1.0         |
| Aspergillus (fumigatus, flavus, niger, terreus)                                  | PASS      | Absent          | Absent                                                                                                                                         | 1.0         |
| MRL = Minimum reporting limit/limit of quantification                            |           |                 | Test IDs: #134071, #134070, #134073, #134072   Date Tested: 09/03/2025 12:18 PM, 08/31/2025 08:21 AM, 09/03/2025 12:12 PM, 09/03/2025 12:11 PM |             |

| Water Activity: KEY LIME PIE BONBON (20250827-SASS-003)                          |           |                          |                                                     | PASS |
|----------------------------------------------------------------------------------|-----------|--------------------------|-----------------------------------------------------|------|
| Water activity analysis utilizing a chilled mirror dew point sensor (SOP-059-GA) |           |                          |                                                     |      |
| Analyte                                                                          | Pass/Fail | Result (a <sub>w</sub> ) | Limit (a <sub>w</sub> )                             |      |
| Water Activity                                                                   | PASS      | 0.76                     | 0.85                                                |      |
| MRL = Minimum reporting limit/limit of quantification                            |           |                          | Test ID: #134063   Date Tested: 08/28/2025 08:12 AM |      |



Green Analytics NY, LLC  
401 North Middletown Road, Building 60B  
Pearl River, NY 10965  
[www.greenanalyticsllc.com](http://www.greenanalyticsllc.com)  
License #s: OCM-CPL-00013  
ISO 17025 Certificate No.: 4356.09



---

Matthew Elmes  
Lab Director  
9/16/2025

**Deviations:** Lab-measured mass used for serving size.



Results pertain to the sample received according to sampling procedures SOP-050-NY & SOP-065-NY and relate only to items tested. Serving size (g) has been provided by the client during the sampling process, unless otherwise specified. Action limits are set according to the New York State Office of Cannabis Management Testing Limits. A sample is deemed acceptable when all analyte values are within those state determined limits. Laboratory determined measurement uncertainty is available by request.