



New Bloom Labs
6121 Heritage Park Dr.
Chattanooga, TN 37416

(844) 837-8223
http://newbloomlabs.com
ISO/IEC 17025:2017 Testing Laboratory Cert# AT-2868

QA Testing

1 of 1

Body Balm - Menthol

Sample ID: 2607NBL1214.3339

Matrix: Topical

Type: Lotion

Sample Size:

Date Collected:

Received: 07/08/2026

Completed: 07/13/2026

Expires: 07/13/2027

External Lot ID:

Batch#:


Client

SASS

Lic. #

325 Gold St. Brooklyn, NY 11201

(503) 863-8942 courtney@sassbk.com



Summary

Test
Cannabinoids

Date Tested
07/11/2026

Result
Complete

Cannabinoids

Complete

1.701%

Total Δ9-THC

1.701%

Δ9-THC

2.151%

Total CBD

3.928%

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
(6aR,9R)-d10-THC	0.0457	0.068	ND	ND
9R-HHC	0.0457	0.068	ND	ND
(6aR,9S)-d10-THC	0.0457	0.068	ND	ND
9S-HHC	0.0457	0.068	ND	ND
CBC	0.0457	0.068	0.075	0.74875
CBCa	0.0457	0.068	ND	ND
CBD	0.0457	0.068	2.151	21.51239
CBDa	0.0457	0.068	ND	ND
CBDV	0.0457	0.068	<LOQ	<LOQ
CBDVa	0.0457	0.068	ND	ND
CBG	0.0457	0.068	ND	ND
CBGa	0.0457	0.068	ND	ND
CBN	0.0457	0.068	<LOQ	<LOQ
CBNa	0.0457	0.068	ND	ND
Δ8-THC	0.0457	0.068	ND	ND
Δ9-THC	0.0457	0.068	1.701	17.01410
THCa	0.0457	0.068	ND	ND
THCp	0.0457	0.068	ND	ND
THCV	0.0457	0.068	ND	ND
THCVa	0.0457	0.068	ND	ND
Total THC			1.701	17.01410
Total CBD			2.151	21.51239
Total			3.928	39.27524

Date Tested: 07/11/2026

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total Δ9-THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; The decision rule is employed; the uncertainty measurement is not included in the reported result. The values for Measurement Uncertainty are available upon request.



Ashley N Phillips

Ashley Phillips
Laboratory Director
07/13/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval (k=2). Filth and Foreign Testing Method - CON-P-11000.