

Flower - Kettle Chip

Sample ID: 2604NBL0752.2038

Matrix: Ingestible

Type: Chocolate

Sample Size:

Date Collected:

Received: 04/27/2026

Completed: 05/01/2026

Expires: 05/01/2027

External Lot ID:

Batch#:

Client

SASS

Lic. #

325 Gold St. Brooklyn, NY 11201

(503) 863-8942 courtney@sassbk.com



Summary

Test

Cannabinoids

Date Tested

05/01/2026

Result

Complete

Cannabinoids

Complete

36.709 mg/unit

Total THC

0.0894%

Δ^9 -THC

ND

Total CBD

36.709 mg/unit

Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result
	mg/unit	mg/unit	mg/unit	mg/g	%
(6aR,9R)-d10-THC	4.0042	6.006	ND	ND	ND
9R-HHC	4.0042	6.006	ND	ND	ND
(6aR,9S)-d10-THC	4.0042	6.006	ND	ND	ND
9S-HHC	4.0042	6.006	ND	ND	ND
CBC	4.0042	6.006	ND	ND	ND
CBCa	4.0042	6.006	ND	ND	ND
CBD	4.0042	6.006	ND	ND	ND
CBDa	4.0042	6.006	ND	ND	ND
CBDV	4.0042	6.006	ND	ND	ND
CBDVa	4.0042	6.006	ND	ND	ND
CBG	4.0042	6.006	ND	ND	ND
CBGa	4.0042	6.006	ND	ND	ND
CBN	4.0042	6.006	ND	ND	ND
CBNa	4.0042	6.006	ND	ND	ND
Δ^8 -THC	4.0042	6.006	ND	ND	ND
Δ^9 -THC	4.0042	6.006	36.709	0.89439	0.089
THCa	4.0042	6.006	ND	ND	ND
THCp	4.0042	6.006	ND	ND	ND
THCV	4.0042	6.006	ND	ND	ND
THCVa	4.0042	6.006	ND	ND	ND
Total THC			36.709	0.89439	0.089
Total CBD			ND	ND	ND
Total			36.709	0.89439	0.089

Date Tested: 05/01/2026

Unit Mass: 41.043 g, 1 Unit = 1 Chocolate Bar

Testing Method: HPLC-UV, CON-P-3000; Validation Date: 05/2019.

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; LOQ = Limit of Quantitation; LOD = Limit of Detection; ND = Not Detected; Total THC Measurement of Uncertainty: $\pm 0.040\%$, Total CBD Measurement of Uncertainty: $\pm 2.000\%$.



Ashley N Phillips

Ashley Phillips
Laboratory Director
05/01/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All analyses were conducted at 6121 Heritage Park Dr, Suite A500 Chattanooga, TN 37416. Results published on this certificate relate only to the items tested. Items are tested as received. New Bloom Labs makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected level of any compounds reported herein. This certificate shall be reproduced in full, except with the written approval of New Bloom Labs. Measurement uncertainties are determined in accordance with ISO 17025 and are based on the total expanded uncertainty with a 95% confidence interval ($k=2$). Filth and Foreign Testing Method - CON-P-11000.