FEATURES & BENEFITS

CHECKLIST

Features

	Poolside Tech		Pentair			Hayward			Jandy		
	Attendant	Mini	Intelli-C'nect	Easy Touch	Intelli-Center	Omni Hub	Omni PL	Omni Logic	A'Link TCX	A'Link PDA	A'Link RS
Water & Chemistry Management											
***Smart* Filtration cycles** for more effective filtration based on run-time and/or turnover rate	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Chemistry monitoring (pH & ORP) for water that's always safe and healthy	✓	✓	✓	✗	✓[1]	✓[1]	✓[1]	✓[1]	✗	✗	✓[1]
Customized chemical dosing. Integrate your preferred dosing devices for perfect water balance	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Auto smart-dosing automatically increases pump speed when dosing and mixing to prevent staining	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Chemistry Management for 2 bodies of water. NSF approved for commercial applications	✓	✓	✗	✗	✓[1]	✗	✗	✗	✗	✗	✓[1]
Supports All Makes of Salt Chlorination	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
***Smart* Freeze Protection** enables individual control over specific features or separate 'bodies of water'	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Accurate Flow Monitoring	✓[2]	✓[2]	✗	✗	✗	✗	✗	✗	✗	✗	✗
Energy Management & Heating											
***Smart* heating management** calculates the most efficient schedule to heat/cool your pool based on weather conditions & energy costs	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Support for virtually any model heater/chiller	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Energy costs and consumption are tracked by device, to better understand your power consumption	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
System can estimate the cost to heat or chill prior to an event for more conscious energy management	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
'Ready by' heater/chiller scheduling will have your pool or spa ready to use when you want it, at the lowest cost possible	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Lighting											
The Attendant works with virtually ALL legacy (non-DMX) lighting systems using high voltage relays	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
DMX Compatible for the most advanced lighting control and features, no matter how big or small the project may be	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Smart sync to Spotify® *- Sync your DMX lights to Spotify® so they dance to the beat of your favorite tunes*	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Advanced color palette selection & dimming *for instant control over 16M color palette & 20 dimming levels*	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✓[3]
Up to 128 independent zones *to manage sophisticated lighting projects effortlessly through one simple user interface*	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Programmable *- Create your own light shows for the ideal atmosphere*	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✓[3]

Key

1. Needs an additional add on that communicates with the automation
2. Requires a FlowVis with Digital Sensor & Pro Chem board
3. Only with Jandy Infinite Water Color Lights & Transformer
4. Cannot set a start time and end time with this automation in simple mode
5. Can only do Over The Air updates once software is updated by USB Device
6. Manufacturer specific limits may apply

Features

	Poolside Tech		Pentair			Hayward			Jandy		
	Attendant	Mini	Intelli-C'nect	Easy Touch	Intelli-Center	Omni Hub	Omni PL	Omni Logic	A'Link TCX	A'Link PDA	A'Link RS
Additional Features											
AirBnb Mode allows you to grant permissions to Guests or Kids that allow or prevent access to devices or functions	✓	✓	✗	✗	✓ [4]	✓ [4]	✓ [4]	✓ [4]	✗	✗	✗
Incremental control over Valve Actuators. Get full 'analog-style' control over actuators from the App	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Valve Actuator Monitoring will alert the user of a failure and shut down the pump to prevent damage	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Integrated Water Leveling means The Attendant only requires a sensor and solenoid kit... and will alert users if leaks are detected	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Remote Diagnostics provide access for the Servicer to diagnose issues without having to be at the site	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Autocover Detection automatically disables features when the auto cover is closed, without the need for additional programming	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Over the Air Updates automatically enure the system is always up to date	✓	✓	✗	✗	✓ [5]	✓ [5]	✓ [5]	✓ [5]	✗	✗	✗
Devices/Connectivity											
Can control virtually ALL device makes & models	✓	✓	✗	✗	✗	✗	✗	✗	✗	✗	✗
Equipment Control Specs											
Variable Speed Pump Controls *Control VS Pumps without using up *Ability to control Commercial VFD Devices	No Limit [6]	No Limit [6]	1	8	16	3	8	16	1	4	16
Bodies of water *Control of individual bodies of water (Pool, spa, pond, fountain, etc)	No Limit	No Limit	1	2	1-2	2	4	4	1	1-2	1-2
High Voltage Relays *High Voltage relays to control devices such as blowers, legacy lighting, or chemical pumps	2-8	2	2	3	4-10	3	4-6	4-10	1	3-7	3-7
Actuators *Automatically move valves with 24V valve actuators	5	3	0	4	4-10	2	4	4	1	4	4
Flow Switch Ports *Flow switch ports for flow switches, auto cover switches, or certain autofill sensors	5	2	0	0	0	1	1	2	0	0	0
Heaters *Dry contact legacy heater connections for heaters without RS485	5	2	1	1	2	1	2	4	1	1	1
Smart Heaters *Gas heaters or Heat Pumps with RS485 Controls	No Limit [6]	No Limit [6]	1	1	16	1	4	4	1	2	2
Temperature Sensors *Temperature sensor ports for 10K sensors or autofill sensors	5	2	1	3	3	3	3	4	3	4	4

Key

1. Needs an additional add on that communicates with the automation
2. Requires a FlowVis with Digital Sensor & Pro Chem board
3. Only with Jandy Infinite Water Color Lights & Transformer
4. Cannot set a start time and end time with this automation in simple mode
5. Can only do Over The Air updates once software is updated by USB Device
6. Manufacturer specific limits may apply

©2024 Poolside Tech. All rights reserved.

PHONE CONTACT

267-810-0600

LOCATION

560 Union Square Dr
New Hope, PA 18938

EMAIL CONTACT

info@poolside.tech

support@poolside.tech

marketing@poolside.tech

SOCIAL MEDIA

Facebook @poolside.tech

Instagram @poolside.tech

LinkedIn @poolside-tech

YouTube @poolsidetech