



DESIGN SHEET

K - B A N A TM

MANUAL LOUVERED PERGOLA

TM



01 Technical Specs

02 Warranty

03 Color Chart

04 Options



1 TECHNICAL SPECS




Layout 1 - with floor




Layout 2 - without floor


TECHNICAL SPECS



TECHNICAL SPECS



TECHNICAL SPECS





LOUVERS

Operate 90°

Louvers opening direction is chosen at the installation
Manual Louvered Roof only

ALUMINUM 6063-T6 Powder-Coated



1 TECHNICAL SPECS



	10' x 10'	12' x 12'
WITH FLOOR FRAME	519 lbs	704 lbs
WITHOUT FLOOR FRAME	351 lbs	444 lbs
PRIVACY WALL	199 lbs	235 lbs

2 WARRANTY



15 years: standard color powdercoat

5 years: manual system (excluding manual crank)

15 years: aluminum structural components



03 COLOR CHART

WHITE MAT SMOOTH

SIGNAL WHITE

RAL 9003

AKZONOBEL – YA279QF
CLASS 2 / AAMA 2604

3 to 4 weeks lead time



03 COLOR CHART

BLACK TEXTURED

EQUINOX BLACK

AKZONOBEL – YN325QF
CLASS 2 / AAMA 2604

3 to 4 weeks lead time

→ with white louvers



DESIGN SHEET - K-BANA™




4 OPTIONS



PRIVACY WALL

fixed with 1.7" gap





azenco-outdoor.com

(305) 306-3204

azenco@azenco-outdoor.com

725 SE 9th Ct Hialeah, FL 33010