

OVERVIEW OF CORE BOARDS



STAND 10/2025 | Overview of stock items

Board thickness mm	3	4	5	6	7	8	9	10	11	12	14	15	16	18	19	20	21	22	24	25	27	28	29	30	32	38	39	40	49	50	
CHIPBOARDS																															
2500 x 1250														PEFC																	
2800 x 2070	FSC PEFC					FSC PEFC		FSC PEFC		FSC PEFC		FSC PEFC	FSC PEFC	FSC PEFC	FSC PEFC			FSC PEFC	FSC PEFC	FSC PEFC		FSC PEFC				FSC PEFC	FSC PEFC			L	
															P3 PEFC																
														B1 PEFC		B1 PEFC															
3050 x 1250														PEFC																	
3100 x 2070														FSC PEFC						FSC PEFC											
3600 x 2070														FSC PEFC	FSC PEFC																
4100 x 2070														FSC PEFC	FSC PEFC					FSC PEFC		FSC PEFC					FSC PEFC				
BLOCKBOARDS																															
2100 x 1250																												G			
2500 x 1250														G				G		G		G					G				
												P		P																	
2800 x 2060													G	G			G			G		G					G				
													S	S																	
														H PEFC													H3 PEFC				
3120 x 2060													G	G			G			G											
3600 x 2060														G						G		G									

OTHER CORE MATERIALS, FORMATS AND THICKNESSES ARE AVAILABLE ON REQUEST.
PEFC AND FSC® CERTIFIED CORE BOARDS AVAILABLE ON REQUEST.
TECHNICAL DETAILS, FORMATS, THICKNESSES AND CERTIFICATION SUBJECT TO CHANGE.

PEFC

PEFC CERTIFIED

FSC

FSC® CERTIFIED

STANDARD QUALITY

M

MDF-H, MOISTURE-RESISTANT

M

MDF black

P3

CHIPBOARD P3

B1

FIRE RETARDANT EN 13501

S

G

P

BLOCKBOARD
STÄBCHEN/GABUN/PAPPEL

H

H3

HDF DECK, HDF TRIPLE CORE

L

LIGHT CHIPBOARDS

C3

GLUING CLASS 3

750

750, 850, 950

OVERVIEW OF CORE BOARDS

Board thickness mm	3	4	5	6	7	8	9	10	11	12	14	15	16	18	19	20	21	22	24	25	27	28	29	30	32	38	39	40	49	50
MDF BOARDS																														
2440 x 1220	PEFC	PEFC		PEFC						PEFC			PEFC	PEFC						PEFC							PEFC			
														M PEFC																
2800 x 2070	PEFC	PEFC				PEFC		PEFC		PEFC			PEFC	PEFC	PEFC			PEFC		PEFC		PEFC					PEFC			
														M PEFC	M PEFC															
													B1 PEFC		B1 PEFC															
															M PEFC															
3050 x 1220													B1 PEFC		B1 PEFC															
										PEFC			PEFC	PEFC						PEFC		PEFC					PEFC			
														M PEFC	M PEFC															
4100 x 2070													PEFC	PEFC																
EDELHOLZCOMPACT																														
2800 x 1300						C3		C3																						
P-PLEX® POPLAR PLYWOOD																														
2500 x 1220																														
2540 x 1870																														
G-PLEX® GABUN / OKUMÉ PLYWOOD																														
2500 x 1220																														
2500 x 1830											C3																			
BIRKOPLEX® BIRCH PLYWOOD / BIRKOPLEX®STARK FOR BEAM AND POST PRODUCTIONS UP TO 100MM THICKNESS																														
2500 x 1250				C3 FSC			C3 FSC			C3 FSC		C3 FSC		B1			C3 FSC		C3 FSC		C3 FSC				C3 FSC				C3 FSC	
3000 x 1500				C3 FSC			C3 FSC			C3 FSC		C3 FSC		C3 FSC			C3 FSC		C3 FSC		C3 FSC				C3 FSC				C3 FSC	
3600 x 1250																														
FAGOPLEX®																														
2500 x 1500	C3 PEFC					C3 PEFC				C3 PEFC		C3 PEFC		C3 PEFC	C3 PEFC	C3 PEFC		C3 PEFC		C3 PEFC	C3 PEFC				C3 PEFC				C3 PEFC	
QUERCAPLEX®																														
2500 x 1500	C3 PEFC					C3 PEFC				C3 PEFC		C3 PEFC		C3 PEFC	C3 PEFC	C3 PEFC		C3 PEFC		C3 PEFC	C3 PEFC				C3 PEFC				C3 PEFC	

OTHER CORE MATERIALS, FORMATS AND THICKNESSES ARE AVAILABLE ON REQUEST.

PEFC AND FSC® CERTIFIED CORE BOARDS AVAILABLE ON REQUEST.

TECHNICAL DETAILS, FORMATS, THICKNESSES AND CERTIFICATION SUBJECT TO CHANGE.

PEFC	PEFC CERTIFIED
FSC	FSC® CERTIFIED
	STANDARD QUALITY

M	MDF-H, MOISTURE-RESISTANT
M	MDF black
P3	CHIPBOARD P3

B1	FIRE RETARDANT EN 13501
S	
G	BLOCKBOARD
P	STÄBCHEN/GABUN/PAPPEL
H	HDF DECK, HDF TRIPLE CORE
H3	

L	LIGHT CHIPBOARDS
C3	GLUING CLASS 3
750	750, 850, 950

OVERVIEW OF CORE BOARDS

europlac®

Board thickness mm	3	4	5	6	7	8	9	10	11	12	14	15	16	18	19	20	21	22	24	25	27	28	29	30	32	38	39	40	49	50
SPA-PLEX®																														
2500 x 1500										C3 PEFC		C3 PEFC		C3 PEFC																
RUSTICA® SOLID SOLID WOOD GLUELAM BOARDS																														
3050 x 1250																														
3-SCHICHT SPRUCE																														
3000 x 2050															C3 PEFC															
FIREPLAC®																														
2500 x 1250													850		850															
2800 x 1250													750		750															
										850		850		850					850											
													950		950															
3050 x 1250													750		750															
													850		850		850		850											
															950															
FIREPLAC® G																														
2600 x 1270																														
3030 x 1270																														
FIREPLAC® SE																														
2500 x 1250																														
3050 x 1250																														
2800 x 2070																														
2650 x 2100																														
FIREPLAC® VE-A2																														
2420 x 1210																														
2600 x 1250																														

OTHER CORE MATERIALS, FORMATS AND THICKNESSES ARE AVAILABLE ON REQUEST.

PEFC AND FSC® CERTIFIED CORE BOARDS AVAILABLE ON REQUEST.

TECHNICAL DETAILS, FORMATS, THICKNESSES AND CERTIFICATION SUBJECT TO CHANGE.

PEFC	PEFC CERTIFIED
FSC	FSC® CERTIFIED
	STANDARD QUALITY

M	MDF-H, MOISTURE-RESISTANT
M	MDF black
P3	CHIPBOARD P3

			B1	FIRE RETARDANT EN 13501
S	G	P	BLOCKBOARD STÄBCHEN/GABUN/PAPPEL	
H		H3	HDF DECK, HDF TRIPLE CORE	

L	LIGHT CHIPBOARDS
C3	GLUING CLASS 3
750	750, 850, 950