


europlac®

RILLO® w

RILLO® w stands for wave. As the name suggests, this panel has a beautiful wave structure.



digital printing possible



Especially suitable for
ceilings; walls; furniture; shop fitting and exhibition stands

	Recommended configuration	Individualisation
CORE BOARD		
Core board:	MDF	
Core board thickness:	16 mm	see core board table
FORMATS		
Formats:	3050 x 1220 mm	see core board table, customised format and fixed dimensions possible
VENEER GLUING		
Veneer gluing:	D3 (NAF) according to EN 204	D4 according to EN 204
VISIBLE SIDE		
Veneer:	European oak	140 wood species see www.europlac.com/customisation
Quality:	A	A-Pattern matching 5*, A-First Quality, B, C: see www.europlac.com/customisation
Bonding method:	Random matched SMOOTH	
Veneer thickness:	6x 0,6 mm	
Surface processing:	Rough-ground (grain 120)	further surface processings: see www.europlac.com/customisation
Surface finishing:	Natural hard wax	5 further surface finishes: see www.europlac.com/customisation
Design:	Bar width: 7,5 mm	
REVERSE SIDE		
Veneer:	European oak	140 wood species see www.europlac.com/customisation
Quality:	B	A-First Quality, A, C, paper, factory selection: see www.europlac.com/customisation

CERTIFICATES

FSC® / PEFC / E1 / E0.5: Certificate depending on the product version

ADDITIONAL INFORMATION

No guarantee against warping.

Note: Please note that wood is a natural product. Irregularities in color and structure are a natural characteristic and are generally desirable. Please understand that samples and illustrations regarding color and structure can only be an indication.


CONTACT OUR EXPERT TEAM

Röhr GmbH | Narzissenstr. 5
88069 Tettnang | Deutschland

Tel. +49 7542 93660
info@europlac.com

RILLO® w

europlac®



CONTACT OUR EXPERT TEAM

Röhr GmbH | Narzissenstr. 5
88069 Tettnang | Deutschland

Tel. +49 7542 93660
info@europlac.com