


europlac®

europlacFORMENHYBRID INDEWO®


The europlacFORMENHYBRID technologies combined with digital printing.



digital printing



flame-resistant core board possible



Especially suitable for
ceilings; walls; furniture; shop fitting and exhibition stands

europlacFORMENHYBRID INDEWO®

	Recommended configuration	Individualisation
CORE BOARD		
Core board:	MDF	MDF H, MDF NAF, MDF FR
Core board thickness:	18 mm	see core board table
FORMATS		
Formats:	2440 x 1220 mm	see core board table, customised format 3050 x 1220 mm, fixed dimensions possible
VENEER GLUING		
Veneer gluing:	D3 (NAF) according to EN 204	D4 according to EN 204
VISIBLE SIDE		
Veneer:	European oak	140 wood species see www.europlac.com/customisation
Quality:	A-First Quality	A-Pattern matching 5*, A, B, C: see www.europlac.com/customisation
Grading:	Half-crown cut	2 further grading types: see www.europlac.com/customisation
Bonding method:	Veneer book matched	6 further bonding methods see www.europlac.com/customisation
Veneer thickness:	approx. 0,6 mm	Hardwoods approx. 0,6 mm, Softwoods approx. 0,9 mm
Surface processing:	Rough-ground (grain 120)	oiled: see www.europlac.com/customisation
Processing:	:	A-random matched Straight-grained / B
Design INDEWO®:	Rhombus black	Rhombus white, Ellipse black, Ellipse white
REVERSE SIDE		
Veneer:	European oak	140 Wood species see www.europlac.com/customisation
Quality:	B	A-First Quality, A, C, paper, factory selection: see www.europlac.com/customisation
Bonding method:	Veneer book matched	6 further bonding methods see www.europlac.com/customisation
Veneer thickness:	approx. 0,6 mm	hardwoods approx. 0,6 mm, softwoods approx. 0,9 mm
Surface processing:	Rough-ground (grain 120)	oiled: see www.europlac.com/customisation

CERTIFICATES

FSC® / PEFC / E1 / E0.5: Certificate depending on the product version.

ADDITIONAL INFORMATION

Flame retardant possible: according to EN 13501-1 before veneering, no testing in the combination.
Core boards lose their approval due to finishing.

CONTACT OUR EXPERT TEAM

Röhr GmbH | Narzissenstr. 5
88069 Tettnang | Deutschland


Tel. +49 7542 93660
info@europlac.com

europlacFORMENHYBRID INDEWO®

DESIGNS



Rhombus black /
Rhombus white



Ellipse black /
Ellipse white

Note: Please note that wood is a natural product. Irregularities in color and structure are a natural characteristic and are generally desirable. Please understand that samples and illustrations regarding color and structure can only be an indication.

CONTACT OUR EXPERT TEAM

Röhr GmbH | Narzissenstr. 5
88069 Tettnang | Deutschland

Tel. +49 7542 93660
info@europlac.com