


NOBLEWOOD on 3-layer spruce board

High-quality, multi-layer glued solid wood panel made of spruce, veneered with noblewood.

digital printing possible



Especially suitable for
ceilings; walls; furniture; shop fitting and exhibition stands

NOBLEWOOD

on 3-layer spruce board

	Recommended configuration	Individualisation
CORE BOARD		
Core board:	3-layer spruce board	
Core board thickness:	19 mm	
FORMATS		
Formats:	3000 x 2050 mm	see core board table, customised format and fixed dimensions possible
VENEER GLUING		
Veneer gluing:	D3 (NAF) according to EN 204, barrier layer + ca. 1 mm final thickness in wood species veneer top layer	D4 according to EN 204 barrier layer + ca. 1 mm final thickness in wood species veneer top layer
VISIBLE SIDE		
Veneer:	European oak	140 wood species see www.europlac.com/customisation
Quality:	A-First Quality	A-Pattern matching 5*, A, B, C: see www.europlac.com/customisation
Grading:	Half-crown cut	2 further grading types: see www.europlac.com/customisation
Bonding method:	Veneer book matched	6 further bonding methods see www.europlac.com/customisation
Veneer thickness: quest	approx. 0,6 mm	hardwoods approx. 0,6 mm, softwoods approx. 0,9 mm, 1,5 mm, 2,5 mm nominal on re-
Surface processing:	Rough-ground (grain 120)	further surface processings: see www.europlac.com/customisation
REVERSE SIDE		
Veneer:	European oak	140 wood species see www.europlac.com/customisation
Quality:	B	A-First Quality, A, C, paper, factory selection:
Bonding method:	Veneer book matched	6 further bonding methods see www.europlac.com/customisation
Veneer thickness: quest	approx. 0,6 mm	hardwoods approx. 0,6 mm, softwoods approx. 0,9 mm, 1,5 mm, 2,5 mm nominal on re-
Surface processing:	Rough-ground (grain 120)	further surface processings: see www.europlac.com/customisation

CERTIFICATES

FSC® / PEFC / E1 / E0.5: Certificate depending on the product version

ADDITIONAL INFORMATION

Calibrated core board

Note: Please note that wood is a natural product. Irregularities in color and structure are a natural characteristic and are generally desirable. Please understand that samples and illustrations regarding color and structure can only be an indication.

CONTACT OUR EXPERT TEAM

Röhr GmbH | Narzissenstr. 5
 88069 Tettnang | Deutschland

Tel. +49 7542 93660
info@europlac.com