

INOIS® Infinity

Acoustic board

The acoustically effective combination consists of a fleece and high-quality MDF patterns veneered with precious wood.




sound-absorbing



digital printing possible



flame-resistant core board possible



Especially suitable for
walls; furniture; shop fitting and exhibition stands

INOIS® Infinity Acoustic board

	Recommended configuration	Individualisation
CORE BOARD		
Core board:	MDF E0.5 (depending on the combination) with backing paper	MDF MR/ FR/ NAF
Core board thickness:	Total thickness approx. 19-23 mm (incl. veneer)	
FORMATS		
Formats:	1.133 x 566 mm	
VENEER GLUING		
Veneer gluing:	D3 (NAF) according to EN 204	D4 according to EN 204
VISIBLE SIDE		
Veneer:	European oak	140 wood species see www.europiac.com/customisation
Quality:	A-First Quality	A-Pattern matching 5*, A, B, C: see www.europiac.com/customisation
Grading:	Half-crown cut	2 further grading types: see www.europiac.com/customisation
Bonding method:	Random matched SMOOTH	6 further bonding methods see www.europiac.com/customisation
Veneer thickness:	approx. 0,6 mm	hardwoods approx. 0,6 mm, softwoods approx. 0,9 mm
Surface finishing:	Natural hard wax	5 further surface finishes: see www.europiac.com/customisation Pa
Pattern:	12 mm MDF nature, distance 15 mm	12 mm MDF black
REVERSE SIDE		
Reverse side:	Fleece 10 mm black (flame retardant B-s1, d0 possible)	fleece grey

CERTIFICATES

FSC® / PEFC / E1 / E0.5: Certificate depending on the product version

ADDITIONAL INFORMATION

Sound reduction in accordance with EN 11654 Class D.
According to EN 13501-1 before veneering, no combination testing.
Corev boards lose their certification through finishing.

Individual design and finishing possible through INDEWO digital printing, linoleum, metal laminates, textiles, etc.

Note: Please note that wood is a natural product. Irregularities in color and structure are a natural characteristic and are generally desirable. Please understand that samples and illustrations regarding color and structure can only be an indication.

CONTACT OUR EXPERT TEAM

INOIS® Infinity Acoustic board

ASSEMBLY PER PANEL (INDIVIDUAL DESIGN OF VISUAL SIDE)

