

STONE DESIGN

Leccese /

^{IT} Il Salento è la terra d'origine della pietra Leccese, anche nota come “la pietra gentile”, una roccia calcarea nota per la sua plasmabilità. Nella collezione Leccese viene infatti presentata in quattro diverse colorazioni (Perla, Tortora, Fumo e Fossile) e due superfici, matt e cesellata, per offrire spunti sia per utilizzi commerciali che residenziali. Una collezione classica e versatile che anche grazie ai pezzi speciali può essere interpretata sia in modo classico che più moderno, proponendosi come scelta senza tempo.

^{EN} Salento is the homeland of Leccese stone, also known as 'la pietra gentile' (the gentle stone), a limestone rock known for its malleability. As a matter of fact, the Leccese collection is presented in four different colours (Perla, Tortora, Fumo and Fossile) and two surfaces, matt and chiselled, to offer ideas for both commercial and residential uses.

A classic and versatile collection that can be interpreted both classically and more modernly, thanks to the special pieces, making it a timeless choice.



Scopri di più
Discover more





Packaging

 10,5 MM **V2** MODERATE

SIZES		BOX			PALLET		
		PCS	SQ.MT.	KG	BOXES	SQ.MT.	KG
	120x120 cm - 48"x48" matt rectified	1	1,44	35,50	36	51,84	1298
	60x120 cm - 24"x48" matt cesellata rectified	2	1,44	33,00	30	43,20	1010
	60x60 cm - 24"x24" matt cesellata rectified	3	1,08	24,00	40	43,20	980
	30x60 cm - 12"x24" matt cesellata	5	0,90	19,90	48	43,20	975
	30x30 cm - 12"x12" matt	11	1,00	22,00	48	48,00	1076
	15x15 cm - 6"x6" matt	44	1,00	22,00	48	48,00	1076
	mosaic 30x30 cm - 12"x12" (5x5 - 2"x2") matt cesellata	11	1,00	22,00	30	30,00	680
	hexagon 28,5x33,5 cm - 11"x13" matt	11	0,84	18,50	30	25,20	575
	chevron 10x53 cm - 4"x21" matt	12	0,62	13,70	60	37,44	842
	brick wall 30x60 cm - 12"x24" matt	4	0,71	15,50	24	17,09	392
	skirting 5x60 cm - 2"x24" matt	12	7,20 ml	8,00	-	-	-
	step 33x120x4 cm - 13"x48"x2" matt	2	-	18,20	-	-	-



Leccese Tortora 60x120 cm - 24"x48"

TECHNICAL CHARACTERISTICS

TECHNICAL FEATURES UNGLAZED PORCELAIN STONEWARE
CONFORMING TO EUROPEAN STANDARDS EN 14411 ISO 13006 APP. G (Group BIA UGL Eb ≤ 0,5%)

					
sizes	water absorption	breaking strength	abrasion resistance	thermal expansion coefficient	thermal shock resistance
EN ISO 10545-2	EN ISO 10545-3	EN ISO 10545-4	EN ISO 10545-6	EN ISO 10545-8	EN ISO 10545-9
compliant	compliant	compliant	average <150mm ³	≤9 MK-1	resistant
					
frost resistance	chemicals resistance	stains resistance	colors resistance to light	friction coefficient DIN 51130 ANSI A 137.1 (DCOF)	
EN ISO 10545-12	EN ISO 10545-13	EN ISO 10545-14	DIN 51094		
resistant	from ULA to ULB from UHA to UHB UA	class 5	no alteration after testing	R10 matt R11 cesellata >0,42 matt	



Leccese Perla Hexagon 28,5x33,5 cm - 11"x13" wall
Leccese Perla 60x60 cm - 24"x24" floor