

Table 2
Mussel Tissue Analytical Results for PCBs
Technical Assistance Grant (TAG) Implementation
Fort Bragg, California
Farallon PN: 3737-001

Chemical Name	Screening Levels for Subsistence Fishers ¹	Screening Levels for Recreational Fishers ²	Monthly Fish Consumption Limit for Unrestricted Consumption (>16 meals per month) ³	Monthly Fish Consumption Limit for No Consumption (<0.5 meals per month) ³	Sample Location		Bruhel Point		Solider Bay North		Solider Bay South		Method Blank	Method Blank
					Sample Identification	BP	BRUHEL POINT	SBN	Soldier Bay N	SBS	Soldier Bay S			
					Sample Date	10/8/2025	2/26/2026	10/9/2025	2/27/2026	10/9/2025	2/27/2026	10/9/2025	3/11/2026	
Polychlorinated Biphenyl (PCB) Congeners (picograms per gram)⁴ (Wet Extraction Rate)														
PCB-001	---	---	---	---	< 1.21	< 9.20	0.521 J,B	0.457 JK	0.586 J,B	0.451 J	0.466 J	< 0.436		
PCB-002	---	---	---	---	0.263 J	0.885 J	0.432 J	0.697 J	0.438 J	0.79 J	< 1.00	< 0.506		
PCB-003	---	---	---	---	0.0908 J	1.47 BJ	0.133 J	0.991 BJ	< 0.987	1.18 BJ	< 1.00	0.606 JK		
PCB-004	---	---	---	---	0.241 J	0.845 J	0.675 J	0.599 J	< 1.97	0.683 J	< 2.00	< 1.01		
PCB-005	---	---	---	---	< 1.94	< 9.20	1.59 J	< 9.24	0.850 J	< 9.25	< 2.00	< 1.03		
PCB-006	---	---	---	---	< 0.728	< 9.20	0.301 J	0.553 J	< 0.740	0.659 J	< 0.750	< 0.88		
PCB-007	---	---	---	---	< 1.94	0.769 J	< 1.92	0.606 J	< 1.97	0.612 J	< 2.00	< 0.882		
PCB-008	---	---	---	---	---	1.94 J	---	1.18 J	---	1.68 J	---	< 0.76		
PCB-009	---	---	---	---	---	< 9.20	---	< 9.24	---	< 9.25	---	< 0.994		
PCB-010	---	---	---	---	---	< 9.20	---	< 9.24	---	< 9.25	---	< 0.746		
PCB-011	---	---	---	---	1.55 J,B	58.6 B	2.20 J,B	39.8 B	2.53 J,B	44.5 B	2.06 J	24.5 J		
PCB-012	---	---	---	---	< 0.971	---	< 0.962	---	< 0.987	---	< 1.00	---		
PCB-012/013	---	---	---	---	---	< 18.4 C	---	< 18.5 C	---	< 18.5 C	---	< 0.95 C		
PCB-014	---	---	---	---	< 0.971	< 9.20	< 0.962	< 9.24	< 0.987	< 9.25	< 1.00	< 0.976		
PCB-015	---	---	---	---	< 0.728	1.55 JK	3.66	1.45 J	0.743	1.68 JK	< 0.750	< 1.23		
PCB-016	---	---	---	---	1.03 J,B	1.25 J	18.5 B	1.25 J	3.29 B	1.55 J	0.281 J	< 0.558		
PCB-017	---	---	---	---	0.776 J,B	1.50 J	11.9 B	1.98 J	2.44 B	2.43 J	0.0977 J	< 0.604		
PCB-018	---	---	---	---	2.63 B	---	30.0 B	---	5.91 B	---	0.188 J	---		
PCB-018/030	---	---	---	---	---	3.29 BCJ	---	4.52 BCJ	---	5.23 BCJ	---	0.982 CJ		
PCB-019	---	---	---	---	0.123 J	0.245 J	1.10	0.410 J	0.256 J	< 9.25	< 0.500	< 0.666		
PCB-020	---	---	---	---	0.844 J	---	11.9	---	2.97	---	< 1.50	---		
PCB-020/028	---	---	---	---	---	8.17 BCJ	---	14.0 BCJ	---	17.7 BCJ	---	2.83 CJ		
PCB-021/033	---	---	---	---	---	3.70 BCJ	---	3.86 BCJ	---	4.81 BCJ	---	1.78 CJ		
PCB-022	---	---	---	---	0.787 J,B	2.54 BJ	16.2 B	3.65 BJ	3.12 B	4.65 BJ	0.189 J	1.12 J		
PCB-023	---	---	---	---	< 0.485	< 9.20	0.0306 J	< 9.24	< 0.494	< 9.25	< 0.500	< 0.486		
PCB-024	---	---	---	---	0.201 J	< 9.20	1.90	< 9.24	0.465 J	< 9.25	< 1.00	< 0.528		
PCB-025	---	---	---	---	< 0.485	0.615 J	2.93	0.719 J	0.785	1.04 J	< 0.500	< 0.432		
PCB-026	---	---	---	---	0.275 J	---	5.28	---	0.943	---	< 0.500	---		
PCB-026/029	---	---	---	---	---	0.966 BCJ	---	1.17 BCJ	---	1.56 BCJ	---	0.674 CJK		
PCB-027	---	---	---	---	---	0.386 J	---	0.434 J	---	0.498 J	---	< 0.486		
PCB-028	---	---	---	---	3.59 B	---	69.0 B	---	13.9 B	---	0.418 J	---		
PCB-029	---	---	---	---	< 0.485	---	< 0.481	---	< 0.494	---	< 0.500	---		
PCB-030	---	---	---	---	< 0.485	---	0.0228 J	---	< 0.494	---	< 0.500	---		
PCB-031	---	---	---	---	2.19 B	7.18 BJ	45.7 B	11.6 B	8.61 B	13.4 B	0.271 J	2.55 J		
PCB-032	---	---	---	---	---	1.01 J	---	1.75 J	---	2.14 J	---	< 0.446		
PCB-034	---	---	---	---	< 0.485	< 9.20	0.0967 J	< 9.24	< 0.494	< 9.25	< 0.500	< 0.532		
PCB-035	---	---	---	---	< 0.485	0.510 J	< 0.481	0.397 J	0.144 J	0.631 J	< 0.500	< 0.56		
PCB-036	---	---	---	---	< 0.971	< 9.20	< 0.962	< 9.24	< 0.987	< 9.25	< 1.00	< 0.426		
PCB-037	---	---	---	---	0.313 J,B	1.26 BJK	17.5 B	2.49 BJ	2.65 B	2.92 BJ	0.339 J	1.0 J		
PCB-038	---	---	---	---	< 0.971	< 9.20	< 0.962	< 9.24	0.137 J	< 9.25	< 1.00	< 0.52		
PCB-039	---	---	---	---	< 0.485	< 9.20	0.0634 J	< 9.24	< 0.494	< 9.25	< 0.500	< 0.51		

Table 2
Mussel Tissue Analytical Results for PCBs
Technical Assistance Grant (TAG) Implementation
Fort Bragg, California
Farallon PN: 3737-001

Chemical Name	Screening Levels for Subsistence Fishers ¹	Screening Levels for Recreational Fishers ²	Monthly Fish Consumption Limit for Unrestricted Consumption (>16 meals per month) ³	Monthly Fish Consumption Limit for No Consumption (<0.5 meals per month) ³	Sample Location		Bruhel Point		Solider Bay North		Solider Bay South		Method Blank	Method Blank
					Sample Identification	BP	BRUHEL POINT	SBN	Soldier Bay N	SBS	Soldier Bay S			
					Sample Date	10/8/2025	2/26/2026	10/9/2025	2/27/2026	10/9/2025	2/27/2026	10/9/2025	3/11/2026	
Polychlorinated Biphenyl (PCB) Congeners (picograms per gram)⁴ (Wet Extraction Rate)														
PCB-040	---	---	---	---	0.927 J	---	7.94	---	2.11	---	< 1.00	---		
PCB-040/071	---	---	---	---	---	3.16 BCJ	---	5.22 BCJ	---	6.69 BCJ	---	1.73 CJK		
PCB-041	---	---	---	---	3.87	0.618 J	43.2	1.49 J	10.8	1.35 J	< 2.00	< 1.02		
PCB-042	---	---	---	---	< 1.94	2.07 BJ	14.4 B	3.49 BJ	3.80 B	4.49 BJ	0.191 J	0.98 JK		
PCB-043	---	---	---	---	5.68	0.517 J	41.2	0.786 J	12.1	1.13 J	< 2.00	< 0.778		
PCB-044	---	---	---	---	5.35	---	43.9	---	12.9	---	< 2.00	---		
PCB-044/047/065	---	---	---	---	---	14.5 BCJ	---	22.9 BCJ	---	34.1 BC	---	4.79 CJ		
PCB-045	---	---	---	---	< 0.971	---	6.92	---	< 0.987	---	< 1.00	---		
PCB-045/051	---	---	---	---	---	2.73 BCJ	---	3.55 BCJ	---	4.37 BCJ	---	1.37 CJ		
PCB-046	---	---	---	---	0.206 J	0.421 J	2.40	0.545 J	0.530 J	0.768 J	< 0.750	< 0.342		
PCB-047	---	---	---	---	2.92 B	---	15.0 B	---	6.17 B	---	0.283 J	---		
PCB-048	---	---	---	---	< 0.971	1.62 BJ	10.7	2.94 BJ	2.38	3.59 BJ	< 1.00	0.834 JK		
PCB-049/069	---	---	---	---	---	6.43 BCJ	---	13.0 BCJ	---	18.9 BC	---	1.92 CJ		
PCB-050	---	---	---	---	< 0.485	---	0.121 J	---	< 0.494	---	< 0.500	---		
PCB-050/053	---	---	---	---	---	1.29 BCJ	---	2.02 BCJ	---	2.69 BCJ	---	0.632 CJ		
PCB-051	---	---	---	---	< 0.485	---	1.80	---	< 0.494	---	< 0.500	---		
PCB-052	---	---	---	---	9.38	16.0 BJ	50.6	45.4 B	19.4	70.4	< 2.00	4.67 J		
PCB-053	---	---	---	---	< 0.971	---	5.17	---	1.33	---	< 1.00	---		
PCB-054	---	---	---	---	< 0.485	< 9.20	0.0531 J	< 9.24	< 0.494	< 9.25	< 0.500	< 0.224		
PCB-055	---	---	---	---	< 0.485	< 9.20	0.353 J	< 9.24	< 0.494	< 9.25	< 0.500	< 0.554		
PCB-056	---	---	---	---	2.50 B	2.42 BJ	40.6 B	5.02 BJ	10.7 B	6.77 BJ	0.299 J	1.69 J		
PCB-057	---	---	---	---	0.0448 J	< 9.20	< 0.481	< 9.24	< 0.494	< 9.25	< 0.500	< 0.532		
PCB-058	---	---	---	---	< 0.485	< 9.20	0.103 J	< 9.24	0.0413 J	< 9.25	< 0.500	< 0.528		
PCB-059/062/075	---	---	---	---	---	1.15 CJ	---	2.56 CJ	---	2.57 CJ	---	< 0.558 C		
PCB-060	---	---	---	---	---	2.08 BJ	---	4.62 BJ	---	6.09 BJ	---	1.15 J		
PCB-061	---	---	---	---	6.25 B	---	63.1 B	---	19.7 B	---	0.335 J	---		
PCB-061/070/074/076	---	---	---	---	---	16.2 BCJ	---	49.1 BC	---	69.3 BC	---	7.65 CJ		
PCB-062	---	---	---	---	< 0.485	---	< 0.481	---	< 0.494	---	< 0.500	---		
PCB-063	---	---	---	---	< 0.485	0.408 J	2.09	0.904 J	< 0.494	1.17 J	< 0.500	< 0.518		
PCB-064	---	---	---	---	---	3.0 BJ	---	7.46 BJ	---	9.97 B	---	1.61 J		
PCB-065	---	---	---	---	< 0.485	---	< 0.481	---	< 0.494	---	< 0.500	---		
PCB-066	---	---	---	---	---	9.4 BJ	---	24.4 B	---	32.6 B	---	3.43 J		
PCB-067	---	---	---	---	0.257 J	0.267 J	2.45	0.462 J	0.730 J	0.609 J	< 1.00	< 0.418		
PCB-068	---	---	---	---	< 0.971	0.81 BJ	0.468 J	0.625 BJ	0.343 J	0.786 BJ	< 1.00	0.502 JK		
PCB-072	---	---	---	---	---	< 9.20	---	< 9.24	---	< 9.25	---	< 0.518		

Table 2
Mussel Tissue Analytical Results for PCBs
Technical Assistance Grant (TAG) Implementation
Fort Bragg, California
Farallon PN: 3737-001

Chemical Name	Screening Levels for Subsistence Fishers ¹	Screening Levels for Recreational Fishers ²	Monthly Fish Consumption Limit for Unrestricted Consumption (>16 meals per month) ³	Monthly Fish Consumption Limit for No Consumption (<0.5 meals per month) ³	Sample Location		Bruhel Point		Solider Bay North		Solider Bay South		Method Blank	Method Blank
					Sample Identification	BP	BRUHEL POINT	SBN	Soldier Bay N	SBS	Soldier Bay S			
					Sample Date	10/8/2025	2/26/2026	10/9/2025	2/27/2026	10/9/2025	2/27/2026	10/9/2025	3/11/2026	
Polychlorinated Biphenyl (PCB) Congeners (picograms per gram)⁴ (Wet Extraction Rate)														
PCB-073	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	< 0.494	< 9.25	< 0.500	< 0.546		
PCB-074	---	---	---	---	3.80 B	---	37.6 B	---	11.7 B	---	0.213 J	---		
PCB-076	---	---	---	---	5.75	---	58.0	---	18.4	---	< 1.00	---		
PCB-077	---	---	---	---	0.590 J,B	0.955 J	5.46 B	1.77 J	1.99 B	2.36 J	0.163 J	< 0.644		
PCB-078	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	< 0.494	< 9.25	< 0.500	< 0.66		
PCB-079	---	---	---	---	0.332 J	< 9.20	0.762	0.754 JK	0.538	0.982 J	< 0.500	< 0.516		
PCB-080	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	< 0.494	< 9.25	< 0.500	< 0.428		
PCB-081	---	---	---	---	< 0.485	< 9.20	0.417 J	< 9.24	< 0.494	< 9.25	< 0.500	< 0.602		
PCB-082	---	---	---	---	1.26	2.17 J	6.96	10.1	3.23	13.8	< 0.750	< 1.18		
PCB-083	---	---	---	---	< 0.485	1.26 J	< 0.481	5.04 J	< 0.494	6.19 J	< 0.500	< 1.34		
PCB-084	---	---	---	---	6.48	4.45 J	22.1	18.3	13.6	27.8	< 1.00	< 0.942		
PCB-085	---	---	---	---	2.95	---	10.5	---	6.47	---	< 1.00	---		
PCB-085/116/117	---	---	---	---	---	4.88 CJ	---	19.1 CJ	---	27.0 CJ	---	< 0.79 C		
PCB-086	---	---	---	---	< 0.728	---	< 0.722	---	< 0.740	---	< 0.750	---		
PCB-086/087/097/109/119/125	---	---	---	---	---	12.9 BCJ	---	65.5 C	---	87.0 C	---	3.14 CJ		
PCB-087	---	---	---	---	4.94	---	21.3	---	12.3	---	< 1.50	---		
PCB-088	---	---	---	---	1.91	---	6.72	---	3.64	---	< 1.00	---		
PCB-088/091	---	---	---	---	---	3.44 CJ	---	11.9 CJ	---	16.8 CJ	---	< 1.01 C		
PCB-089	---	---	---	---	0.127 J	< 9.20	0.616 J	< 9.24	< 0.740	0.844 J	< 0.750	< 1.2		
PCB-090	---	---	---	---	23.0 B	---	77.5 B	---	53.3 B	---	0.226 J	---		
PCB-090/101/113	---	---	---	---	---	24.3 BCJ	---	112 C	---	143 C	---	3.65 CJ		
PCB-092	---	---	---	---	---	5.25 J	---	21.2	---	26.6	---	< 1.12		
PCB-093	---	---	---	---	0.286 J	---	1.45	---	< 0.987	---	< 1.00	---		
PCB-093/100	---	---	---	---	---	< 18.4 CU	---	< 18.5 CU	---	0.492 CJ	---	< 0.876 C		
PCB-094	---	---	---	---	< 0.728	< 9.20	< 0.722	< 9.24	< 0.740	< 9.25	< 0.750	< 0.97		
PCB-095	---	---	---	---	12.3	18.0 B	37.5	66.9	23.7	106	< 1.50	2.74 J		
PCB-096	---	---	---	---	< 0.485	0.191 J	0.354 J	0.44 JK	0.143 J	0.549 J	< 0.500	< 0.486		
PCB-097	---	---	---	---	4.31	---	17.4	---	10.2	---	< 0.500	---		
PCB-098/102	---	---	---	---	---	0.771 CJ	---	1.23 CJ	---	2.25 CJ	---	< 0.874 C		
PCB-099	---	---	---	---	15.2	14.7 B	40.0	54.0	29.1	66.9	< 0.500	1.84 J		
PCB-100	---	---	---	---	0.184 J	---	0.259 J	---	0.196 J	---	< 0.750	---		
PCB-103	---	---	---	---	0.256 J	< 9.20	0.408 J	< 9.24	< 0.494	0.76 J	< 0.500	< 0.956		
PCB-104	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	< 0.494	< 9.25	< 0.500	< 0.37		
PCB-105	---	---	---	---	3.74	6.26 BJ	21.4	45.6	12.5	59.2	< 0.500	1.07 JK		
PCB-106	---	---	---	---	17.6 B	< 9.20	81.9 B	< 9.24	54.3 B	< 9.25	0.278 J	< 0.728		
PCB-107	---	---	---	---	1.51	1.31 J	4.02	5.16 J	2.95	6.83 J	< 1.00	< 0.532		
PCB-108	---	---	---	---	0.597 J	---	2.40	---	1.47	---	< 1.00	---		

Table 2
Mussel Tissue Analytical Results for PCBs
Technical Assistance Grant (TAG) Implementation
Fort Bragg, California
Farallon PN: 3737-001

Chemical Name	Screening Levels for Subsistence Fishers ¹	Screening Levels for Recreational Fishers ²	Monthly Fish Consumption Limit for Unrestricted Consumption (>16 meals per month) ³	Monthly Fish Consumption Limit for No Consumption (<0.5 meals per month) ³	Sample Location		Bruhel Point		Solider Bay North		Solider Bay South		Method Blank	Method Blank
					Sample Identification	BP	BRUHEL POINT	SBN	Soldier Bay N	SBS	Soldier Bay S			
					Sample Date	10/8/2025	2/26/2026	10/9/2025	2/27/2026	10/9/2025	2/27/2026	10/9/2025	3/11/2026	
Polychlorinated Biphenyl (PCB) Congeners (picograms per gram)⁴ (Wet Extraction Rate)														
PCB-108/124	---	---	---	---	---	0.686 CJ	---	3.37 CJ	---	4.64 CJ	---	< 0.694 C		
PCB-110	---	---	---	---	12.7	---	64.1	---	36.6	---	< 0.750	---		
PCB-110/115	---	---	---	---	---	16.9 BCJ	---	104 C	---	137 C	---	2.92 CJ		
PCB-111	---	---	---	---	0.227 J	< 9.20	1.34	< 9.24	0.612 J	< 9.25	< 1.00	< 0.734		
PCB-112	---	---	---	---	---	< 9.20	---	< 9.24	---	< 9.25	---	< 0.632		
PCB-113	---	---	---	---	< 0.728	---	0.414 J	---	< 0.740	---	< 0.750	---		
PCB-114	---	---	---	---	< 0.485	0.32 J	1.07	2.35 J	0.627	2.98 J	< 0.500	< 0.732		
PCB-118	---	---	---	---	---	17.4 B	---	127	---	153	---	2.07 JK		
PCB-119	---	---	---	---	0.465 J	---	1.09	---	0.818	---	< 0.500	---		
PCB-120	---	---	---	---	0.194 J	< 9.20	0.204 J	< 9.24	0.197 J	< 9.25	< 0.500	< 0.784		
PCB-121	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	< 0.494	< 9.25	< 0.500	< 0.704		
PCB-122	---	---	---	---	< 0.971	< 9.20	< 0.962	0.95 J	0.266 J	1.43 J	< 1.00	< 0.92		
PCB-123	---	---	---	---	0.276 J	0.294 J	1.10	1.66 J	0.815	2.07 J	< 0.500	< 0.718		
PCB-124	---	---	---	---	< 0.485	---	1.98	---	1.26	---	< 0.500	---		
PCB-126	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	< 0.494	< 9.25	< 0.500	< 0.826		
PCB-127	---	---	---	---	< 0.971	< 9.20	< 0.962	< 9.24	< 0.987	< 9.25	< 1.00	< 0.764		
PCB-128	---	---	---	---	3.06	---	10.4	---	7.34	---	< 1.00	---		
PCB-128/166	---	---	---	---	---	3.09 BCJ	---	17.6 CJ	---	20.9 C	---	0.454 CJ		
PCB-129	---	---	---	---	< 0.485	---	0.372 J	---	< 0.494	---	< 0.500	---		
PCB-129/138/163	---	---	---	---	---	30.4 C	---	140 C	---	153 C	---	1.13 CJ		
PCB-130	---	---	---	---	2.09	1.78 J	4.90	7.52 J	3.99	8.44 J	< 0.750	< 0.564		
PCB-131	---	---	---	---	0.968 J	< 9.20	1.97	1.29 JK	1.59	1.60 JK	< 1.00	< 0.56		
PCB-132	---	---	---	---	3.38 B	5.6 J	13.6 B	30.5	8.40 B	38.2	0.121 J	< 0.526		
PCB-133	---	---	---	---	---	0.902 J	---	1.58 J	---	1.94 J	---	< 0.55		
PCB-134	---	---	---	---	0.690 J	1.21 J	2.48	4.43 J	1.55	6.31 J	< 1.00	< 0.60		
PCB-135	---	---	---	---	< 0.485	---	< 0.481	---	< 0.494	---	< 0.500	---		
PCB-135/151	---	---	---	---	---	9.34 CJ	---	23.7 C	---	29.7 C	---	0.626 CJ		
PCB-136	---	---	---	---	2.07	2.84 BJ	5.59	9.11 J	3.98	11.4	< 0.750	0.304 J		
PCB-137	---	---	---	---	0.155 J	< 9.20	0.899	1.74 J	0.521	2.93 J	< 0.500	< 0.506		
PCB-138	---	---	---	---	29.2 B	---	84.5 B	---	71.1 B	---	0.308 J	---		
PCB-139	---	---	---	---	20.2 B	---	51.2 B	---	40.9 B	---	0.179 J	---		
PCB-139/140	---	---	---	---	---	0.491 CJ	---	1.84 CJ	---	2.27 CJ	---	< 0.434 C		
PCB-140	---	---	---	---	0.187 J	---	0.325 J	---	0.352 J	---	< 0.500	---		
PCB-141	---	---	---	---	< 0.485	0.478 J	< 0.481	1.19 J	< 0.494	2.03 J	< 0.500	< 0.422		
PCB-142	---	---	---	---	< 0.728	< 9.20	< 0.722	< 9.24	< 0.740	< 9.25	< 0.750	< 0.578		
PCB-143	---	---	---	---	---	< 9.20	---	< 9.24	---	< 9.25	---	< 0.542		
PCB-144	---	---	---	---	< 0.485	1.06 J	2.08	3.91 J	1.52	4.61 J	< 0.500	< 0.32		

Table 2
Mussel Tissue Analytical Results for PCBs
Technical Assistance Grant (TAG) Implementation
Fort Bragg, California
Farallon PN: 3737-001

Chemical Name	Screening Levels for Subsistence Fishers ¹	Screening Levels for Recreational Fishers ²	Monthly Fish Consumption Limit for Unrestricted Consumption (>16 meals per month) ³	Monthly Fish Consumption Limit for No Consumption (<0.5 meals per month) ³	Sample Location		Bruhel Point		Solider Bay North		Solider Bay South		Method Blank	Method Blank
					Sample Identification	BP	BRUHEL POINT	SBN	Soldier Bay N	SBS	Soldier Bay S			
					Sample Date	10/8/2025	2/26/2026	10/9/2025	2/27/2026	10/9/2025	2/27/2026	10/9/2025	3/11/2026	
Polychlorinated Biphenyl (PCB) Congeners (picograms per gram)⁴ (Wet Extraction Rate)														
PCB-145	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	< 0.494	< 9.25	< 0.500	< 0.232		
PCB-146	---	---	---	---	6.91	5.76 J	12.4	14.2	11.3	16.9	< 1.00	< 0.386		
PCB-147	---	---	---	---	0.797	---	1.81	---	1.37	---	< 0.750	---		
PCB-147/149	---	---	---	---	---	19.7 C	---	63.3 C	---	81.6 C	---	0.99 CJ		
PCB-148	---	---	---	---	< 0.485	0.39 J	0.134 J	0.689 J	< 0.494	0.916 JK	< 0.500	< 0.314		
PCB-150	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	0.102 J	0.229 JK	< 0.500	< 0.216		
PCB-151	---	---	---	---	5.01	---	10.6	---	9.29	---	< 1.00	---		
PCB-152	---	---	---	---	< 0.728	< 9.20	0.0559 J	< 9.24	0.0506 J	< 9.25	< 0.750	< 0.234		
PCB-153	---	---	---	---	54.3 B	---	116 B	---	110 B	---	0.242 J	---		
PCB-153/168	---	---	---	---	---	36.1 C	---	111 C	---	123 C	---	0.906 CJ		
PCB-154	---	---	---	---	0.828	0.73 J	1.05	1.24 J	1.10	1.35 J	< 0.750	< 0.236		
PCB-155	---	---	---	---	0.156 J	0.134 JK	< 0.722	0.194 JK	0.481 J	0.222 JK	< 0.750	< 0.172		
PCB-156	---	---	---	---	0.898	---	4.68	---	3.22	---	< 0.500	---		
PCB-156/157	---	---	---	---	---	1.61 BCJ	---	14.4 CJ	---	17.5 CJ	---	0.616 CJK		
PCB-157	---	---	---	---	0.360 J	---	1.44	---	0.964	---	< 0.500	---		
PCB-158	---	---	---	---	1.38	1.13 J	6.72	8.92 J	4.60	10.7	< 1.00	< 0.306		
PCB-159	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	< 0.494	< 9.25	< 0.500	< 0.254		
PCB-160	---	---	---	---	---	< 9.20	---	< 9.24	---	< 9.25	---	< 0.404		
PCB-161	---	---	---	---	---	< 9.20	---	< 9.24	---	< 9.25	---	< 0.376		
PCB-162	---	---	---	---	---	< 9.20	---	0.259 J	---	0.333 J	---	< 0.25		
PCB-164	---	---	---	---	---	< 9.20	---	0.802 JK	---	1.49 J	---	< 0.33		
PCB-165	---	---	---	---	---	< 9.20	---	< 9.24	---	< 9.25	---	< 0.404		
PCB-166	---	---	---	---	< 0.485	---	< 0.481	---	< 0.494	---	< 0.500	---		
PCB-167	---	---	---	---	< 0.485	0.957 BJ	3.22 B	5.80 J	2.61 B	6.53 J	< 0.500	0.366 JK		
PCB-168	---	---	---	---	< 0.485	---	< 0.481	---	< 0.494	---	< 0.500	---		
PCB-169	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	< 0.494	< 9.25	< 0.500	0.328 JK		
PCB-170	---	---	---	---	0.393 J	0.552 J	1.45	1.23 J	0.844	2.62 J	< 0.500	< 0.348		
PCB-171	---	---	---	---	1.21	---	3.56	---	3.14	---	< 0.500	---		
PCB-171/173	---	---	---	---	---	1.34 CJ	---	3.43 CJ	---	4.22 CJ	---	< 0.324 C		
PCB-172	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	< 0.494	0.318 J	< 0.500	< 0.348		
PCB-173	---	---	---	---	< 0.485	---	< 0.481	---	< 0.494	---	< 0.500	---		
PCB-174	---	---	---	---	< 0.971	0.313 J	< 0.962	0.397 JK	0.116 J	0.631 J	< 1.00	< 0.292		
PCB-175	---	---	---	---	0.290 J	0.309 J	0.537	0.588 J	0.451 J	0.492 J	< 0.500	< 0.314		
PCB-176	---	---	---	---	0.588	0.662 J	< 0.481	1.18 J	< 0.494	1.40 J	< 0.500	< 0.244		
PCB-177	---	---	---	---	4.18	3.68 J	9.31	6.93 J	8.38	8.26 J	< 0.500	< 0.346		
PCB-178	---	---	---	---	2.21	2.16 J	3.81	2.83 J	3.38	3.44 J	< 1.00	< 0.342		
PCB-179	---	---	---	---	2.44	2.48 J	5.65	3.51 J	< 0.740	4.51 J	< 0.750	< 0.238		

Table 2
Mussel Tissue Analytical Results for PCBs
Technical Assistance Grant (TAG) Implementation
Fort Bragg, California
Farallon PN: 3737-001

Chemical Name	Screening Levels for Subsistence Fishers ¹	Screening Levels for Recreational Fishers ²	Monthly Fish Consumption Limit for Unrestricted Consumption (>16 meals per month) ³	Monthly Fish Consumption Limit for No Consumption (<0.5 meals per month) ³	Sample Location		Bruhel Point		Solider Bay North		Solider Bay South		Method Blank	Method Blank
					Sample Identification	BP	BRUHEL POINT	SBN	Soldier Bay N	SBS	Soldier Bay S			
					Sample Date	10/8/2025	2/26/2026	10/9/2025	2/27/2026	10/9/2025	2/27/2026	10/9/2025	3/11/2026	
Polychlorinated Biphenyl (PCB) Congeners (picograms per gram)⁴ (Wet Extraction Rate)														
PCB-180	---	---	---	---	2.85	---	9.46	---	6.67	---	< 0.750	---		
PCB-180/193	---	---	---	---	---	2.05 BCJ	---	4.21 CJ	---	7.79 CJ	---	0.416 CJK		
PCB-181	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	< 0.494	< 9.25	< 0.500	< 0.328		
PCB-182	---	---	---	---	16.5	< 9.20	31.5	< 9.24	31.1	< 9.25	< 1.00	< 0.274		
PCB-183	---	---	---	---	3.82	---	9.06	---	8.45	---	< 0.500	---		
PCB-183/185	---	---	---	---	---	3.47 CJ	---	7.35 CJ	---	8.48 CJ	---	< 0.314 C		
PCB-184	---	---	---	---	< 0.728	0.121 J	0.200 J	0.22 J	0.580 J	0.283 J	< 0.750	< 0.23		
PCB-185	---	---	---	---	< 0.485	---	< 0.481	---	< 0.494	---	< 0.500	---		
PCB-186	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	< 0.494	< 9.25	< 0.500	< 0.246		
PCB-187	---	---	---	---	---	12.6	---	18.6	---	21.7	---	0.362 JK		
PCB-188	---	---	---	---	< 0.485	0.112 JK	< 0.481	< 9.24	< 0.494	0.246 JK	< 0.500	< 0.216		
PCB-189	---	---	---	---	< 0.728	< 9.20	0.449 J,B	0.323 J	< 0.740	0.433 J	0.0771 J	< 0.278		
PCB-190	---	---	---	---	0.149 J	0.221 J	0.827	0.586 J	0.636	1.03 J	< 0.500	< 0.256		
PCB-191	---	---	---	---	< 0.485	< 9.20	0.112 J	< 9.24	0.0798 J	< 9.25	< 0.500	< 0.248		
PCB-192	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	< 0.494	< 9.25	< 0.500	< 0.276		
PCB-193	---	---	---	---	0.0994 J	---	< 0.481	---	0.199 J	---	< 0.500	---		
PCB-194	---	---	---	---	0.205 J,B	< 9.20	0.673 J,B	0.492 JK	0.516 J,B	0.683 J	0.159 J	< 0.354		
PCB-195	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	< 0.494	0.231 JK	< 0.500	< 0.378		
PCB-196	---	---	---	---	0.319 J	< 9.20	1.03	< 9.24	0.691 J	0.320 J	< 1.00	< 0.288		
PCB-197	---	---	---	---	0.161 J	---	0.398 J	---	0.373 J	---	< 0.500	---		
PCB-197/200	---	---	---	---	---	0.237 CJK	---	0.327 CJ	---	0.394 CJ	---	< 0.224 C		
PCB-198	---	---	---	---	< 0.728	---	0.0427 J	---	< 0.740	---	< 0.750	---		
PCB-198/199	---	---	---	---	---	0.304 BCJK	---	0.360 BCJ	---	0.685 BCJ	---	0.438 CJK		
PCB-199	---	---	---	---	< 0.728	---	0.192 J	---	0.147 J	---	< 0.750	---		
PCB-200	---	---	---	---	< 0.485	---	< 0.481	---	< 0.494	---	< 0.500	---		
PCB-201	---	---	---	---	0.622	0.574 BJ	1.41	0.778 BJ	1.30	1.01 BJ	< 0.500	0.22 J		
PCB-202	---	---	---	---	0.954	0.942 J	1.99	1.47 J	1.92	1.72 J	< 0.500	< 0.222		
PCB-203	---	---	---	---	---	0.311 BJK	---	0.51 BJ	---	1.07 BJ	---	0.316 JK		
PCB-204	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	< 0.494	< 9.25	< 0.500	< 0.214		
PCB-205	---	---	---	---	< 0.971	< 9.20	0.0536 J	< 9.24	< 0.987	< 9.25	< 1.00	0.284 JK		
PCB-206	---	---	---	---	< 0.485	< 9.20	< 0.481	< 9.24	0.113 J,B	0.303 J	0.0682 J	< 0.334		

**Table 2
Mussel Tissue Analytical Results for PCBs
Technical Assistance Grant (TAG) Implementation
Fort Bragg, California
Farallon PN: 3737-001**

Chemical Name	Screening Levels for Subsistence Fishers ¹	Screening Levels for Recreational Fishers ²	Monthly Fish Consumption Limit for Unrestricted Consumption (>16 meals per month) ³	Monthly Fish Consumption Limit for No Consumption (<0.5 meals per month) ³	Sample Location		Bruhel Point		Solider Bay North		Solider Bay South		Method Blank	Method Blank
					Sample Identification	BP	BRUHEL POINT	SBN	Soldier Bay N	SBS	Soldier Bay S			
					Sample Date	10/8/2025	2/26/2026	10/9/2025	2/27/2026	10/9/2025	2/27/2026	10/9/2025	3/11/2026	
Polychlorinated Biphenyl (PCB) Congeners (picograms per gram)⁴ (Wet Extraction Rate)														
PCB-207	---	---	---	---	< 0.485	< 9.20	0.0321 J,B	< 9.24	< 0.494	< 9.25	0.0720 J	< 0.274		
PCB-208	---	---	---	---	< 0.485	< 9.20	0.0592 J	< 9.24	0.0464 J	< 9.25	< 0.500	< 0.286		
PCB-209	---	---	---	---	< 0.485	< 9.20	0.425 J,B	< 9.24	< 0.494	< 9.25	0.0713 J	0.146 J		
Total PCBs	2,450	20,000	1,500	94,000	343	476 J	1,540	1,490 J	810	1,900 J	7.59	94.3 J		

NOTES:

Results highlighted **yellow** denote concentrations exceeding applicable cleanup levels.

Results in **bold** denote concentrations above the laboratory reporting limit.

< denotes analyte not detected at or exceeding the reporting limit listed.

¹U.S. Environmental Protection Agency Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories, Volume 1, Fish Sampling and Analysis, Third Edition, Table 5-4 Dose-Response Variables and Recommended Screening Values (SVs) for Target Analytes for Subsistence Fishers (based on fish consumption rate of 142.4 g/d, 70kg body weight and, for carcinogens, 10-5 risk level and 70-yr lifetime.), dated November 2000.

²U.S. Environmental Protection Agency Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories, Volume 1, Fish Sampling and Analysis, Third Edition, Table 5-3 Dose-Response Variables and Recommended Screening Values (SVs) for Target Analytes for Recreational Fishers (based on fish consumption rate of 17.5 g/d, 70kg body weight and, for carcinogens, 10-5 risk level and 70-yr lifetime.), dated November 2000.

³U.S. Environmental Protection Agency Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories, Volume 2, Risk Assessment and Fish Consumption Limits, Third Edition, Table 4-24 Monthly Fish Consumption Limits for Carcinogenic and Noncarcinogenic Health Endpoints, dated November 2000.

⁴Analyzed by U.S. Environmental Protection Agency Method 1668C.

B = compound was also detected in the method blank

C = congener has coeluters

J = result is an estimate

K = Estimated Maximum Possible Concentration