

Trinity point Marina		Month	Contractor		Most recent event	
Historical probe data		Jan-19	Enviropacific		30-Jan-19	
site	Date	Depth average Parameter				
		Temperature [c]	pH [pH units]	Turbidity [NTU]	DO (%)	EC (mS/cm)
<b>A</b>	09-Jan-19	27.4	8.5	2.8	101.8	52.7
	16-Jan-19	28.4	8.1	2.8	96.3	52.9
	23-Jan-19	29.2	8.1	2.5	91.9	52.5
	30-Jan-19					
	Max	<b>29.2</b>	<b>8.5</b>	<b>2.8</b>	<b>101.8</b>	<b>52.9</b>
	Min	<b>27.4</b>	<b>8.1</b>	<b>2.5</b>	<b>91.9</b>	<b>52.5</b>
<b>B</b>	09-Jan-19	27.6	8.5	3.1	91.6	53.1
	16-Jan-19	28.9	8.1	2.9	91.6	52.7
	23-Jan-19	29.9	8.1	2.9	94.0	39.9
	30-Jan-19	29.1	8.2	3.7	93.2	53.8
	Max	<b>29.9</b>	<b>8.5</b>	<b>3.7</b>	<b>94.0</b>	<b>53.8</b>
	Min	<b>27.6</b>	<b>8.1</b>	<b>2.9</b>	<b>91.6</b>	<b>39.9</b>
<b>C</b>	09-Jan-19	28.0	8.6	3.2	92.5	52.6
	16-Jan-19	28.3	8.1	2.7	93.9	53.0
	23-Jan-19	29.5	8.1	2.1	91.2	53.1
	30-Jan-19	29.5	8.2	3.9	93.3	53.8
	Max	<b>29.5</b>	<b>8.6</b>	<b>3.9</b>	<b>93.9</b>	<b>53.8</b>
	Min	<b>28.0</b>	<b>8.1</b>	<b>2.1</b>	<b>91.2</b>	<b>52.6</b>
<b>D</b>	09-Jan-19	27.9	8.6	3.0	92.5	52.5
	16-Jan-19	29.5	8.1	3.2	93.2	53.4
	23-Jan-19	29.7	8.1	2.3	103.5	52.6
	30-Jan-19	29.2	8.2	2.6	92.6	53.4
	Max	<b>29.7</b>	<b>8.6</b>	<b>3.2</b>	<b>103.5</b>	<b>53.4</b>
	Min	<b>27.9</b>	<b>8.1</b>	<b>2.3</b>	<b>92.5</b>	<b>52.5</b>
Relevant Trigger Values <sup>b</sup>		Reference <sup>c</sup>	<b>6.5-8.5</b>	<b>20</b>	<b>80-110</b>	Reference <sup>c</sup>
Notes						
Results shaded in grey exceed relevant trigger values						
<sup>a</sup> Results suspected to be erroneous; possibly affected by faulty sensor or poor calibration not identified as min or max value						
<sup>b</sup> sourced from section L2.4 of the EPL issued to JPG and/or Tables 3.3.2 and 3.3.3 of the ANZECC guidelines						
<sup>c</sup> Reference data typically refers to site specific data collected over long periods that can be used to establish appropriate trigger values for that particular area						
<sup>w</sup> represents a wet weather monitoring event						

105041	Contractor	Sampler	Phone	Event Date	Event Type	Weather	Wind
Analytical Lab Results	Enviroacific	AH	0421 139 011	12-Dec-18	Sample analysis	Overcast	10km/h E
Analysis	LOR	Unit	Site ID				Trigger Values <sup>a</sup>
			A	B	C	D	
Suspended Solids	5	mg/L	6	<5	<5	<5	10 <sup>b</sup>
Total Nitrogen	0.1	mg/L	<0.5	<0.5	<0.5	<0.5	0.3
Total PAH	0.001	mg/L	na	na	na	na	-
Phosphate Total as P <sup>f</sup>	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	0.03
TRH C10 - C36	0.1	mg/L	na	na	na	na	-
TRH C6 - C9	0.02	mg/L	na	na	na	na	-
<b>BTEX</b>							
Benzene	0.001	mg/L	na	na	na	na	-
Toluene	0.001	mg/L	na	na	na	na	-
Ethylbenzene	0.001	mg/L	na	na	na	na	-
Total Xylenes	0.003	mg/L	an	na	na	na	-
<b>Dissolved Metals</b>							
Cadmium <sup>c</sup>	0.0001	mg/L	<0.0002	<0.0002	0.0002	<0.0002	0.0055 <sup>d</sup>
Chromium	0.001	mg/L	<0.0005	<0.0005	<0.0005	<0.0005	0.0044 <sup>e</sup>
Copper	0.001	mg/L	0.002 <sup>g</sup>	0.002 <sup>g</sup>	0.002 <sup>g</sup>	0.002 <sup>g</sup>	0.0013
Tin	0.001	mg/L	<0.005	<0.005	<0.005	<0.005	-
Zinc	0.005	mg/L	<0.005	<0.005	<0.005	<0.005	0.015 <sup>d</sup>

#### NOTES

Shaded results indicate exceedence of 95% ANZECC Trigger Value(s) and/or value is 20% greater than that of background sites

Dashes (-) indicate applicable data is not provided in ANZECC guidelines (2000)

<sup>a</sup> Values sourced from Table 3.3.2 of ANZECC Guidelines (2000) unless otherwise stated; only 95% trigger values are represented

<sup>b</sup> Sourced from Table 4.4.2 of ANZECC Guidelines (2000)

<sup>c</sup> Species for which possible bioaccumulation and secondary poisoning effects should be considered

<sup>d</sup> Figure may not protect key test species from chronic toxicity

<sup>e</sup> Value given specifically for Cr(IV)

<sup>f</sup> Analyte corresponds to "Total Phosphorus" referred to in ANZECC Guidelines (2000)

<sup>g</sup> Elevated measurement is unlikely to be related to construction activities