




Betty^{TK2}
Thau & Kallio
2020





Betty^{TK2} Thau & Kallio 2020

Product description

Dining chair

Environment

Indoor

Material

Lacquered or Oiled solid wood and formpressed veneer. This product has not been treated with any biocides.

Production process

The chair is made from solid wood and formpressed veneer.

Gliders

Plastic gliders are installed as standard.
Felt gliders available upon request.

Stacking quantity

8 chairs

Dimensions

H: 77cm / 30.3in, W: 51cm / 20.1in, D: 48cm / 18.9in,
Seating D: 42cm / 16.5in, Seat H: 47cm / 18.5in

Packaging dimensions

H: 86cm / 33.9in, W: 53.2cm / 20.9in,
D: 51.7cm / 20.4in.

Colli quantity

1 (2 pcs)

Weight

Product: 4 kg
Incl. packaging: 7.5 kg

Country of origin

Latvia

Certifications



Strength, durability and safety testing

The chair is tested for strength, durability and safety according to EN 16139 level 2 - Extreme use.

Cleaning instructions

Please download our Material Care & Cleaning instructions through www.andtradition.com

→ Stock items

Black

Oak


Smoked Oak



→ Black
Lacquered ash



→ Oak
Lacquered oak



→ Smoked Oiled Oak

Related products



&Tradition[®]



TK2

Recycling & Disassembly

Betty^{TK2}

RECYCLING

The Betty chair is built to last, and we hope that your Betty will serve you for many years. The chair is made from solid wood and wood veneer, and can be easily separated from its base. All metal and wooden parts can be separated and delivered to a suitable recycling station.

SPARE PARTS

To purchase spare parts for your Betty chair, please write to our sales support team at info@andtradition.com with your query.


5 YEAR WARRANTY

&Tradition provides a 5-year warranty with every Betty chair, which covers faults which were present at the time of purchase, or which have occurred as a result of a manufacturing defect. The warranty is valid from the date stated on the original invoice.

DISASSEMBLY

Disassembling of Betty chair

1. Unscrew the bolts located inside the frame of the seat. This can be done with a socket wrench.



2. Remove the gliders.

