Betty TK11
Thau & Kallio
2024









Betty TK11 Thau & Kallio 2024

Product description

Armchair

Environment

Indoor

Material

Lacquered or Oiled solid oak and formpressed veneer with HR foam seat. This product has not been treated with any biocides.

Production process

The chair is made from solid oak and formpressed

Variants

Clear laquered oak, Smoked oiled oak, Black laquered oak. Available in a variety of fabrics, leathers and COM.

Plastic gliders are installed as standard. Felt gliders available upon request.

Dimensions

H: 78cm / 30in, W: 61cm / 20in, D: 48cm / 19in Seating D: 42cm / 16.5in, Seating H: 47cm / 18in Armrest H: 67cm / 27in

Packaging dimensions H: 90cm / 35in, W: 50cm / 19in, D: 62.5cm / 24in

Colli quantity

1 (2 pcs)

Stacking quantity

8 pcs

Weight

Product: 6.6 kg Incl. packaging: 14.5 kg

Country of origin

Latvia

Strength, durability and safety testing

The chair is tested for strength, durability and safety according to EN 16139 Level 2 - Extreme use

Warranty

5 years

Cleaning instructions

Please download our Material Care & Cleaning instructions through www.andtradition.com

→ Stock items

Black lacquered ash w. Black leather Oak lacquered oak w. Cognac leather Smoked oak w. Black leather





→ Black lacquered ash w. Black leather



→ Oak lacquered oak w. Cognac leather



→ Smoked oiled oak w. Black leather

Related products



&Tradition®



Recycling & Disassembly

Betty TK11

RECYCLING


The Betty chair is built to last, and we hope that your Betty will serve you for many years. The chair is made from solid wood and wood veneer, and can be easily separated from its base. All metal and wooden parts can be separated and delivered to a suitable recycling station.

SPARE PARTS

To purchase spare parts for your Betty chair, please write to our sales support team at info@andtradition. com with your query.


5 YEAR WARRANTY

&Tradition provides a 5-year warranty with every Betty chair, which covers faults which were present at the time of purchase, or which have occurred as a result of a manufacturing defect. The warranty is valid from the date stated on the original invoice.




DISASSEMBLY

1. Unscrew the bolts located inside the frame of the seat. This can be done with a socket wrench.



Unscrew the bolts underneath the seat. and devide the seat into the individual materials. For proper recycling.



3. Remove the gliders



Gliders - PE & felt