



## HOUSERIDER NEUSHOORN | V33 | 9-2-2026

### VISITORS ADDRESS

Ruiterskwartier 41  
8911 BP LEEUWARDEN  
The Netherlands

### POSTAL & BILLING ADDRESS

Stichting Harmoniekwartier  
Postbus 848, 8901 BP  
LEEUWARDEN  
The Netherlands

### PHONE

+31 (0) 583 030 730

### EMAIL

info@neushoorn.nl

### WEBSITE

[www.neushoorn.nl](http://www.neushoorn.nl)

### SOCIAL MEDIA

[FACEBOOK](#)

[INSTAGRAM](#)

### CAPACITY

Grote Zaal (Main Stage): 700

Arena: 250

Neushoorn Café: 150

## GENERAL INFORMATION

### CONCEPT

Neushoorn is not just a music venue: in the same building you'll find Firda, a school for creative studies. The students go to school there and cooperate intensively with Neushoorn professionals during their time here. Furthermore, several artistic entrepreneurs and organizations call Neushoorn home. All those different people make for an exciting hub for all things creative and cultural. That's Neushoorn!

### FIREPROOF CERTIFICATES & RESTRICTIONS

There are strict regulations concerning the use of pyrotechnical devices, smoke and fire effects on stage. Don't hesitate to get in touch with the venue's production manager well in advance if your production involves anything like this. All scenery, backdrops etc. must be flameproof and comply with all Dutch fire and safety regulations. The use of animal blood, animal carcasses, any kind of confetti, snow, glitter, foam or bubble machines is not allowed.

### SMOKING

Neushoorn maintains the Dutch law; smoking inside the building is not allowed. It is also prohibited to smoke inside the Loading Dock.

### SOUND LIMITS

Max average equivalent noise level for Arena and Grote Zaal:  $Leq=103$  dB (A), measured over 15 minutes at FOH position, 2 meters above ground. For the NH Café this is 98dB (A), measured over 15 minutes at FOH position, 2 meters above ground.

- > 0-13 years:  $Leq=91$  dB(A), measured over 15 minutes.
- > 14-15 years:  $Leq=96$  dB(A), measured over 15 minutes.
- > 16-17 years:  $Leq=100$  dB(A), measured over 15 minutes.

Sound levels will be measured and registered during the show. Measurements will always be available to band- and house FOH tech. If sound levels exceed the maximum average, our house tech will intervene to maintain the maximum sound level. Sound level measurements will be shared with the Ministry of Health, Welfare and Sport (VWS).

### SECURITY

Standard security, no stage barriers. Please let us know well in advance if you have a specific reason why barriers should be used. Please note: the use of a barrier reduces the capacity with 50. Costs for the barrier and additional security guards will be for the account of the artist.

### IMPORTANT

We are obliged to work according to the Dutch occupational health and safety regulations determined by the Dutch Labour Inspectorate. We expect you to do the same.

## **CONTACT**

Production Team

Email: [prepro@neushoorn.nl](mailto:prepro@neushoorn.nl)

At arrival, please make a call to the given on-day contact.

## **STANDARD TIME SCHEDULE FOR BAND PRODUCTIONS**

You will receive a proposed time schedule tailored to the show. Early get-in is possible but must be requested at least 3 weeks in advance and will incur additional costs. The fee for an early get-in is €100 per additional hour, excluding VAT.

Early get-in (without technicians) is possible for nightliner shows. Additional crew-costs will only be charged if agreed upon in advance. If you want an early get-in, please notify us at least 3 weeks in advance of the show.

## **RECORDINGS**

Main Hall:

Recording on DiGiCo SD10 or on Allen & Heath Dlive S5000

128 track recording 96Khz @24Bit can be made. Please notify 2 weeks in advance.

Costs are €50,- if you bring your own portable hard disk. If you don't bring a portable hard disk costs will be €100,-. Costs must be paid before the show. Prices are exclusive of 21% VAT.

Arena:

Recording on Dlive C3500

48 track recording 48Khz @24Bit can be made. Please notify 2 weeks in advance.

Costs are €50,- if you bring your own portable hard disk. If you don't bring a portable hard disk costs will be €100,-. Costs must be paid before the show. Prices are exclusive of 21% VAT.

## **CONFETTI & STREAMERS**

Confetti is not permitted inside Neushoorn. Streamers are allowed under the following conditions:

- > The maximum reach of the streamers is 6 to 8 meters, and the length of the pipe is maximum 50cm.
- > Neushoorn reserves the right to request a test prior to the show.
- > In case of safety concerns, Neushoorn staff will have the final say on whether streamers may be used during the performance.

## **FACILITIES**

### **DRESSING ROOMS**

There are 5 private dressing rooms, an artist lounge and 3 private showers.

### **PARKING & ROUTE**

Tour buses can be parked next to the loading dock. Cars can be parked in the car park [Oldehove](#), see availability [here](#). On Sundays, you need to park in the car park [Zaailand](#) instead, see availability [here](#). If your vehicle is a van of any sort, please contact our Production Team at least a week before the show. You will get directions to the parking facilities at the loading dock.

### **LOAD-IN ADDRESS**

Molensteeg 5, 8911 BT Leeuwarden, the Netherlands. Click [here](#) for Google Maps.

**BEWARE!** There's a bus passage in our street. It is prohibited to drive through it. There is a traffic camera and the fines are severe.

## **FACILITIES**

### **FOOD**

If agreed upon beforehand, we provide in-house catering for you. A good and healthy menu will be served, no fast food or whatsoever. We want to contribute to a sustainable future. Since our industry is not the most environmentally friendly, we are constantly looking for opportunities to reduce our ecological footprint. Therefore, we have decided not to serve meat anymore. We only serve vegetarian and vegan food, and it's delicious!



If you have any moral issues with eating veggie food at our venue, please let us know so we can arrange something for you.

We also want to know with how many people you are coming and what their dietary wishes are. Please let us know a week before the show.

If you have any questions, feel free to contact us. We are happy to answer them.

### **BEVERAGES**

Our venue has an exclusive partnership with Heineken & Vrumona, which supplies a variety of premium beverages, including Pepsi, 7-Up, Rivella, Sourcy mineral water, etc.

### **MERCHANDISE**

There's a merchandise booth available for you next to the cloakroom. We do not charge you for the use of it. However, we would appreciate it if you'd make some T-shirts or CDs available for our hardworking volunteers. And who knows, it might get you an extra beer!

If you need a pin machine, we can provide one for a fixed fee of €95, exclusive taxes. Please let us know if you would like to use one of our machines well in advance and we'll make further arrangements from there.

If you need a merchandise seller or assistant, we can help for a fixed fee of €150. Please let us know well in advance if you need someone.

### **WIFI**

At Neushoorn, we have nice and fast WiFi. Upon arrival you will find both the network and password.

## TECHNICAL INFORMATION

### LOCAL CREW

- > Every show is different, so we like to look at the needed local crew together to make sure all requirements are met.
- > Everybody helps loading in and out.

### STAGE SIZES

- > Main Stage: 10 x 8 meters (33ft x 26,3 ft)
- > Arena: This is a multifunctional hall. We provide a suitable stage for each production. The standard stage size is 7 x 4 meters (23 ft x 13,1 ft). If you have specific needs or preferences, please let your pre-production contact know as soon as possible. The size of the Arena is 14 x 14 meters (46 x 46 ft).

### CLEARANCE

- > Main Stage: 6 meters
- > Arena: max 4 meters

### RISERS (only available upon request)

- > 9 x Staged 2 x 1-meter decks standard
- > 2 x Rolling riser 2 x 2 meters, only 40 cm height possible
- > Rolling risers only available at Main Stage

### POWER SUPPLY

Main Stage:

- > Light: 125A CEE 400V + 1 x 63A 400V

Arena:

- > Light: 1x 63A 400V
- > Audio: 2x 32A

### BACKLINE

We will presume that artists will carry all backline unless otherwise agreed. Specific information about our backline can be supplied upon request.

### DJ-SET (all stages)

- > 6x Pioneer CDJ-3000
- > 6x Pioneer CDJ-2000 NXS 2
- > 3x Pioneer DJM-900 NXS 2

An instruction to prepare your files for our DJ gear can be found on page 16 of this house rider.

### AV

- > Main Stage: Panasonic PTDZ10kEJ | 10.000 ANSI Full-HD | 16:9 | 6 x 3,38 meters
- > Arena: Panasonic PT-EZ580 | 6.000 ANSI Full-HD | 16:9 | 1,75 X 3,05 meters

# MAIN STAGE | AUDIO SPECIFICATIONS

## SOUND LIMIT

103dB(A) over 15 minutes

Front Of House and Monitor inputs are fully split with buffered analog multicore cable

## FRONT OF HOUSE

- Controls > DiGiCo SD10: 96ch - 32 bus/ 16 analog i/o/ Core2/  
Waves Audio Superack
- Stage i/o > DiGiCo SD Rack: 52 in 12 analog out 12 AES out
- Main PA > Funktion One 3 way system

## MONITORS

- Controls > Allen & Heath DLive S5000: 128ch – 64 bus/ 8 analog i/o/ Waves  
V3 expansion card
- Stage i/o > Allen & Heath DM48 Rack: 48 in 24 analog out
- Cabinets > 12x D&b audiotechnik M4 wedge  
> 4x D&b Audiotechnik M6 wedge  
> 2x D&b Auditechnik C7 sub

## MIC LOCKER

- Microphones > 6x Shure Sm58  
> 6x Shure Sm57  
> 1x Shure B91A  
> 1x Shure B52A  
> 2x Shure B57A  
> 4x Sennheiser E604  
> 1x Sennheiser E904  
> 2x Sennheiser E906  
> 1x Sennheiser MD421  
> 2x Oktava MK-102  
> 2x Oktava MK-012-01

## DI boxes

- > 3x BSS Mono DI  
> 3x Radial Stereo DI

## MAIN STAGE | LIGHT SPECIFICATIONS

### CONTROLS

> Avolites Arena V17

Upon request, if available:

> Hog Fullboar

> Avolites Tiger Touch 2

### MOVING

> 18x ROBE Robin Painte

> 12x ROBE Robin Ledwash 350

> 4x ROBE Robin Ledwash 350 FW

> 6x Chauvet Colorstrike M

### STATIC

> 19x QueLed QR-5

> 8x FOS UNO Blinder

### SMOKE MACHINE


> 1x MDG ATMe

Upon request, if available:

> Look Unique Hazer

> Martin JEM ZR35

# MAIN STAGE | LIGHT SPECS | TOTAL VIEW



# MAIN STAGE | LIGHT SPECIFICATIONS | PATCH LIST (PART 1)



Showname: V18 2026 Q1Q2 G.Z. N.H. GUEST  
 Date: 13/01/26-16:58  
 Software Version: 18.0.313.5  
 Console Name: AVO ARENA N.H.  
 Console Type: Arena

## Patch View

User no.	Fixture	Mode	Address	Legend	Location	Pan Invert	Tilt Invert	Iris Invert	Pan Offset	Tilt Offset	P/T Swapped	Frozen	Notes	Items Used in
101	Robin Painte	Mode 2, 45 DMX	1.1	Painte	Fixtures, 1.004	No	No	No	-	-	No	No		13
102	Robin Painte	Mode 2, 45 DMX	1.46	Painte	Fixtures, 1.005	No	No	No	-	-	No	No		13
103	Robin Painte	Mode 2, 45 DMX	1.91	Painte	Fixtures, 1.006	No	No	No	-	-	No	No		13
104	Robin Painte	Mode 2, 45 DMX	1.136	Painte	Fixtures, 1.007	No	No	No	-	-	No	No		13
105	Robin Painte	Mode 2, 45 DMX	2.1	Painte	Fixtures, 1.014	No	No	No	-	-	No	No		13
106	Robin Painte	Mode 2, 45 DMX	2.46	Painte	Fixtures, 1.015	No	No	No	-	-	No	No		13
107	Robin Painte	Mode 2, 45 DMX	2.91	Painte	Fixtures, 1.016	No	No	No	-	-	No	No		13
108	Robin Painte	Mode 2, 45 DMX	2.136	Painte	Fixtures, 1.017	No	No	No	-	-	No	No		13
109	Robin Painte	Mode 2, 45 DMX	3.1	Painte	Fixtures, 1.024	No	No	No	-	-	No	No		13
110	Robin Painte	Mode 2, 45 DMX	3.46	Painte	Fixtures, 1.025	No	No	No	-	-	No	No		13
111	Robin Painte	Mode 2, 45 DMX	3.91	Painte	Fixtures, 1.026	No	No	No	-	-	No	No		13
112	Robin Painte	Mode 2, 45 DMX	3.136	Painte	Fixtures, 1.027	No	No	No	-	-	No	No		13
113	Robin Painte	Mode 2, 45 DMX	5.1	Front Profile Spot	Fixtures, 4.013	No	No	No	-	-	No	No		11
114	Robin Painte	Mode 2, 45 DMX	5.46	Front Profile Spot	Fixtures, 4.014	No	No	No	-	-	No	No		11
115	Robin Painte	Mode 2, 45 DMX	5.91	Front Profile Spot	Fixtures, 4.015	No	No	No	-	-	No	No		11
116	Robin Painte	Mode 2, 45 DMX	5.136	Front Profile Spot	Fixtures, 4.016	No	No	No	-	-	No	No		11
117	Robin Painte	Mode 2, 45 DMX	5.181	Front Profile Spot	Fixtures, 4.017	No	No	No	-	-	No	No		11
118	Robin Painte	Mode 2, 45 DMX	5.226	Front Profile Spot	Fixtures, 4.018	No	No	No	-	-	No	No		11
201	Robin LEDBeam 350	Mode 3 (Cpulse), 24 DMX	1.181	LEDBm 350	Fixtures, 2.004	No	No	No	-	-	No	No		2
202	Robin LEDBeam 350	Mode 3 (Cpulse), 24 DMX	1.205	LEDBm 350	Fixtures, 2.005	No	No	No	-	-	No	No		2
203	Robin LEDBeam 350	Mode 3 (Cpulse), 24 DMX	1.229	LEDBm 350	Fixtures, 2.006	No	No	No	-	-	No	No		2
204	Robin LEDBeam 350	Mode 3 (Cpulse), 24 DMX	1.253	LEDBm 350	Fixtures, 2.007	No	No	No	-	-	No	No		2
205	Robin LEDBeam 350	Mode 3 (Cpulse), 24 DMX	2.181	LEDBm 350	Fixtures, 2.014	No	No	No	-	-	No	No		2
206	Robin LEDBeam 350	Mode 3 (Cpulse), 24 DMX	2.205	LEDBm 350	Fixtures, 2.015	No	No	No	-	-	No	No		2
207	Robin LEDBeam 350	Mode 3 (Cpulse), 24 DMX	2.229	LEDBm 350	Fixtures, 2.016	No	No	No	-	-	No	No		2
208	Robin LEDBeam 350	Mode 3 (Cpulse), 24 DMX	2.253	LEDBm 350	Fixtures, 2.017	No	No	No	-	-	No	No		2
209	Robin LEDBeam 350	Mode 3 (Cpulse), 24 DMX	4.197	LEDBm 350	Fixtures, 2.024	No	No	No	-	-	No	No		2
210	Robin LEDBeam 350	Mode 3 (Cpulse), 24 DMX	4.221	LEDBm 350	Fixtures, 2.025	No	No	No	-	-	No	No		2
211	Robin LEDBeam 350	Mode 3 (Cpulse), 24 DMX	4.245	LEDBm 350	Fixtures, 2.026	No	No	No	-	-	No	No		2
212	Robin LEDBeam 350	Mode 3 (Cpulse), 24 DMX	4.269	LEDBm 350	Fixtures, 2.027	No	No	No	-	-	No	No		2
301	Robin LEDBeam 350 FW	Mode 3 (Cpulse), 24 DMX	4.1	LEDBm350FW	Fixtures, 4.004	No	No	No	-	-	No	No		1
302	Robin LEDBeam 350 FW	Mode 3 (Cpulse), 24 DMX	4.25	LEDBm350FW	Fixtures, 4.005	No	No	No	-	-	No	No		1
303	Robin LEDBeam 350 FW	Mode 3 (Cpulse), 24 DMX	4.49	LEDBm350FW	Fixtures, 4.006	No	No	No	-	-	No	No		1
304	Robin LEDBeam 350 FW	Mode 3 (Cpulse), 24 DMX	4.73	LEDBm350FW	Fixtures, 4.007	No	No	No	-	-	No	No		1
401	Robin LEDBeam 150	Mode 1, 22 DMX	4.97	LEDBm 150	Fixtures, 2.041	No	No	No	-	-	No	No		1
402	Robin LEDBeam 150	Mode 1, 22 DMX	4.119	LEDBm 150	Fixtures, 2.031	No	No	No	-	-	No	No		1
403	Robin LEDBeam 150	Mode 1, 22 DMX	4.141	LEDBm 150	Fixtures, 2.050	No	No	No	-	-	No	No		1
404	Robin LEDBeam 150	Mode 1, 22 DMX	4.163	LEDBm 150	Fixtures, 2.040	No	No	No	-	-	No	No		1

# MAIN STAGE | LIGHT SPECIFICATIONS | PATCH LIST (PART 2)

User no.	Fixture	Mode	Address	Legend	Location	Pan Invert	Tilt Invert	Iris Invert	Pan Offset	Tilt Offset	P/T Swapped	Frozen	Notes	Items Used in
501	Color STRIKE M	97 DMX	1.277	ColStrikeM	Fixtures, 3.001	No	No	No	-	-	No	No		2
502	Color STRIKE M	97 DMX	1.374	ColStrikeM	Fixtures, 3.002	No	No	No	-	-	No	No		2
503	Color STRIKE M	97 DMX	2.277	ColStrikeM	Fixtures, 3.011	No	No	No	-	-	No	No		2
504	Color STRIKE M	97 DMX	2.374	ColStrikeM	Fixtures, 3.012	No	No	No	-	-	No	No		2
505	Color STRIKE M	97 DMX	3.277	ColStrikeM	Fixtures, 3.021	No	No	No	-	-	No	No		2
506	Color STRIKE M	97 DMX	3.374	ColStrikeM	Fixtures, 3.022	No	No	No	-	-	No	No		2
601	Uno	3 DMX	1.471	Uno	Fixtures, 3.006	No	No	No	-	-	No	No		1
602	Uno	3 DMX	1.474	Uno	Fixtures, 3.007	No	No	No	-	-	No	No		1
603	Uno	3 DMX	2.471	Uno	Fixtures, 3.015	No	No	No	-	-	No	No		1
604	Uno	3 DMX	2.474	Uno	Fixtures, 3.016	No	No	No	-	-	No	No		1
605	Uno	3 DMX	2.477	Uno	Fixtures, 3.017	No	No	No	-	-	No	No		1
606	Uno	3 DMX	2.480	Uno	Fixtures, 3.018	No	No	No	-	-	No	No		1
607	Uno	3 DMX	4.185	Uno	Fixtures, 3.025	No	No	No	-	-	No	No		1
608	Uno	3 DMX	4.188	Uno	Fixtures, 3.026	No	No	No	-	-	No	No		1
609	Uno	3 DMX	4.191	Uno	Fixtures, 3.027	No	No	No	-	-	No	No		1
610	Uno	3 DMX	4.194	Uno	Fixtures, 3.028	No	No	No	-	-	No	No		1
701	QR-5	ARCS, 6 DMX	5.367	QR-5	Fixtures, 4.036	No	No	No	-	-	No	No		1
702	QR-5	ARCS, 6 DMX	5.373	QR-5	Fixtures, 4.037	No	No	No	-	-	No	No		1
703	QR-5	ARCS, 6 DMX	5.379	QR-5	Fixtures, 4.038	No	No	No	-	-	No	No		1
704	QR-5	ARCS, 6 DMX	5.385	QR-5	Fixtures, 4.039	No	No	No	-	-	No	No		1
705	QR-5	ARCS, 6 DMX	5.415	QR-5	Fixtures, 4.041	No	No	No	-	-	No	No		1
706	QR-5	ARCS, 6 DMX	5.421	QR-5	Fixtures, 4.042	No	No	No	-	-	No	No		1
707	QR-5	ARCS, 6 DMX	5.427	QR-5	Fixtures, 4.043	No	No	No	-	-	No	No		1
708	QR-5	ARCS, 6 DMX	5.433	QR-5	Fixtures, 4.044	No	No	No	-	-	No	No		1
709	QR-5	ARCS, 6 DMX	5.439	QR-5	Fixtures, 4.045	No	No	No	-	-	No	No		1
710	QR-5	ARCS, 6 DMX	5.445	QR-5	Fixtures, 4.046	No	No	No	-	-	No	No		1
711	QR-5	ARCS, 6 DMX	5.451	QR-5	Fixtures, 4.047	No	No	No	-	-	No	No		1
712	QR-5	ARCS, 6 DMX	5.457	QR-5	Fixtures, 4.048	No	No	No	-	-	No	No		1
713	QR-5	ARCS, 6 DMX	5.463	QR-5	Fixtures, 4.049	No	No	No	-	-	No	No		1
714	QR-5	ARCS, 6 DMX	5.469	QR-5	Fixtures, 4.050	No	No	No	-	-	No	No		1
715	QR-5	ARCS, 6 DMX	5.475	QR-5	Fixtures, 4.051	No	No	No	-	-	No	No		1
801	ATMe	3 DMX	8.501	ATMe	Fixtures, 3.010	No	No	No	-	-	No	No		0
901	Dimmer	Dimmer	8.504	FAN SAFE	Fixtures, 3.020	No	No	No	-	-	No	No		0
902	Dimmer	Dimmer	8.505	FAN DIM	Fixtures, 3.030	No	No	No	-	-	No	No		0

# ARENA | AUDIO SPECIFICATIONS

## SOUND LIMIT

103dB(A) over 15 minutes

## FRONT OF HOUSE

- Controls > Allen & Heath DLive C3500: 128ch – 64 bus/ 8 analog i/o/  
Waves V3 expansion card
- Stage i/o > Allen & Heath DMO: combined with 3x DX168 16 analog  
in – 8 analog out stageboxes
- Main PA > Line array 4x Nexo s805 top cabinets  
> 2x Nexo L18 sub cabinets

## MONITORS

- Controls > From FOH unless agreed otherwise upon request
- Cabinets > 6x D&b audiotechnik M4 wedge  
> 2x D&b Audiotechnik M6 wedge

## MIC LOCKER

- Microphones > 4x Shure Sm58  
> 4x Shure Sm57  
> 1x Shure B91A  
> 1x Shure B52A  
> 1x Shure B57A  
> 4x Sennheiser E604  
> 1x Sennheiser E904  
> 1x Sennheiser E906  
> 1x Sennheiser MD421  
> 2x Oktava MK-102  
> 2x Oktava MK-012-01

## DI boxes

- > 3x BSS Mono DI  
> 3x Klark Teknik Stereo DI

## ARENA | LIGHT SPECIFICATIONS

**CONTROLS** > RoadHog Full Boar 4

**MOVING** > 12x ROBE DL4X  
> 12x ROBE Robin Ledwash 150


**STATIC** > 11x QueLed QR-5  
> 6x FOS UNO Blinder  
> 4x Elation Protron 3K  
> 4x Elation 100WW Fresnell

**SMOKE MACHINE** > 1x Swefog K1

### NETWORK

Dmx control is done via ArtNet, IP-Adresses will be communicated upon arrival. We have a total of 8 universes available as standard and we use universe 1 thru 5. Three universes are available upon on request.

# ARENA | LIGHT SPECIFICATIONS | TOPVIEW



# ARENA | LIGHT SPECIFICATIONS | PATCH LIST



Showname: N.H. ARENA 2026 Q1Q2 GUEST PATCH  
 Date: 05/02/26-13:38  
 Software Version: 18.0.313.5  
 Console Name: AVO ARENA N.H.  
 Console Type: Arena

## Patch View

User no.	Fixture	Mode	Address	Legend	Location	Pan Invert	Tilt Invert	Iris Invert	Pan Offset	Tilt Offset	P/T Swapped	Frozen	Notes	Items Used in
101	Robin DL4X Spot	Mode 1, 35 DMX	1.1	Robin DL4X	Fixtures, 1.005	No	No	No	-	-	No	No		0
102	Robin DL4X Spot	Mode 1, 35 DMX	1.36	Robin DL4X	Fixtures, 1.006	No	No	No	-	-	No	No		0
103	Robin DL4X Spot	Mode 1, 35 DMX	2.1	Robin DL4X	Fixtures, 1.014	No	No	No	-	-	No	No		0
104	Robin DL4X Spot	Mode 1, 35 DMX	2.36	Robin DL4X	Fixtures, 1.015	No	No	No	-	-	No	No		0
105	Robin DL4X Spot	Mode 1, 35 DMX	2.71	Robin DL4X	Fixtures, 1.016	No	No	No	-	-	No	No		0
106	Robin DL4X Spot	Mode 1, 35 DMX	2.106	Robin DL4X	Fixtures, 1.017	No	No	No	-	-	No	No		0
107	Robin DL4X Spot	Mode 1, 35 DMX	3.393	Robin DL4X	Fixtures, 1.024	No	No	No	-	-	No	No		0
108	Robin DL4X Spot	Mode 1, 35 DMX	3.428	Robin DL4X	Fixtures, 1.027	No	No	No	-	-	No	No		0
109	Robin DL4X Spot	Mode 1, 35 DMX	4.1	FRONT/KEY-LIGHT	Fixtures, 1.044	No	No	No	-	-	No	No		0
110	Robin DL4X Spot	Mode 1, 35 DMX	4.36	FRONT/KEY-LIGHT	Fixtures, 1.045	No	No	No	-	-	No	No		0
111	Robin DL4X Spot	Mode 1, 35 DMX	4.71	FRONT/KEY-LIGHT	Fixtures, 1.046	No	No	No	-	-	No	No		0
201	Robin Tetra X	Mode 6, 98 DMX	2.211	Tetra X	Fixtures, 2.015	No	No	No	-	-	No	No		0
202	Robin Tetra X	Mode 6, 98 DMX	2.309	Tetra X	Fixtures, 2.016	No	No	No	-	-	No	No		0
203	Robin Tetra X	Mode 6, 98 DMX	3.1	Tetra X	Fixtures, 2.033	No	No	No	-	-	No	No		0
204	Robin Tetra X	Mode 6, 98 DMX	3.99	Tetra X	Fixtures, 2.024	No	No	No	-	-	No	No		0
205	Robin Tetra X	Mode 6, 98 DMX	3.197	Tetra X	Fixtures, 2.027	No	No	No	-	-	No	No		0
206	Robin Tetra X	Mode 6, 98 DMX	3.295	Tetra X	Fixtures, 2.038	No	No	No	-	-	No	No		0
301	Robin LEDBeam 150	Mode 1, 22 DMX	1.71	LEDBm 150	Fixtures, 2.004	No	No	No	-	-	No	No		0
302	Robin LEDBeam 150	Mode 1, 22 DMX	1.93	LEDBm 150	Fixtures, 2.005	No	No	No	-	-	No	No		0
303	Robin LEDBeam 150	Mode 1, 22 DMX	1.115	LEDBm 150	Fixtures, 2.006	No	No	No	-	-	No	No		0
304	Robin LEDBeam 150	Mode 1, 22 DMX	1.137	LEDBm 150	Fixtures, 2.007	No	No	No	-	-	No	No		0
401	QR-5	ARCS, 6 DMX	1.351	SIDELIGHTS	Fixtures, 2.051	No	No	No	-	-	No	No		0
402	QR-5	ARCS, 6 DMX	1.357	SIDELIGHTS	Fixtures, 2.041	No	No	No	-	-	No	No		0
403	QR-5	ARCS, 6 DMX	1.363	SIDELIGHTS	Fixtures, 2.060	No	No	No	-	-	No	No		0
404	QR-5	ARCS, 6 DMX	1.369	SIDELIGHTS	Fixtures, 2.050	No	No	No	-	-	No	No		0
405	QR-5	TOUR, 11 DMX	2.468	TRUSS DECO LIGHTS	Fixtures, 3.007	No	No	No	-	-	No	No		0
406	QR-5	TOUR, 11 DMX	2.479	TRUSS DECO LIGHTS	Fixtures, 3.008	No	No	No	-	-	No	No		0
407	QR-5	TOUR, 11 DMX	2.490	TRUSS DECO LIGHTS	Fixtures, 3.009	No	No	No	-	-	No	No		0
408	QR-5	TOUR, 11 DMX	4.106	HALL LIGHTS	Fixtures, 3.027	No	No	No	-	-	No	No		0
409	QR-5	TOUR, 11 DMX	4.117	HALL LIGHTS	Fixtures, 3.028	No	No	No	-	-	No	No		0
410	QR-5	TOUR, 11 DMX	4.128	HALL LIGHTS	Fixtures, 3.029	No	No	No	-	-	No	No		0
501	Protron 3K	Mode 4	2.451	STROBE	Fixtures, 3.021	No	No	No	-	-	No	No		0
502	Protron 3K	Mode 4	2.455	STROBE	Fixtures, 3.022	No	No	No	-	-	No	No		0
601	Uno	3 DMX	2.407	BLIND	Fixtures, 3.001	No	No	No	-	-	No	No		0
602	Uno	3 DMX	2.410	BLIND	Fixtures, 3.002	No	No	No	-	-	No	No		0
603	Uno	3 DMX	2.413	BLIND	Fixtures, 3.003	No	No	No	-	-	No	No		0
604	Uno	3 DMX	2.416	BLIND	Fixtures, 3.004	No	No	No	-	-	No	No		0
701	Dimmer	Dimmer	4.501	UV BLACKLIGHT	Fixtures, 3.047	No	No	No	-	-	No	No		0

# NEUSHOORN CAFÉ | TECHNICAL SPECIFICATIONS

## SOUND LIMIT

The max average equivalent noise level for Neushoorn Café is 98 dB(A), measured over 15 minutes at FOH position, 2 meters above ground.

<b>P.A.</b>	> 2x d8b 215 top (M4) > 2x E15X sub	Specs: 12" 1,6" Specs: 15"
<b>AMPS</b>	> d8b d12 (temporary D20 at the moment)	
<b>FOH</b>	> Allen & Heath SQ-5	Specs: SQ-5 36ch/24bus/12out
<b>STAGE</b>	> CAT - AR2412	Specs: 24bit/96khz 24ch in 12 out
<b>WEDGES</b>	> 4x RCF HD-10A	Specs: 10"/1"
<b>STATIC LIGHTS</b>	> 2x Elation ELED Fresnell 150 > 6x Elation SixPar 200	Specs: 150w led Specs: 12x RGBAW+UV
<b>SMOKE</b>	> 1x Look Unique Hazer	
<b>MICROPHONES</b>	> 4x Shure SM58 > 4x Shure SM57 > 1x Shure B52 > 3x Sennheiser e604 > 2x AKG AT2020 > 2x Sennheiser EW-D wireless	
<b>DI</b>	> 4x BSS 133 aktive DI	
<b>STAGE SIZE BAND</b>	5 x 3 x 0,5 meters	
<b>STAGE SIZE DJ</b>	4 x 3 x 0,5 meters	
<b>SIZE DJ BOOTH</b>	4 x 1 x 1,05 meters	
<b>DJ GEAR</b>	See page five (5)	

## BACKLINE

Unless agreed upon otherwise, all bands will use the backline provided by Neushoorn.

# NEUSHOORN CAFÉ | LIGHT SPECIFICATIONS | PATCH LIST




Showname: CAFE 2025 PATCHED WORKING  
 Date: 27/02/25-13:45  
 Software Version: 17.1.4.5  
 Console Name: DESKTOP-0MRJDTO  
 Console Type: T3

## Patch View

User no.	Fixture	Mode	Address	Legend	Location	Pan Invert	Tilt Invert	Iris Invert	Pan Offset	Tilt Offset	P/T Swapped	Frozen	Notes	Items Used in
1	Phantom 130 Spot	16 DMX	1.1	SPOT ACHTER	Fixtures, 1.004	No	No	No	16.67 %	-	No	No		54
2	Phantom 130 Spot	16 DMX	1.17	SPOT ACHTER	Fixtures, 1.007	No	No	No	16.67 %	-	No	No		54
3	Phantom 130 Spot	16 DMX	1.33	SPOT MID	Fixtures, 1.015	No	No	No	16.67 %	-	No	No		54
4	Phantom 130 Spot	16 DMX	1.49	SPOT MID	Fixtures, 1.016	No	No	No	16.67 %	-	No	No		54
5	Phantom 130 Spot	16 DMX	1.65	SPOT ZAAL	Fixtures, 1.023	No	No	No	16.67 %	-	No	No		54
6	Phantom 130 Spot	16 DMX	1.81	SPOT ZAAL	Fixtures, 1.028	No	No	No	16.67 %	-	No	No		54
7	Shark Zoom Wash One	15 DMX	1.97	WASH ACHTER	Fixtures, 2.004	No	No	No	16.67 %	-	No	No		45
8	Shark Zoom Wash One	15 DMX	1.112	WASH ACHTER	Fixtures, 2.007	No	No	No	16.67 %	-	No	No		45
9	Shark Zoom Wash One	15 DMX	1.127	WASH MID	Fixtures, 2.015	No	No	No	16.67 %	-	No	No		45
10	Shark Zoom Wash One	15 DMX	1.142	WASH MID	Fixtures, 2.016	No	No	No	16.67 %	-	No	No		45
11	Shark Zoom Wash One	15 DMX	1.157	WASH VOOR	Fixtures, 2.023	No	No	No	16.67 %	-	No	No		45
12	Shark Zoom Wash One	15 DMX	1.172	WASH VOOR	Fixtures, 2.028	No	No	No	16.67 %	-	No	No		45
13	Shark Zoom Wash One	15 DMX	1.187	WASH ZAAL	Fixtures, 2.034	No	No	No	16.67 %	-	No	No		45
14	Shark Zoom Wash One	15 DMX	1.202	WASH ZAAL	Fixtures, 2.037	No	No	No	16.67 %	-	No	No		45
15	Wild Wash 132 LED White DMX	3 DMX m1	1.217	STROBE STAGE	Fixtures, 3.002	No	No	No	-	-	No	No		3
16	Wild Wash 132 LED White DMX	3 DMX m1	1.220	STROBE STAGE	Fixtures, 3.004	No	No	No	-	-	No	No		3
17	Wild Wash 132 LED White DMX	3 DMX m1	1.223	STROBE ZAAL	Fixtures, 3.041	No	No	No	-	-	No	No		3
18	Wild Wash 132 LED White DMX	3 DMX m1	1.226	STROBE ZAAL	Fixtures, 3.045	No	No	No	-	-	No	No		3
19	Dimmer	Dimmer	1.501	FRONT	Fixtures, 3.022	No	No	No	-	-	No	No		5
20	Dimmer	Dimmer	1.502	FRONT	Fixtures, 3.024	No	No	No	-	-	No	No		5
21	Dimmer	Dimmer	1.496	Dim	Fixtures, 3.007	No	No	No	-	-	No	No		1
22	Dimmer	Dimmer	1.497	Dim	Fixtures, 3.008	No	No	No	-	-	No	No		0
23	Dimmer	Dimmer	1.498	Dim	Fixtures, 3.009	No	No	No	-	-	No	No		0
24	Dimmer	Dimmer	1.499	Dim	Fixtures, 3.010	No	No	No	-	-	No	No		1
25	ACL PAR 200	6 DMX	1.237	RAAM VOOR	Fixtures, 4.010	No	No	No	-	-	No	No		16
26	ACL PAR 200	6 DMX	1.243	RAAM VOOR	Fixtures, 4.020	No	No	No	-	-	No	No		16
27	ACL PAR 200	6 DMX	1.249	RAAM INGANG	Fixtures, 4.030	No	No	No	-	-	No	No		16
28	ACL PAR 200	6 DMX	1.255	RAAM INGANG	Fixtures, 4.040	No	No	No	-	-	No	No		16
33	QR-5	TOUR, 11 DMX	1.289	SIDE L	Fixtures, 4.001	No	No	No	-	-	No	No		16
34	QR-5	TOUR, 11 DMX	1.300	SIDE L	Fixtures, 4.011	No	No	No	-	-	No	No		16
35	QR-5	TOUR, 11 DMX	1.311	SIDE R	Fixtures, 4.003	No	No	No	-	-	No	No		16
36	QR-5	TOUR, 11 DMX	1.322	SIDE R	Fixtures, 4.013	No	No	No	-	-	No	No		16
37	QR-5	TOUR, 11 DMX	1.333	REKKEN ACHTER	Fixtures, 4.031	No	No	No	-	-	No	No		15
38	QR-5	TOUR, 11 DMX	1.412	REKKEN ACHTER	Fixtures, 4.041	No	No	No	-	-	No	No		15
39	QR-5	TOUR, 11 DMX	1.423	ZAAL	Fixtures, 4.033	No	No	No	-	-	No	No		15
40	QR-5	TOUR, 11 DMX	1.434	ZAAL	Fixtures, 4.043	No	No	No	-	-	No	No		15

# NEUSHOORN CAFÉ | TOP VIEW



## HOW TO PREPARE YOUR FILES FOR OUR DJ-GEAR

When following this guide, you ensure that you arrive prepared for your DJ show at Neushoorn. In a few simple but crucial steps, you can ensure that your show will run smoothly 99.9% of the time, and you won't encounter problems with our Pioneer DJ Gear.

### STEP 1: CHOOSE THE RIGHT USB STICK DRIVE

Recommended USB stick drives include:

- > Corsair Flash Survivor Stealth
- > SanDisk Extreme Pro
- > SanDisk Ultra Fit USB 3.1 Portable Flash Drive
- > Integral Turbo USB 3.0
- > Transcend JetFlash 920
- > SanDisk Ultra Luxe

### STEP 2: FORMAT THE USB STICK DRIVE

To have the optimal setup for your music, you need to format the USB stick drive to one of the formats below:

- > MS-DOS FAT (FAT32)
- > MAC OS EXTENDED HFS+

### STEP 3: PREPARE YOUR MUSIC

To prepare your music for the Pioneer DJ Gear, you should run the tracks you want to play through REKORDBOX. This is a software program that analyzes all tracks for tempo, key and other information, allowing the DJ Gear to load all tracks more efficiently.

Use the following link for downloading and follow the instructions for using REKORDBOX: > <https://rekordbox.com/nl/download/>

After completing these steps, you are ready to perform at Neushoorn!