



SFC

SDC

#### Best-in-class Quantum® Gold Controls

Revolutionary Quantum<sup>\*</sup> Gold technology combines equipment controls, programming and wireless networking into one full-store management system, including: wireless networking, adjustable water levels and in-depth reporting. Designed to reduce costs and maximize revenue, Quantum gives you the power to achieve unprecedented levels of profitability.

#### Washer features

- Stainless steel outer and inner drum
- Industry-leading 440 G-Force extraction removes more moisture, minimizing drying times and utility costs
- Totally freestanding: can be installed on any floor and any level
- Door opens of 180° for easy loading and unloading
- Suspension with new out-of-balance logic
- Standard with drain pump
- Soap box with four compartments
- Top, Front and side panels standard available in anthracite grey
- Electrical heating or boiler-fed
- 6 wash programs
- Possibility of programming cycle modifier (added prewash, extrawash time, extra rinse)
- LED indication of the status of the program
- Time remaining countdown

#### **Quantum Controls**

- 6 programs
- 3 cycle modifiers
- LED notification

### Connectivity

Wi-fi connectivity via accessory, enabling access to Speed Queen Insights and Speed Queen App.



### **Dryer features**

- Oversized lint filter located in front for easy cleaning
- Galvanized steel cylinder
- Powerful exhaust blower assures short drying times and low operating costs
- Wide door opening of 180° for easy loading and unloading
- Top, Front and side panels standard available in anthracite grey
- Electrical or gas heating
- Led indication of the status of the program
- Time remaining countdown

#### Quantum Controls

- 4 drying programs
- LED notification
- Programmable by Infra Red



Compac














# Front load washer

## Specifications

	SFC   Washer					
	NF3JXASP403UN01	NF3JXASP403UG01	NF3JXASP403UG43	NF3JXASG403UG01	NF3JXASG403UG43	
Cabinet	Stainless	Grey	Grey	Grey	Grey	
Market	Europe/CE	Europe/CE	Europe/CE	Europe/CE	Europe/CE	
Actuation	Prep for coin	Prep for coin	Prep for coin	Prep for coin	Prep for coin	
Basket	Stainless	Stainless	Soap inject./Grey boot	Stainless	Soap inject./Grey boot	
Drain	Pump	Pump	Pump	Gravity drain	Gravity drain <sup>1</sup>	
Capacity	10.5 kg	10.5 kg	10.5 kg	10.5 kg	10.5 kg	


<sup>&</sup>lt;sup>1</sup> Available in Q4/2024

		SFC
DRUM VOLUME	- 1	96,8
Frequency controlled	kW	0,67
Extraction speed	rpm	1200
G-factor	kW	440
ELECTRICAL CONNECTION		230v/50Hz/1N,400v/50Hz/3N*
ELECTRICAL HEATING	kW	4,8
DIMENSIONS H×W×D	mm	1126×683×704
Net weight	kg	119
Volume (packed)	m³	0,77
Packed H×W×D	mm	1150x760x860
Gross weight	kg	128



# Dryer

## Specifications



		SDC
Capacity	kg	10,5
Drum volume	- 1	198
ELECTRICAL HEATING	kW	5,2 (230V), 5,3 (400V)*
GAS HEATING	kW	7,3
MOTOR POWER	rpm	0,25
Exhaust	mm	102
DIMENSIONS H×W×D	mm	1126×683×711
Net weight	kg	74
Volume (packed)	m³	0,71
Packed H×W×D	mm	1150x760x860
Gross weight	kg	79

