

Maintenance Checklist

For Hurricane Shutters & Motorized Retractable Screens

Monthly Maintenance
Visual Inspection:
Check for dents, cracks, or signs of wear on shutters/screens.
Ensure all fasteners are secure and undamaged.
Operation Test:
Open and close each shutter/screen fully to check smooth operation.
Listen for unusual noises or sticking points.
Clean Tracks & Frames:
Remove dirt, leaves, or debris from tracks with a brush or vacuum.
Wipe down frames and slats with a damp cloth and mild soap (no harsh chemicals).
Quarterly Maintenance
Lubricate Moving Parts:
Apply silicone spray or approved lubricant to tracks, hinges, and locks.
Check Motors & Controls:
Test remote controls and switches; replace batteries as needed.
Look for exposed wires or moisture around electrical components.
nspect Weather Seals & Caulk:
Check for cracked or missing weatherstripping and caulking; reseal if needed

Pre-Hurricane Season (April-June) Checklist

peep clean:
Fully wash shutters/screens with mild soap and water.
Inspect for mold or mildew—clean with a 50/50 vinegar-water mix if needed
Professional Inspection:
Schedule a full inspection by a certified RollShield technician for added peace of mind.
Test All Emergency Functions:
Confirm manual override works on motorized shutters/screens.
Locate and test all keys, cranks, and emergency tools.
After a Storm or Hurricane
Immediate Damage Check:
Remove leaves, branches, and dirt.
Rinse shutters/screens with fresh water to remove salt and sand.
Clear Debris & Rinse:
Test remote controls and switches; replace batteries as needed.
Look for exposed wires or moisture around electrical components.
Report Issues:
Contact RollShield for repairs if you notice operational problems or visible damage.
Annual Maintenance
Full Service Appointment:
Have a certified technician perform a thorough inspection and service.
Replace worn or damaged parts.
Update Owner's Records:
Record any repairs, replacements, or upgrades for warranty tracking.

Tips for Longevity

- Never use harsh chemicals or pressure washers.
- Operate shutters/screens at least once a month—even when not in use.
- Always clear tracks and drainage holes after storms.
- Contact RollShield for professional service or repairs.



(727) 451-7655 RollShield.com

Be storm-ready and get expert advice before the next storm hits!