TEXTURES







TEXTURES

ALLIANCE

Fiber content	Finish	Abrasion	Lightfastness	Approx. repeat	Cleaning code
67% Repreve® Recycled Polyester, 33% Polyester		190,000 double rubs	Class 4 40 hours	1/4" L, 1/8" W	WS
71% Post Consumer Recycled Polyester, 29% Polyester		150,000 double rubs	Class 5 40 hours		WS
62% Repreve® Post Consumer Recycled Polyester, 38% Polyester	Crypton Green®	75,000 double rubs	Class 4.5 40 hours		WS BC (10:1)
58% Repreve® Post Consumer Recycled Polyester, 42% Polyester	Crypton Green®	200,000 double rubs	Class 4 40 hours		WS BC (10:1)
53% Recycled Polyester, 47% Polyester	Crypton Green®	140,000 double rubs	Class 4.5 40 hours		W BC (10:1)
53% Repreve® Recycled Polyester, 47% Polyester		200,000 double rubs	Class 4.5 40 hours	1/4" L, 1/8" W	WS
70% Polyurethane/PVC Free, 30% Silicone		500,000 double rubs	Class 5 200 hours		WS BC (4:1)
	67% Repreve® Recycled Polyester, 33% Polyester 71% Post Consumer Recycled Polyester, 29% Polyester 62% Repreve® Post Consumer Recycled Polyester, 38% Polyester 58% Repreve® Post Consumer Recycled Polyester, 42% Polyester 53% Recycled Polyester, 47% Polyester 53% Repreve® Recycled Polyester, 47% Polyester 70% Polyurethane/PVC Free,	67% Repreve® Recycled Polyester, 33% Polyester 71% Post Consumer Recycled Polyester, 29% Polyester 62% Repreve® Post Consumer Recycled Polyester, 38% Polyester 58% Repreve® Post Consumer Recycled Polyester, 42% Polyester 53% Recycled Polyester, 47% Polyester 53% Repreve® Recycled Polyester, 47% Polyester 70% Polyurethane/PVC Free,	67% Repreve® Recycled Polyester, 33% Polyester 71% Post Consumer Recycled Polyester, 29% Polyester 62% Repreve® Post Consumer Recycled Polyester, 38% Polyester 62% Repreve® Post Consumer Recycled Polyester, 38% Polyester 62% Repreve® Post Consumer Recycled Polyester, 38% Polyester 62% Repreve® Post Consumer Recycled Polyester, 42% Polyester 620,000 double rubs 53% Recycled Polyester, 47% Polyester 620,000 double rubs 53% Repreve® Recycled Polyester, 47% Polyester 620,000 double rubs 70% Polyurethane/PVC Free,	67% Repreve® Recycled Polyester, 33% Polyester 190,000 Class 4 double rubs 40 hours 71% Post Consumer Recycled Polyester, 29% Polyester 62% Repreve® Post Consumer Recycled Polyester, 38% Polyester 62% Repreve® Post Consumer Recycled Polyester, 42% Polyester 620,000 Class 4.5 double rubs 40 hours 63% Recycled Polyester, 47% Polyester 620,000 Class 4.5 double rubs 40 hours 63% Repreve® Recycled Polyester, 47% Polyester 600,000 Class 4.5 double rubs 600,000 Class 4.5 double rubs 600,000 Class 5	67% Repreve® Recycled Polyester, 33% Polyester 190,000 double rubs 40 hours 71% Post Consumer Recycled Polyester, 29% Polyester 62% Repreve® Post Consumer Recycled Polyester, 38% Polyester 62% Repreve® Post Consumer Recycled Polyester, 42% Polyester 62% Repreve® Post Consumer Recycled Polyester, 42% Polyester 62% Repreve® Post Consumer Recycled Polyester, 42% Polyester 620,000 Class 4.5 40 hours 63% Recycled Polyester, 40 hours 63% Repreve® Recycled Polyester, 40 hours



GREENGUARD certified. CA Section 01350 compliant Eligible for CHPS Low-Emitting Material Credits



Search for fabrics by approved cleaners



Find hundreds of pre-approved, in grade and in stock fabrics in 5 simple steps

* ACT® Registered Certification Marks

These fabrics when used with proper components are compatible with California Technical Bulletin 133

Multiple factors affect fabric durability and appearance retention, including end-user application and proper maintenance

Abrasion test results exceeding ACT Performance Guidelines are not an indicator of product lifespan

Cleaning Code Definition

- W: Water-based foam or cleaner
- WS: Clean with water-based cleaning agents or foam
- BC: Bleach Cleanable

Visit memosamples.com to view full pattern repeat and complete specs ©2022

08993351



