Price List Effective January 2025



SOURCE

How to Build a Celebrate Product Number

960 - FL-NA - 9605 - SCR - PG

| 961 Poly Shell Chair with Upholstered Seat Pad | C2B Black Carpet Caster |
|--|---|
| 962 Fully Upholstered | C2G Grey Carpet Caster |
| Base/Frame SL-NA Sled Frame, no arms SL-WA Sled Frame, with arms FL-NA Four Leg, no arms FL-NA Caster Four Leg, no arms CS-NA Caster Four Leg, no arms WDL-NA Counter leight Stool Sled Frame 24 in seat height STL30SL Bar Height Stool Sled Frame 30 in seat height STL30SL Bar Height Stool Sled Frame 24 in seat height STL30SL Bar Height Stool Sled Frame 24 in seat height STL30SL Bar Height Stool Sled Frame 24 in seat height STL30SL Bar Height Stool Sled Frame 30 in seat height STL30SL Bar Height Stool Sled Frame 30 in seat height STL30SL Bar Height Stool Sled Frame 30 in seat height STL30SL Bar Height Stool Sled Frame 30 in seat height STL30SL Bar Height Stool Sled Frame 30 in seat height ST | Wood Leg Finish NAT Natural CHY Cherry WCH Warm Cherry MAH Mahogany ESP Espresso WLT Weathered Light WMD Weathered Medium WNT Walnut DWNT Dark Walnut WGR Weathered Grey 001 Black 999 Custom P1 Painted Wood 7006 White 7044 Stone 7035 Light Grey 7012 Dark Grey 8012 Dark Red 3016 Light Red |

Features

Flexing one piece poly shell

All poly shell or poly shell with upholstered seat pad, or fully upholstered

Ash Wood Legs

Plastic Glides (WDL and FL Frames Only)

Arm option on SL frame with color matching polyurethane wrap-Must specify poly arm cap color

Tubular steel arm option on FL frames

SL Sled Frame Poly stacks 8 high on the floor, 10 high on the dolly. Fully Upholstered stacks 6 high on the floor, 8 high on the dolly FL Four Leg Poly stacks 8 high on the floor, 10 high on the dolly. Fully Upholstered stacks 6 high on the floor, 8 high on the dolly CS Caster Four Leg Poly stacks 6 high on the floor. Fully Upholstered stacks 4 high on the floor

CH24 & STL30 Stool Frames Poly stack 6 high on the floor. Fully Upholstered stacks 4 high on the floor

GreenGuard Certified

Meets ANSI/BIFMA Standards

Lifetime Limited Warranty

Dimensions

Sled Frame

Seat 17.75 °D x 17 °W x 18 °H Back 16.5 °W x 16 °H

Overall 20.5 °D x 19.5 °W x 32.5 °H With Arms 21.25 °W x 25.25 °Arm H

Four Leg

Seat 17.75 D x 17 W x 18.25 H

Back 16.5 W x 16 H Overall 20.5 D x 20.75 W x 32.75 H With Arms 21.5 W x 26.75 Arm H

Caster Four Leg

Seat 17.75 D x 17 W x 17.75 H

Back 16.5 W x 16 H

Overall 19"D x 21.5"W x 32.25"H

Wood Four Leg

Seat 17.75"D x 17"W x 17.5"H

Back 16.5 W x 16 H

Overall 19"D x 18.75"W x 32.75"H

Counter Height Stool

Seat 17.75 °D x 17 °W x 24 °H Back 16.5 °W x 16 °H

Overall 20.5 D x 21 W x 38.75 H

Bar Height Stool

Seat 17.75 °D x 17 °W x 30 °H Back 16.5 °W x 16 °H

Back 16.5 W x 16 H Overall 20.5 D x 21 W x 44.75 H

Upholstered Seat Pad Requirement

COM .7 yards per one or two seats

COL 7 sqft per seat

Fully Upholstered Requirement

COM 1.25 yards COL 22.5 sqft per seat

Option Pricing

Standard Powdercoat Finish

PPC Premium Powdercoat Finish

P1 Painted Wood Finish for Wood Legs FG Felt Glide (FL and WDL Base) FG-SL Felt Glide Sled Frame

FG-SL Felt Glide Sled Frame C2B Black Carpet Caster C2G Grey Carpet Caster

999 Custom Wood Finish 960 FW Four Wheel Storage Dolly (SL and FL frames) NC

\$200 NET (net charge per color per order)

\$55 \$20 \$20 standard NC \$225 NET

\$225 NET \$375

| | | COM/G | rade A | Grade B | Grade C | Grade D | Grade E | Grade F | Grade G | Grade H | Leather | COL |
|-----------|---------------|--------------|--------|---------|---------|---------|---------|---------|---------|---------|---------|-----|
| | Four Leg | | | | | | | | | | | |
| 960-FL-NA | 4 | 80 | | | | | | | | | | |
| 961-FL-NA | 6 | 75 (| 690 | 710 | 740 | 76 | 5 8 | 325 | 870 | 920 | 895 | 710 |
| 962-FL-NA | 7 | 70 | 780 | 805 | 835 | 860 |) 9 | 920 | 965 | 1015 | 985 | 805 |
| | Four Leg with | Arms | | | | | | | | | | |
| 960-FL-WA | 5 | i 6 5 | | | | | | | | | | |
| 961-FL-WA | 7 | '60 | 770 | 800 | 825 | 85 | 0 9 | 910 | 955 | 1010 | 975 | 800 |
| 962-FL-WA | 8 | 355 | 865 | 895 | 920 | 94 | 5 1 | 1005 | 1050 | 1105 | 1070 | 895 |
| | Caster Four L | eg | | | | | | | | | | |
| 960-CS-NA | 6 | 75 | | | | | | | | | | |
| 961-CS-NA | 8 | 65 | 875 | 900 | 930 | 95 | 5 1 | 1015 | 1055 | 1110 | 1080 | 900 |
| 962-CS-NA | 9 | 160 | 970 | 990 | 102 | 5 10 | 50 1 | 1110 | 1150 | 1200 | 1175 | 990 |
| | Sled Frame | | | | | | | | | | | |
| 960-SL-NA | 5 | i10 | | | | | | | | | | |
| 961-SL-NA | 7 | '05 | 720 | 740 | 765 | 80 | 0 0 | 850 | 900 | 950 | 920 | 740 |
| 962-SL-NA | 8 | 100 | 815 | 835 | 860 | 89 | 5 9 | 945 | 990 | 1045 | 1015 | 835 |
| | Sled Frame w | ith Arms | | | | | | | | | | |
| 960-SL-WA | 6 | 30 | | | | | | | | | | |
| 961-SL-WA | | | 830 | 850 | 880 | 910 |) 9 | 965 | 1015 | 1060 | 1035 | 850 |
| 962-SL-WA | 9 | 15 9 | 925 | 945 | 975 | 100 |)5 1 | 1060 | 1110 | 1155 | 1130 | 945 |

COL

COM/Grade A Grade B Grade C Grade D Grade E Grade F Grade G Grade H Leather

| | Wood Four Leg | | | | | | | | | |
|------------|---------------|------|------|------|------|------|------|------|------|------|
| 960-WDL-NA | 850 | | | | | | | | | |
| 961-WDL-NA | 1030 | 1040 | 1060 | 1090 | 1120 | 1175 | 1225 | 1270 | 1245 | 1060 |
| 962-WDL-NA | 1125 | 1135 | 1155 | 1185 | 1215 | 1270 | 1320 | 1365 | 1340 | 1155 |



Counter Height Sled Frame Stool 24 in. Seat Ht

| 960-CH24SL-NA | 690 | | | | | | | | | |
|---------------|-----|-----|------|------|------|------|------|------|------|------|
| 961-CH24SL-NA | 875 | 885 | 910 | 940 | 965 | 1025 | 1070 | 1120 | 1090 | 910 |
| 962-CH24SL-NA | 970 | 980 | 1005 | 1035 | 1060 | 1120 | 1165 | 1215 | 1185 | 1005 |



Bar Height Sled Frame Stool 30 in. Seat Ht

| 900-91L309L-NA | 120 | | | | | | | | | |
|----------------|------|------|------|------|------|------|------|------|------|------|
| 961-STL30SL-NA | 905 | 915 | 940 | 965 | 990 | 1050 | 1095 | 1150 | 1120 | 940 |
| 962-STL30SL-NA | 1000 | 1010 | 1035 | 1060 | 1085 | 1145 | 1190 | 1245 | 1215 | 1035 |

How to Build a Celebrate Swivel Product Number

960 - H4-NA - 9605 - SCR - C2G

Style Glides/Casters 960 Poly Shell Chair Felt Glides(H4 base only) FG 961 Poly Shell Chair with Upholstered Seat Pad C2B Black Carpet Caster 962 Fully Upholstered C2G Grey Carpet Caster C7B Chrome Caster with Black Tread Base/Frame C7G Chrome Caster with Grey Tread H4-NA High Four Swivel Base, no arms H4-WA High Four Swivel Base with arms H4C-NA High Four Swivel Base with Casters, no arms H4C-WA High Four Swivel Base with Casters with arms **Plastic Base** TSC-NA Five Star Height Adjustable, no arms, simple tilt Black Plastic Five Star **B2** TSC-WA Five Star Height Adjustable, with arms, simple tilt

> **Metal Base Finish** Polished Aluminum

Poly Shell Colors

Standard Powder Coats 9605 White

PAL

9601 Black SCR Soft Chrome BLK 9606 Rojo Red Black Matte 9607 Graphite Grey WHT White 9608 Spicy Mustard **GMTL** Gunmetal 9609 Sky Blue LBNZ Light Bronze 9610 Grey Beige MBNZ Medium Bronze DBNZ Dark Bronze **BRS** Brass

STN Stone Light Grey Blue LGB DGY Dark Grey LBL Light Blue AQU Aqua GRN Green YLW Yellow LRD Light Red

Premium Powder Coats

Premium Powder Coats to Match Shell Colors

RED Rojo Red GRA Graphite Grey MUS Spicy Mustard SBL Sky Blue GBE Grey Beige

Features

Flexing one piece poly shell All poly shell or all poly shell with upholstered seat pad, or fully upholstered Tubular steel arm option on all swivel models Three swivel base options TSC has simple tilt and seat height adjustment GreenGuard Certified Meets ANSI/BIFMA Standards Lifetime Limited Warranty

Dimensions

High Four Swivel

Seat 17.75 D x 17 W x 18 H Back 16.5"W x 16"H Overall 19"D x 26.25"W x 32.5"H With Arms 21.5"W x 25.25"Arm H

Base Dia. 26.25"

High Four Swivel with Casters

17.75 D x 17 W x 18 H Seat Back 16.5°W x 16°H 19"D x 27"W x 32.5"H Overall With Arms 21.5 W x 25.25 Arm H

Base Dia. 27"

Five Star Height Adjustable

Seat 17.75 D x 17 W x 17"-20.5 H 16.5°W x 16°H Back 26.5 TD x 29 W x 32 -35.5 H Overall

With Arms 21.5 W x 26.5-30 Arm H

NC

NC

Base Dia. 29'

Upholstered Seat Pad Requirement

COM .7 yards per one or two seats

COL 7 sqft per seat

Fully Upholstered Requirement

COM 1.25 yards COL 22.5 sqft per seat

Option Pricing

Polished aluminum PAL Standard Standard Powdercoat Finish Standard

PPC Premium Powdercoat Finish \$200 NET (net charge per color per order) B2 Black plastic base (TSC base option) \$130 Deduct

Felt Glide (H4 Base) Standard Carpet Caster Black Standard Carpet Caster Grev NC

C2G C7B Chrome Caster with Black Tread C7G Chrome Caster with Grey Tread

FG

C2B

COM/Grade A Grade B Grade C Grade D Grade E Grade F Grade G Grade H Leather COL **High Four Swivel Base** 960-H4-NA 961-H4-NA 962-H4-NA **High Four Swivel Base with Arms** 960-H4-WA 961-H4-WA 962-H4-WA **High Four Swivel Base with Casters** 960-H4C-NA 961-H4C-NA 962-H4C-NA **High Four Swivel Base with Casters and Arms** 960-H4C-WA 961-H4C-WA 962-H4C-WA Five Star Swivel Base Height Adjustable 960-TSC-NA 961-TSC-NA 962-TSC-NA Five Star Swivel Base Height Adjustable with Arms

| | • | • | • | • | | • | • | | | |
|------------|------|------|------|------|------|------|------|------|------|------|
| 962-TSC-WA | 1140 | 1150 | 1175 | 1200 | 1230 | 1285 | 1335 | 1385 | 1355 | 1175 |
| 961-TSC-WA | 1045 | 1055 | 1080 | 1110 | 1135 | 1190 | 1240 | 1290 | 1260 | 1080 |
| 960-TSC-WA | 865 | | | | | | | | | |

PRICES

All published prices are recommended retail prices. Applicable sales taxes are additional. Prices are subject to change without notice.

PAYMENT TERMS

Net 30 days, with established credit. Until credit is approved, a fifty percent deposit must be sent with the order, the balance is due prior to shipment. Deposits are non-refundable in the event of cancellation. If deposit has been placed on original order, applicable cancellation charges to be deducted from the deposit amount. Remainder of deposit will be held in the form of a credit for future orders.

FREIGHT POLICY

Effective January 1, 2023 All orders are FOB Destination.

Orders under \$7500 net will incur a minimum freight charge of \$225.

Orders over \$7500 net will be charged the standard 3% of net freight fee.

These fees are applicable for any shipment being made within the contiguous U.S.

Source International reserves the right to select method of shipment and carrier.

CONCEALED DAMAGE

If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier. Concealed damage must be reported to the carrier within the specific carrier's predetermined timeline. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

RETURNS AND ALLOWANCES

All product is made to order. No merchandise may be returned without a return authorization and shipping instructions. No credit or allowance will be given for repairs to defective materials unless Source International has given authority to make such repairs.

ORDER ENTRY

All orders must be submitted in writing. Email to cr@sourceinternationaldesign.com or Fax to 508-842-1838.

ACKNOWLEDGEMENTS

All orders will be acknowledged in writing. Orders will be manufactured based on the written acknowledgement. It is the customer's responsibility to review each acknowledgement and communicate with the factory if there are errors within 48 hours.

CANCELLATIONS

Any changes or cancellation may result in charges if materials have entered into production. If an order is cancelled while in production, a cancellation fee will be applied based on the status of order at time of cancellation.

FABRICS

Not all graded in fabrics are approved for all product lines. Send memo samples for approval to:

Source International 17 Gilmore Dr, Sutton, MA 01590.

Please tag memo samples with:

The product the fabric is being reviewed for, and your contact information

Graded In Partners

We are proud to offer graded in fabric programs with the following companies:

Anzea

Architex

Camira

CF Stinson

Camira

DesignTex

Knoll

Maharam

Mayer

Momentum

Ultrafabrics

Customer's Own Material

C.O.M. fabric must be approved prior to acceptance of the order. The material must be provided in 54" wide continous yardage. All fabric will be directionally cut straight off the bolt unless otherwise specified. A C.O.M. form must be filled out and submitted along with purchase order. Yardage requirements listed are for small patterns or plain materials. The material must be shipped to the factory prepaid and with proper reference to the order. Source International is not responsible for appearance, performance or durability of C.O.M

Leather Prices published in this price list are for our stock leather "MAMMUT" by Wollsdorf Leather in the following colors:

25599 Black

25519 Pewter

35062 Charcoal

Additional leather colors in the Mammut line can be quoted. All other leathers will be priced as COL.