

Scape

MODULAR LOUNGE

PRIVATE CLUB

TABLES

Price List Effective January 2026



SOURCE

Scape

How to Build a Scape Lounge Number

5520 - SCR - NP

Style

5520 Club Chair
5521 Center Section Unit
5522 Left Hand End Unit
5523 Right Hand End Unit
5524 Ottoman
5525 Quarter Round Ottoman
5526 Quarter Round Inside Corner
5527 Quarter Round Outside Corner
5528 Square Inside Corner
5529 Square Outside Corner

Power Outlets

NP No Power
PWR ___ L left, C center, R right

Frame Finish - Textured

SCR Soft Chrome (standard)
BLK Black Matte
WHT White
LBNZ Light Bronze
MBNZ Medium Bronze
DBNZ Dark Bronze
GMTL Gunmetal

Features



Scape modular units available with two back heights, 29" and 43" High Back
Frame/Base is textured powdercoat finish in seven color options
Optional plastic and felt glides attach to legs with a 3M double sided adhesive strip
Leveling glides not available
Power and USB Port Option have selected locations options based on unit
L, C and R are Left, Center and Right as you sit in the unit
108" cord for each power unit
Power plate finish will match seating unit frame finish
Power Components are UL Listed
Greenguard Certified
Meets ANSI/ BIFMA Standards
Lifetime Limited Warranty



Dimensions

Club Chair		Center Section Unit	Left Hand/Right Hand End Unit
Seat	26"W x 21"D x 17"H	Seat	26"W x 21"D x 17"H
Back	26"W x 12.25"H	Back	26"W x 12.25"H
Overall Size	34"W x 30"D x 29.25"H	Overall Size	30"W x 30"D x 29.25"H
C.O.M.	5.5 yds	C.O.M.	3.6 yds
C.O.L.	99 sqft.	C.O.L.	65 sqft.
Ottoman		Quarter Round Inside Corner	Square Inside Corner
Seat	30"W x 30"D x 17"H	Seat	21"W x 21"D x 17"H
C.O.M.	1.75 yds	Back	26"H
C.O.L.	31.5 sqft	Overall Size	30"W x 30"D x 29.25"H
		C.O.M.	4.5 yds
		C.O.L.	81 sqft
Quarter Round Ottoman		Quarter Round Outside Corner	Square Outside Corner
Seat	30"W x 30"D x 17"H	Seat	30"W x 30"D x 17"H
C.O.M.	1.75 yds	Back	26"H
C.O.L.	31.5 sqft	Overall Size	30"W x 30"D x 29.25"H
C.O.L.	72 sqft	C.O.M.	3.75 yds
		C.O.L.	54 sqft

Option Pricing

Standard Powder Coat Finish Options -		
	Specify Finish Option From Above	N/C
F1	CAL 133 Compliance, Chairs, Corner Units	\$170
F2	CAL 133 Compliance, Ottomans	\$60
MB1	Moisture Barrier, Chairs, Corner Units, Seats only	\$60
GD	Ganging Connector - Connects Two Upholstered Pieces - Field Installed	\$25
PGS	Plastic Glides, Set of Four	\$20
FGS	Felt Glides, Set of Four	\$20
PWR	Power Outlet - Two Plugs and Two USB Ports	\$515

	Club Chair										
5520		3705	3820	4000	4080	4195	4535	4770	5070	5650	3970
	Center Section Unit										
5521		2205	2265	2380	2425	2490	2695	2825	3015	3355	2355
	Left Hand Unit										
5522		2940	3035	3180	3235	3325	3595	3775	4015	4485	3145
	Right Hand Unit										
5523		2940	3035	3180	3235	3325	3595	3775	4015	4485	3145
	Ottoman										
5524		1920	1990	2085	2115	2185	2350	2475	2635	2925	2070

	Quarter Round Ottoman										
5525		1825	1870	1975	2005	2070	2230	2340	2490	2780	1955
	Quarter Round Inside Corner										
5526		3525	3620	3805	3875	3985	4315	4530	4800	5360	3760
	Quarter Round Outside Corner										
5527		2210	2270	2385	2430	2490	2700	2825	3015	3360	2360
	Square Inside Corner 90° Transition Unit										
5528		3345	3435	3600	3670	3770	4085	4290	4560	5090	3575
	Square Outside Corner										
5529		2620	2700	2825	2885	2965	3205	3365	3580	3995	2805

Upholstery and Planning Notes

Layout plans should be sent with PO when possible

CAD 2D, 3D, Revit and CET symbols available on website

Source International will cut randomly off the bolt with our best layout discretion as standard procedure

Solid fabrics with some stretch are best suited for the curved seating units in Scape

Fabrics with stiff backing can cause upholstery wrinkles on the curved units

For patterns, please let us know if a specific pattern layout is desired or if you want pattern matching from unit to unit

Additional fabric will be required and costs will need to be specially quoted based on total quantities

Fabrics in our graded in program are not automatically approved for all Scape units

To submit fabrics for approval, please note the products they will be used on and send to:

Customer Relations/Fabric Approval

Source International

17 Gilmore Drive

Sutton, MA 01590

cr@sourceinternationaldesign.com

Scape High Back

How to Build a Scape High Back Lounge Number

5521HB - SCR - NP

Style _____

5521HB Center Section Unit
5522HB Left Hand End Unit
5523HB Right Hand End Unit
5526HB Quarter Round Inside Corner
5527HB Quarter Round Outside Corner
5528HB Square Inside Corner
5529HB Square Outside Corner

Power Outlets

NP No Power
PWR ___ L left, C center, R right

Frame Finish - Textured _____

SCR Soft Chrome (standard)
BLK Black Matte
WHT White
LBNZ Light Bronze
MBNZ Medium Bronze
DBNZ Dark Bronze
GMTL Gunmetal

Features

Scape modular units available with two back heights, 29" and 43"High Back

Frame/Base is textured powdercoat finish in seven color options

Optional plastic and felt glides attach to legs with a 3M double sided adhesive strip

Leveling Glides Not Available

Power and USB Port Option have selected locations options based on unit

L, C and R are Left, Center and Right as you sit in the unit

108" cord for each power unit

Power plate finish will match seating unit frame finish

Power Components are UL Listed

Worksurfaces to be installed at 42" high

Worksurfaces field installed with factory supplied hardware and instructions

Worksurface finish options in laminate, wood, or Corian

25" Wide Worksurface for center section and end units, models 5521HB, 5522HB, 5523HB unit model

29" Wide Worksurface for inside square unit model 5528HB only

30" Radius for corner unit 5526HB only

Greenguard Certified

Meets ANSI/BIFMA Standards

Lifetime Limited Warranty

Dimensions

Center Section HB

Seat 26"W x 21"D x 17"H
 Back 26"W x 12.25"H
 Overall Size 26"W x 30"D x 43"H
 C.O.M. 3 yds
 C.O.L. 54 sqft.

Right Hand End Unit HB

Seat 26"W x 21"D x 17"H
 Back 30"W x 26"H
 Overall Size 30"W x 30"D x 43"H
 C.O.M. 5.5 yds
 C.O.L. 99 sqft.

Left Hand End Unit HB

Seat 26"W x 21"D x 17"H
 Back 30"W x 26"H
 Overall Size 30"W x 30"D x 43"H
 C.O.M. 5.5 yds
 C.O.L. 99 sqft.

Quarter Round Inside Corner HB

Seat 21"R x 17"H
 Back 26"H
 Overall Size 30"W x 30"D x 43"H
 C.O.M. 4.5 yds
 C.O.L. 99 sqft

Quarter Round Outside Corner HB

Seat 21"R x 17"H
 Back 26"H
 Overall Size 30"W x 30"D x 43"H
 C.O.M. 2.75 yds
 C.O.L. 54 sqft

Square Inside Corner HB

Seat 30"W x 30"D x 17"H
 Back 26"H
 Overall Size 30"W x 30"D x 43"H
 C.O.M. 5 yds
 C.O.L. 99 sqft

Square Outside Corner HB

Seat 30"W x 30"D x 17"H
 Back 26"H
 Overall Size 30"W x 30"D x 43"H
 C.O.M. 3.75 yds
 C.O.L. 54 sqft

Worksurface

WKS 25 25"W x 11"D x .75"H
 WKS 29 29"W x 11"D x .75"H
 WKS Radius 30"W x 11"D x .75"H
 Corian Worksurfaces .5"H






Option Pricing

Standard Powder Coat Finish Options -

Specify Finish Option From Above	N/C
WKS 25 LAM	Laminate Work Surface - 25
WKS 29 LAM	Laminate Work Surface - 29
WKS Radius LAM	Laminate Work Surface - Corner
WKS 25 WDL	Wood Work Surface - 25
WKS 29 WDL	Wood Work Surface - 29
WKS Radius WDL	Wood Work Surface - Corner
WKS 25 COR	Corian Work Surface - 25
WKS 29 COR	Corian Work Surface - 29
WKS Radius COR	Corian Work Surface - Corner
F1	CAL 133 Compliance, Seat Only
MB1	Moisture Barrier, Chairs, Corner Units, Seats only
GD	Integrated Ganging Connector - Connects Two Upholstered Pieces
PGS	Plastic Glides, Set of Four
FGS	Felt Glides, Set of Four
PWR	Power Outlet - Two Plugs and Two USB Ports


Scape High Back

COM/Grade A Grade B Grade C Grade D Grade E Grade F Grade G Grade H Leather COL


	Center Section Unit High Back										
5521HB		2530	2600	2740	2785	2860	3100	3260	3460	3855	2705
	Left Hand End Unit High Back										
5522HB		3475	3585	3755	3825	3930	4255	4470	4760	5305	3725
	Right Hand End Unit High Back										
5523HB		3475	3585	3755	3825	3930	4255	4470	4760	5305	3725
	Quarter Round Inside Corner High Back										
5526HB		3975	4085	4290	4365	4485	4860	5100	5420	6055	4240
	Quarter Round Outside Corner High Back										
5527HB		2525	2595	2715	2775	2840	3085	3230	3445	3845	2695
	Square Inside Corner High Back 90° Transition Unit										
5528HB		3540	3650	3825	3900	4005	4335	4550	4835	5395	3790
	Square Outside Corner High Back										
5529HB		2560	2640	2775	2815	2895	3135	3290	3500	3900	2745

Scape High Back


Worksurfaces for Scape High Back



WKS25 Can be installed on 5521HB, 5522HB, 5523HB



WKS29 Can be installed on 5528HB



WKS30 Can be installed on 5526HB

Upholstery and Planning Notes

Layout plans should be sent with PO when possible

CAD 2D, 3D, Revit and CET symbols available on website

Source International will cut randomly off the bolt with our best layout discretion as standard procedure

Solid fabrics with some stretch are best suited for the curved seating units in Scape

Fabrics with stiff backing can cause upholstery wrinkles on the curved units

For patterns, please let us know if a specific pattern layout is desired or if you want pattern matching from unit to unit

Additional fabric will be required and costs will need to be specially quoted based on total quantities

Fabrics in our graded in program are not automatically approved for all Scape units

To submit fabrics for approval, please note the products they will be used on and send to:

Customer Relations/Fabric Approval

Source International

17 Gilmore Drive

Sutton, MA 01590

cr@sourceinternationaldesign.com

Scape Private Club

How to Build a Scape Private Club Number

5550 - SCR - NP

Style _____
5550 Private Club

Power Outlets
NP No Power (standard)

Frame Finish - Textured _____
SCR Soft Chrome (standard)
BLK Black Matte
WHT White
LBNZ Light Bronze
MBNZ Medium Bronze
DBNZ Dark Bronze
GMTL Gunmetal

PWR __ C __ C center location only

Features

Scape Private Club is 49" high. The Scape high back units are 43" high
Frame/Base is textured powdercoat finish in seven color options
Power and USB Port Option available in Center Location only
108" cord for each power unit
Power plate finish will match seating unit frame finish
Power Components are UL Listed
Greenguard Certified
Meets ANSI/ BIFMA Standards
Lifetime Limited Warranty


Dimensions

Private Club

Seat	30"W x 21"D x 17"H
Back	30"W x 33.25"H
Overall Size	38"W x 30"D x 49"H
C.O.M.	9 yds

Option Pricing

F3	Cal 133 Compliance - Private Club	\$170
MB1	Moisture Barrier - Seat Only	\$60
GD	Ganging Device (connects two upholstered pieces)	\$25
FG-1	Felt Glide Sleeve for chair, set of four	\$60
PWR	Power Outlet-Two Power and Two USB Ports	\$515



Private Club

5550

4710 4860 5095 5185 5330 5775 6055 6445

Upholstery and Planning Notes

Layout plans should be sent with PO when possible

CAD 2D, 3D, Revit and CET symbols available on website

Source International will cut randomly off the bolt with our best layout discretion as standard procedure

Solid fabrics with some stretch are best suited for the curved seating units in Scape

Fabrics with stiff backing can cause upholstery wrinkles on the curved units

For patterns, please let us know if a specific pattern layout is desired or if you want pattern matching from unit to unit

Additional fabric will be required and costs will need to be specially quoted based on total quantities

Fabrics in our graded in program are not automatically approved for all Scape units

To submit fabrics for approval, please note the products they will be used on and send to:

Customer Relations/Fabric Approval

Source International

17 Gilmore Drive

Sutton, MA 01590

cr@sourceinternationaldesign.com

Scape Tables

How to Build a Scape Table Number

5530 - SCR - WDT - NAT

Style

5530 Table 30" x 30" x 9"H
5531 Table 30" x 30" x 15" H
5532 Quarter Radius Table 30" x 30" x 15" H
5533 Quarter Radius Table 30" x 30" x 9" H
5536 Power Table 30" x 30" x 15" H

Frame Finish - Textured

SCR Soft Chrome (standard)
BLK Black Matte
WHT White
LBNZ Light Bronze
MBNZ Medium Bronze
DBNZ Dark Bronze
GMTL Gunmetal

Table Top

WDT Wood Top
LAM Laminate Top
COR Corian Top
GLS Glass Top

Top Finish

WDT Wood Finish

NAT Natural
CHY Cherry
WCH Warm Cherry
MAH Mahogany
ESP Espresso
WLT Weathered Light
WMD Weathered Medium
WCR Walnut
WGR Weathered Grey
DWNT Dark Walnut
001 Black
999 Custom

LAM Laminate Color

WHT Linen Matte D427-60
BLK Black
MPL Fusion Maple 7909-60
GRY Fashion Grey D381-60
GRY2 Slate Grey D91-60
WLT Montana Walnut 7110K-78
TEAK Studio Teak 7960K-18

COR Corian

Glacier White

Features

Scape Tables offered with six textured frame finish options

Four Table Top Finish Material Options

Laminate are all by Wilsonart

Corian color is Glacier White

Glass Top is white painted back

Power Table available with laminate top only

Corian and Glass Table tops are field installed and attached to frame with double back adhesive tape

Wood and Laminate tops mechanically fastened to frame

Power Table is standard with two power outlets and two UBS ports on opposite table sides

108" cord for Power Table, one for each power unit

Power plate finish will match table frame finish

Power Components are UL Listed

Lifetime Limited Warranty

Option Pricing

PGS	Plastic Glides, set of four	\$20
FGS	Felt Glides, set of four	\$20
999	Set up Charge for Custom Wood Finish	\$225 NET

Scape Tables



Table
30" x 30" x 9"

5530 WDT	Wood Top	1445
5530 LAM	Laminate Top	1750
5530 GLS	Glass Top	1510
5530 COR	Corian Top	3245



Table
30" x 30" x 15"

5531 WDT	Wood Top	1545
5531 LAM	Laminate Top	1850
5531 GLS	Glass Top	1590
5531 COR	Corian Top	3350



Quarter Radius Table
30" x 30" x 15"

5532 WDT	Wood Top	1395
5532 LAM	Laminate Top	1415
5532 GLS	Glass Top	1445
5532 COR	Corian Top	2900



Quarter Radius Table
30" x 30" x 9"

5533 WDT	Wood Top	1435
5533 LAM	Laminate Top	1450
5533 GLS	Glass Top	1475
5530 COR	Corian Top	2940



Power Table
30" x 30" x 15"

5536 LAM	Laminate Top	6065
-----------------	--------------	-------------

Scape Power Information

Each Power Outlet will have two Power, two 2.1 AMP USB and a 108" Power Cord in Black



Features

2.50" x 6" 2 Power Outlet – 2 UBS Outlets
12A, 120 VAC Spill Resistant receptacles
USB charging ports that work with USB compatible devices
USB Ratings: 2.1A, 11 watts, 5V/DC
Integral circuit breaker protection
All metal construction
Power plate finish will match seating unit frame finish
Rugged powder coat, and aluminum anodize finishes for lasting durability
Outside Quarter Round units 5525, 5527, and 5527HB do not have power capability

Scape Power Outlet Location Options

L, C and R are Left, Center and Right as you sit in the unit


5520




5550




5521




5521HB




5522




5522HB




5523




5523HB




5526




5526HB




5528




5528HB




5529



5529HB



5524



Scape Pillows

How to Build a Scape Pillow Number

5540

Style _____

5540 Pillow 18" x 18"

5540TF Two Fabrics

5541 Pillow 20" x 20"

5541TF Two Fabrics

5542 Pillow 14" x 20"

5542TF Two Fabrics

5543 Pillow 32" x 16" For Scape Private Club

5543TF Two Fabrics

5544 Pillow 16" x 16"

5544TF Two Fabric

Features

All pillows are fully upholstered with sewn seams on all four sides

Two fabric pillows available. If fabric is graded in, price at higher grade level

Filled with 100% premium fiberfill

Pillows to be cut randomly off the bolt

Dimensions

5540	5541	5542	5543	For Scape Private Club
18" x 18"	20" x 20"	14" x 20"		16" x 32"
C.O.M. .6 yds per one pillow .6 yds per side if two fabrics	C.O.M. .6 yds per one pillow .6 yds per side if two fabrics	C.O.M. .5 yds per one pillow .5 yds per side if two fabrics	C.O.M. 1 yd per one pillow .6 yds per side if two fabrics	
C.O.L. 10 sqft per one C.O.L. 5 sqft per side	C.O.L. 10 sqft per one C.O.L. 5 sqft per side	C.O.L. 9 sqft per one C.O.L. 5 sqft per side	C.O.L. 15 sqft per one C.O.L. 8 sqft per side	

Scape Pillows

COM/Grade A Grade B Grade C Grade D Grade E Grade F Grade G Grade H Leather COL



Pillow 18" x 18"

5540		185	190	205	210	220	230	235	270	280	205
5540TF	Two Fabrics	250	255	265	280	295	310	325	365	360	260



Pillow 20" x 20"

5541		190	205	210	215	225	235	250	280	285	260
5541TF	Two Fabrics	250	255	270	280	295	315	325	375	385	260



Pillow 14" x 20"

5542		185	190	205	210	220	230	235	270	280	260
5542TF	Two Fabrics	230	240	250	255	265	280	300	340	345	260



Pillow 16" x 32"
For Scape Private Club

5543		185	190	205	210	220	230	235	270	280	260
5543TF	Two Fabrics	230	240	250	255	265	280	300	340	345	260



Pillow 16" x 16"

5544		185	190	205	210	220	230	235	270	280	260
5544TF	Two Fabrics	230	240	250	255	265	280	300	340	345	260

PRICES

All published prices are recommended retail prices. Applicable sales taxes are additional. Prices are subject to change without notice.

PAYMENT TERMS

Net 30 days, with established credit. Until credit is approved, a fifty percent deposit must be sent with the order, the balance is due prior to shipment. Deposits are non-refundable in the event of cancellation. If deposit has been placed on original order, applicable cancellation charges to be deducted from the deposit amount. Remainder of deposit will be held in the form of a credit for future orders.

FREIGHT POLICY

All orders are FOB Destination.

Orders under \$7500 net will incur a minimum freight charge of \$225.

Orders over \$7500 net will be charged the standard 3% of net freight fee.

These fees are applicable for any shipment being made within the contiguous U.S. Source International reserves the right to select method of shipment and carrier.

CONCEALED DAMAGE

If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier. Concealed damage must be reported to the carrier within the specific carrier's predetermined timeline. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

RETURNS AND ALLOWANCES

All product is made to order. No merchandise may be returned without a return authorization and shipping instructions. No credit or allowance will be given for repairs to defective materials unless Source International has given authority to make such repairs.

ORDER ENTRY

All orders must be submitted in writing. Email to cr@sourceinternationaldesign.com or Fax to 508-842-1838.

ACKNOWLEDGEMENTS

All orders will be acknowledged in writing. Orders will be manufactured based on the written acknowledgement. It is the customer's responsibility to review each acknowledgement and communicate with the factory if there are errors within 48 hours.

CANCELLATIONS

Any changes or cancellation may result in charges if materials have entered into production. If an order is cancelled while in production, a cancellation fee will be applied based on the status of order at time of cancellation.

FABRICS

Not all graded in fabrics are approved for all product lines. Send memo samples for approval to:
Source International 17 Gilmore Dr, Sutton, MA 01590.
Please tag memo samples with:
The product the fabric is being reviewed for, and your contact information

Graded In Partners

We are proud to offer graded in fabric programs with the following companies:

Anzea
Architex
Camira
CF Stinson
Culp
DesignTex
Knoll
Kvadrat
Maharam
Mayer
Momentum
Ultrafabrics

Customer's Own Material

C.O.M. fabric must be approved prior to acceptance of the order. The material must be provided in 54" wide continuous yardage. All fabric will be directionally cut straight off the bolt unless otherwise specified. A C.O.M. form must be filled out and submitted along with purchase order. Yardage requirements listed are for small patterns or plain materials. The material must be shipped to the factory prepaid and with proper reference to the order. Source International is not responsible for appearance, performance or durability of C.O.M

LEATHER

Leather Prices published in this price list are for our stock leather "MAMMUT" by Wollsdorf Leather in the following colors:

25599 Black
25519 Pewter
35062 Charcoal

Additional leather colors in the Mammut line can be quoted. All other leathers will be priced as COL.