

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2020/878



UFI: S441-P01Q-800J-DHNN  
Print date: 20.09.2024  
Version: 1-1

Kamareta Cleaner for espresso machines  
Revision date: 18.09.2024  
Issue date: 18.09.2024

127009 EN  
Page 1 / 8

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

UFI: S441-P01Q-800J-DHNN  
Trade name/designation: Kamareta Cleaner for espresso machines

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Relevant identified uses**

for cleaning

**Uses advised against**

There is no information available for use is discouraged facing.

**1.3. Details of the supplier of the safety data sheet**

**supplier (manufacturer/importer/downstream user/distributor)**

Kamareta AG  
Im Rossefeld 18  
9494 Schaan  
Liechtenstein

**Department responsible for information:** +423 (0) 791 30 40  
[info@kamareta.com](mailto:info@kamareta.com)

E-mail (competent person)

**1.4. Emergency telephone number** 0887558000

Nationaal Vergiftigingen Informatie Centrum - UMC  
Utrecht

Exclusively intended for healthcare professionals in acute poisoning.

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Eye Dam. 1 / H318      Serious eye damage/eye irritation      Causes serious eye damage.

**2.2. Label elements**

**Labelling according to Regulation (EC) No. 1272/2008 [CLP]**

**Hazard pictograms**



**Danger**

**Hazard statements**

H318 Causes serious eye damage.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read carefully and follow all instructions.  
P280 Wear protective gloves and eye protection/face protection.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/ physician.  
P310 Immediately call a doctor.

**Hazard components for labelling**

ethoxylated fatty alcohol

**Supplemental hazard information**

EUH208 Contains Methylisothiazolinone. May produce an allergic reaction.

**2.3. Other hazards**

The mixture does not contain any "substances of very high concern" (SVHC)  $\geq 0,1\%$ , as published by the European Chemical Agency (ECHA) according to Article 57 of Regulation (EC) No 1907/2006 (REACH).

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2020/878



UFI: S441-P01Q-800J-DHNN  
Print date: 20.09.2024  
Version: 1-1

Kamareta Cleaner for espresso machines  
Revision date: 18.09.2024  
Issue date: 18.09.2024

127009 EN  
Page 2 / 8

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

**Description** Cleaning agent, alkaline

**Classification according to Regulation (EC) No 1272/2008 [CLP]**

EC No.	REACH No.	weight-%
CAS No.	Designation	
Index No.	classification: // Remark	
605-233-7		
160875-66-1	ethoxylated fatty alcohol Acute Tox. 4 H302 / Eye Dam. 1 H318 Acute toxicity estimate (ATE): ATE (oral): 500 mg/kg bw	5 - 10
220-239-6	01-2120764690-50-0000	
2682-20-4	Methylisothiazolinone	< 0,025
613-326-00-9	Acute Tox. 2 H330 / Acute Tox. 3 H311 / Acute Tox. 3 H301 / Skin Corr. 1B H314 / Eye Dam. 1 H318 / Skin Sens. 1A H317 / Aquatic Acute 1 H400 (M = 10) / Aquatic Chronic 1 H410 (M = 1) / EUH071 Specific concentration limit (SCL): Skin Sens. 1A H317 >= 0,0015 Acute toxicity estimate (ATE): ATE (dermal): 242 mg/kg bw / ATE (inhalation, dust/mist): 0,11 mg/L	

#### Additional information

Full text of classification: see section 16

#### Labelling for contents according to regulation (EC) No. 648/2004

weight-%	Ingredient
5 - 15 %	non-ionic surfactants
< 5 %	anionic surfactants
	preservative

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

Take off immediately all contaminated clothing. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice. In all cases of doubt, or when symptoms persist, seek medical advice.

##### In case of inhalation

Remove casualty to fresh air and keep warm and at rest. Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

##### Following skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

##### After eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of eye irritation consult an ophthalmologist.

##### Following ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Keep victim calm. Do NOT induce vomiting. Call a physician immediately. If medical advice is needed, have product container or label at hand.

#### 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Extinguishing powder, Carbon dioxide (CO<sub>2</sub>), spray mist, (water)

##### Unsuitable extinguishing media

UFI: S441-P01Q-800J-DHNN  
Print date: 20.09.2024  
Version: 1-1

Kamareta Cleaner for espresso machines  
Revision date: 18.09.2024  
Issue date: 18.09.2024

127009 EN  
Page 3 / 8

strong water jet

- 5.2. **Special hazards arising from the substance or mixture**  
Inhaling hazardous decomposing products can cause serious health damage.
- 5.3. **Advice for firefighters**  
Wear suitable protective clothing.

## SECTION 6: Accidental release measures

- 6.1. **Personal precautions, protective equipment and emergency procedures**  
Use personal protection equipment. Do not breathe vapours.
- 6.2. **Environmental precautions**  
Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations.
- 6.3. **Methods and material for containment and cleaning up**  
Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13). Treat the recovered material as prescribed in the section on waste disposal. Provide adequate ventilation.
- 6.4. **Reference to other sections**  
Observe protective provisions (see section 7 and 8).

## SECTION 7: Handling and storage

- 7.1. **Precautions for safe handling**  
**Advices on safe handling**  
**Further information**  
non-combustible liquids that cannot be assigned to any of the above storage classes
- 7.2. **Conditions for safe storage, including any incompatibilities**  
**Requirements for storage rooms and vessels**  
Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Keep container tightly closed. Do not empty containers with pressure - no pressure vessel! Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.  
**Hints on joint storage**  
Keep away from strongly acidic and alkaline materials as well as oxidizers.  
**Further information on storage conditions**  
Take care of instructions on label. Store in a well-ventilated and dry room at temperatures between 5 °C and 30 °C. Protect from heat and direct sunlight. Keep container tightly closed. Remove all sources of ignition. Smoking is forbidden. Access only for authorised persons. Store carefully closed containers upright to prevent any leaks.
- 7.3. **Specific end use(s)**  
Observe technical data sheet. Observe instructions for use, Follow the instructions for use on the label.

## SECTION 8: Exposure controls/personal protection

- 8.1. **Control parameters**  
**Occupational exposure limit values:**  
not applicable
- 8.2. **Exposure controls**  
Provide good ventilation. This can be achieved with local or room suction.  
**Personal protection equipment**  
**Respiratory protection**  
Not applicable.  
Suitable respiratory protection apparatus: Respiratory protection is required for not sufficiently ventilated working places and during the spraying processing.  
**Hand protection**  
For prolonged or repeated handling the following glove material must be used: NBR (Nitrile rubber)  
Thickness of the glove material 0,4 mm Breakthrough time: 30 min  
Observe the instructions and details for use, storage, maintenance and replacement provided by the protective glove manufacturer. Penetration time of glove material depending on intensity and duration of exposure to skin: Recommended

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2020/878



UFI: S441-P01Q-800J-DHNN  
Print date: 20.09.2024  
Version: 1-1

Kamareta Cleaner for espresso machines  
Revision date: 18.09.2024  
Issue date: 18.09.2024

127009 EN  
Page 4 / 8

glove articles EN ISO 374

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

**Eye/face protection**

Wear closely fitting protective glasses in case of splashes.

**Body protection**

Wear suitable protective clothing and gloves.

**Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

**Environmental exposure controls**

Do not allow to enter into surface water or drains. See section 7. No additional measures necessary.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

<b>Physical state:</b>	Liquid
<b>Appearance:</b>	Liquid
<b>Colour:</b>	refer to label
<b>Odour:</b>	characteristic
<b>Odour threshold:</b>	not determined
<b>Melting point/freezing point:</b>	not determined
<b>Initial boiling point and boiling range:</b>	not determined
<b>Flammability</b>	Combustible liquid.
<b>Lower and upper explosion limit:</b>	
Lower explosion limit:	not applicable
Upper explosion limit:	not applicable
<b>Flash point:</b>	> 100 °C Method: EN ISO 13736
<b>Auto-ignition temperature:</b>	not determined
<b>Decomposition temperature:</b>	not determined
<b>pH at 20 °C:</b>	7,8 / 100,0 weight-%
<b>Kinematic viscosity (40°C):</b>	< 80 mm <sup>2</sup> /s
<b>Viscosity at 20 °C:</b>	> 12 s 4 mm Method: DIN 53211
<b>Solubility(ies):</b>	
Water solubility at 20 °C:	completely miscible
<b>Partition coefficient: n-octanol/water:</b>	see section 12
<b>Vapour pressure at 20 °C:</b>	not applicable
<b>Density and/or relative density:</b>	
Density at 20 °C:	1,01 g/cm <sup>3</sup> Method: EN ISO 2811-1
Relative density at 20 °C:	not determined
Bulk density:	
<b>Relative vapour density:</b>	not determined
<b>particle characteristics:</b>	not determined

**9.2. Other information**

<b>Solid content:</b>	3,20 weight-% / 2,41 L/kg / 2,44 Vol-% Remark: Solid contentRemark
<b>Solvent:</b>	
Organic solvents:	0 weight-%
aromatic hydrocarbons:	0 weight-%
Water:	84 weight-%

UFI: S441-P01Q-800J-DHNN  
Print date: 20.09.2024  
Version: 1-1

Kamareta Cleaner for espresso machines  
Revision date: 18.09.2024  
Issue date: 18.09.2024

127009 EN  
Page 5 / 8

**Drop point/drop range:**  
**Pour point:** 0 °C  
**Explosive properties:** not applicable  
**Oxidising properties:** not applicable  
**Burning time:** not determined  
**Evaporation rate:** not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No information available. No hazardous reaction when handled and stored according to provisions.

### 10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

### 10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

### 10.4. Conditions to avoid

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7. Hazardous decomposition byproducts may form with exposure to high temperatures.

### 10.5. Incompatible materials

not applicable

### 10.6. Hazardous decomposition products

none Thermal decomposition can lead to the escape of irritating gases and vapours. Hazardous decomposition byproducts may form with exposure to high temperatures.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity, calculated:

ATEmix, oral: > 5000 mg/kg

#### Acute toxicity

ethoxylated fatty alcohol

oral, LD50, Rat: > 500 mg/kg

Methylisothiazolinone

oral, LD50, Rat

dermal, LD50, Rabbit: 242 mg/kg

inhalative (dust and mist), LC50, Rat: 0,11 mg/L (4 h)

Method: OECD 403

#### Skin corrosion/irritation; Serious eye damage/eye irritation

Causes serious eye damage.

ethoxylated fatty alcohol

eyes

Methylisothiazolinone

Skin, Rabbit (4 h)

#### Respiratory or skin sensitisation

Methylisothiazolinone

Skin, Guinea pig:

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Based on available data, the classification criteria are not met.

#### STOT-single exposure; STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

UFI: S441-P01Q-800J-DHNN  
Print date: 20.09.2024  
Version: 1-1

Kamareta Cleaner for espresso machines  
Revision date: 18.09.2024  
Issue date: 18.09.2024

127009 EN  
Page 6 / 8

#### Practical experience/human evidence

Inhaling of solvent components above the MWC-value can lead to health damage, e.g. irritation of the mucous membrane and respiratory organs, as well as damage to the liver, kidneys and the central nerve system. Indications for this are: headache, dizziness, fatigue, amyosthenia, drowsiness, in serious cases: unconsciousness. Solvents may cause some of the aforementioned effects through skin resorption. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and/or absorption through skin. Splashing may cause eye irritation and reversible damage.

#### Overall assessment on CMR properties

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### Remark

There is no information available on the preparation itself. The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and classified according to the toxicological dangers. See chapters 2 and 15 for details.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

No information available.

### SECTION 12: Ecological information

Classification according to Regulation (EC) No 1272/2008 [CLP]

Do not allow to enter into surface water or drains.

#### 12.1. Toxicity

ethoxylated fatty alcohol

Daphnia toxicity, EC50 10 - 100 mg/L (48 h)

Methylisothiazolinone

Fish toxicity, LC50, Oncorhynchus mykiss (Rainbow trout): 4,77 mg/L (96 h)

Daphnia toxicity, EC50, Daphnia magna (Big water flea): 0,87 mg/L 0 - 1,9 mg/L (48 h)

Algae toxicity, ErC50, Selenastrum capricornutum: 0,158 mg/L (72 h)

Daphnia toxicity, NOEC, Daphnia magna (Big water flea): 0,04 mg/L (21 D)

Method: OECD 211

#### Long-term Ecotoxicity

Toxicological data are not available.

#### 12.2. Persistence and degradability

ethoxylated fatty alcohol

: > 60 % (28 D)

Method: OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C

#### 12.3. Bioaccumulative potential

Toxicological data are not available.

#### Bioconcentration factor (BCF)

Toxicological data are not available.

#### 12.4. Mobility in soil

Toxicological data are not available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.6. Endocrine disrupting properties

No information available.

#### 12.7. Other adverse effects

No information available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Appropriate disposal / Product

##### Recommendation

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

**Safety Data Sheet**  
according to Regulation (EC) No. 1907/2006 (REACH)  
according to Regulation (EU) 2020/878



UFI: S441-P01Q-800J-DHNN  
Print date: 20.09.2024  
Version: 1-1

Kamareta Cleaner for espresso machines  
Revision date: 18.09.2024  
Issue date: 18.09.2024

127009 EN  
Page 7 / 8

**Control report for waste code/ waste marking according to EAKV:**

200129\* Detergents containing hazardous substances

\*Hazardous waste according to Directive 2008/98/EC (waste framework directive).

**Appropriate disposal / Package**

**Recommendation**

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

**SECTION 14: Transport information**

**No dangerous good in sense of this transport regulation.**

**14.1. UN number or ID number**

not applicable

**14.2. UN proper shipping name**

**14.3. Transport hazard class(es)**

not applicable

**14.4. Packing group**

not applicable

**14.5. Environmental hazards**

Land transport (ADR/RID)

not applicable

Marine pollutant

not applicable

**14.6. Special precautions for user**

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

**Further information**

**Land transport (ADR/RID)**

Tunnel restriction code

-

**Sea transport (IMDG)**

EmS-No.

not applicable

**14.7. Maritime transport in bulk according to IMO instruments**

No transport as bulk according IBC - Code.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EU legislation**

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]**

This product is not classified according to Directive 2012/18/EU.

**Directive 2010/75/EU on industrial emissions [Industrial Emissions Directive]**

VOC-value (in g/L): 72

**National regulations**

**Restrictions of occupation**

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

**Identification on the label/Trade name**

Child-resistant fastenings (EN/862/ISO 8317): No

Tactile warning according to EN/ISO 11683: No

**15.2. Chemical Safety Assessment**

**For the following substances of this mixture a chemical safety assessment has been carried out:**

**EC No.**

**Designation**

**REACH No.**

**CAS No.**

220-239-6

Methylisothiazolinone

01-2120764690-50-0000

2682-20-4

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

according to Regulation (EU) 2020/878



UFI: S441-P01Q-800J-DHNN

Kamareta Cleaner for espresso machines

---



**Safety Data Sheet**  
**according to Regulation (EC) No. 1907/2006 (REACH)**  
**according to Regulation (EU) 2020/878**



UFI: S441-P01Q-800J-DHNN  
Print date: 20.09.2024  
Version: 1-1

Kamareta Cleaner for espresso machines  
Revision date: 18.09.2024  
Issue date: 18.09.2024

127009 EN  
Page 8 / 8

## SECTION 16: Other information

### Full text of classification in section 3:

Acute Tox. 4 / H302	Acute toxicity (oral)	Harmful if swallowed.
Eye Dam. 1 / H318	Serious eye damage/eye irritation	Causes serious eye damage.
Acute Tox. 2 / H330	Acute toxicity (inhalative)	Fatal if inhaled.
Acute Tox. 3 / H311	Acute toxicity (dermal)	Toxic in contact with skin.
Acute Tox. 3 / H301	Acute toxicity (oral)	Toxic if swallowed.
Skin Corr. 1B / H314	Skin corrosion/irritation	Causes severe skin burns and eye damage.
Skin Sens. 1A / H317	Respiratory or skin sensitisation	May cause an allergic skin reaction.
Aquatic Acute 1 / H400	Hazardous to the aquatic environment	Very toxic to aquatic organisms.
Aquatic Chronic 1 / H410	Hazardous to the aquatic environment	Very toxic to aquatic life with long lasting effects.

### Classification procedure

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

Eye Dam. 1	Serious eye damage/eye irritation	Calculation method.
------------	-----------------------------------	---------------------

### Further information

Classification according to Regulation (EC) No 1272/2008 [CLP]

The information supplied on this safety data sheet complies with our current level of knowledge as well as with national and EU regulations. Without written approval, the product must not be used for purposes different from those mentioned in section 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.