



BLEND KIT MINI

Instruction Guide

BLEND KIT MINI

Table of Contents

Set Up Instructions.....	3
Tactical Ports.....	4
Dejero Control Notes.....	5

BLEND KIT MINI

Set Up Instructions

Step 1

Power cord is located in pouch on side of unit (Remove and plug in).



Step 2

Take power cord, plug into kit and then into the wall/power source.



Step 3

Turn on. ("On/Off switch" located directly above where the power cord plugs into the kit)

Step 4

Unscrew port and plug in ethernet cord.




Step 5

Once Powered on, connect via wifi and Log into Dejero control (see Page 5).

BLEND KIT MINI

Tactical Ports



Port 1

Port 2

Port 3

Port 4

Port 1 is LAN

(ethernet cords can be plugged in here)

Port 2 is WAN

Port 3 is USB-C Port

Port 4 is USB port

BLEND KIT MINI

Dejero Control Notes

Dejero Control

1. Sign in | Control (dejero.com)
 - a. https://control.dejero.com/users/sign_in
2. Click on "Manage" at the top navigation bar
3. Select "Gateway" from the drop down menu
4. Select the Serial Number of your Unit
5. In the top right corner there is a "three dot button" –
Click and select "Configure Gateway"
6. Turn Wi-Fi to "ON"
7. Name Wi-Fi Hotspot Network
8. Create Wi-Fi Hotspot Password