

L I F T C O L L E C T I O N



RESIDENCE COLLECTION

-Designed for Graceful Living-



RESIDENCE COLLECTION OVERVIEW



Model	LC THRU	LC PLAT E7	LC SWING	LC SLIDE	LC DROP
Model Type	Through floor shaftless cabin	Enclosed Platform	Cabin	Cabin	Cabin
Installation Type	Built on-site	Built on-site	Built on-site	Built on-site	Pre-built Crane in
Shaft Type	Shaftless system	Shaft supplied with lift – Support wall by client/builder	Shaft by client	Shaft by client	Structural steel support frame – To be finished by client
Door Type	Swing: Manual	Swing: Manual	Swing: Manual	Automatic side opening 2 panel doors	Automatic side opening 2 panel doors
Door Configuration	Single sided	Single sided, through car 180 degrees (2), Adjacent 90 degrees (3), 3-sides (4)	Single sided, through car 180 degrees (2), Adjacent 90 degrees (3)	Single sided, through car 180 degrees (2), Adjacent 90 degrees (3)	Single sided, through car 180 degrees (2), Adjacent 90 degrees (3)
Drive	Electric belt	Electric screw	Hydraulic or Gearless traction is an upgrade	Hydraulic or Gearless traction is an upgrade	Gearless electric traction
Speed	0.1m/s	0.15m/s	0.3m/s	0.3m/s	0.3m/s
Machine Cabinet	No	Yes- Dimensions: 200w x 60d x 2000h – Mounted on lowest level door frame	Hydraulic- Yes (700w x 364d x 1400h) / Gearless Traction- No	Hydraulic- Yes (700w x 364d x 1400h) / Gearless Traction- No	Small sub-electrical board
Lifting Capacity	170kg	250-400kg	170-500kg	170-500kg	300-450kg
Travel Max (m)	3	7	12	12	12
Sizes	1	3 standard *custom available	5 standard *custom available	5 standard *custom available	3 standard *custom available
Stops	2	2-5	2-5	2-5	2-5
Headroom (mm)	G: 2050 / L1: 2370h	2250	Hydraulic- 2450 / MRL- 2750	Hydraulic- 2450 / MRL- 2750	2750
Pit (mm)	Osd w/65 step up	0mm with ramp / 50-70	120-150	160-200	200
Location	Indoors	Indoors & Outdoors	Indoors & Outdoors	Indoors & Outdoors	Indoors & Outdoors
Installation time	3 days	1 week per floor	1 week per floor	1 week per floor	2 days per floor
Lead time	17 weeks	21 weeks	24 weeks	24 weeks	16 weeks
Compliance	Pats of MD 2006/42/EC	AS 1735-15	AS 1735-1 & 1735-16	AS 1735-1 & 1735-16	AS 1735-1 & 1735-16
Structural Requirements	Base – Cut-outs – Ceiling	Base/Pit – Cut-Outs – Support Wall	Base/Pit – Cut-Outs- Shaft	Base/Pit – Cut-Outs- Shaft	Base/Pit – Cut-Outs

THROUGH FLOOR LIFT
SHAFTLESS SYSTEM



LC. THRU
Through Floor Home Lift


SPECIFICATIONS LC. THRU

Model	LC. THRU
Model Type	Through floor shaftless cabin
Manufacturing Location	Europe
Shaft Type	Shaftless system / building tolerance -0mm+20mm
Door Type	Single hinge swing left or right - Manual
Door Configuration	Single sided
Drive	Electric belt
Speed	0.1m/s
Machine Cabinet	No
Lifting Capacity	170kg
Travel Max (m)	3
Sizes	1
Stops	2 stops
Headroom (mm)	G: 2050 / L1: 2370h
Pit (mm)	0sd – 65mm step up flooring
Location	Indoors
Installation Type	Built on-site
Safety Sensors	There are safety sensors in the lift car base and roof which will stop the lift from operating if it comes into contact with any obstruction.
Emergency Power	Battery Powered
Emergency Phone	4G emergency phone handset with sim located at cabin controls– first year included
Installation time	3 days
Servicing recommended	A minimum of 1 service per 12 months is required by AS1735, the manufacturer & Safe Work Australia. Additional servicing maybe required for the following situations. <ul style="list-style-type: none"> -Heavy usage -Essential mobility access -Coastal/harsh/Warmer conditions -Older lift (5+ years) -Damage from environmental factors like flooding.
Warranty	2 years
Manufacturing + Shipping Lead time	6 months
Compliance	Special conditions
Power Requirements	Provide a dedicated 240V 10A or 16A power supply to the lift controller area. Install a GPO switch within 1 metre of the lift (not inside the lift cavity).
Structural Requirements	Ground floor base, cut-outs & Level 1 ceiling
Retro-fit Requirements	Contact us for a complimentary site assessment to determine suitability for retro-fitting the Lift into your home.

SIZING LC. THRU

The following specification details are for the LC. THRU lift. Specific plans will be provided per project; please do not build to the following specifications.

	Cabin Width (mm)	Cabin Depth (mm)	Cabin Height (mm)	Door Opening Width (mm)	Door Opening Height (mm)	Installation Width	Installation Depth	KG
1	775	665	1920	672	1920	1046	731	170



SELECTIONS LC. THRU

Lift Unit



Included: standard

Steel surfaces: Painted Ral 9006 silver
anodised aluminium
Clear surfaces: Clear plexiglass



Upgrade

Paint all steel surfaces any
Ral colour

Cabin Ceiling



Included: standard

Ral 9006 silver white ceiling with curved recessed led lighting

Platform controls



Included: standard

Vertical control panel on right side with floor buttons in silver,
emergency stop in red, alarm button in silver. Hold to run

Platform flooring



Included: standard

Non-slip black vinyl

Landing door type



Included: standard

Solid Landing Door: Full height steel frame with clear plexiglass
Single hinge swing left or right: Manual

Landing door controls



Included: standard

Wireless remote controls with wall mounted holding brackets

Accessories



Included: Standard

Emergency phone handset mounted on the
cabin controls panel



Included: Standard

Handrail: Painted the same as the cabin &
shaft. Located on the platform wall under the
controls



Upgrade

Fold down seat: Manual

ENCLOSED PLATFORM LIFT



LC. PLAT E7
Enclosed Platform Home Lift

SPECIFICATIONS LC. PLAT E7

Model	LC. PLAT E7
Model Type	Enclosed platform lift
Manufacturing Location	Europe
Shaft Type	Shaft supplied with lift – Support wall by client/builder / building tolerance -0mm+20mm
Door Type	Single hinge swing left or right - Manual
Door Configuration	Single sided, through car 180 degrees (2), Adjacent 90 degrees (3), All three sides (4)
Drive	Electric screw
Speed	0.15m/s
Machine Cabinet	Yes - Dimensions: 200w x 60d x 2000h – Mounted on lowest level door frame
Lifting Capacity	200-400kg
Travel Max (m)	12
Sizes	3 standard *we can also provide custom sizes for your specific project
Stops	5 stops
Headroom (mm)	2250
Pit (mm)	0mm with ramp provided / 50mm with vinyl flooring / 70mm with 14mm clients own flooring
Location	Indoors & Outdoors
Installation Type	Built on-site
Safety Sensors	Platform perimeter: Pressure activated safety bar
Emergency Power	Battery Powered
Emergency Phone	4G emergency phone handset with sim located at cabin controls– first year included
Installation time	1 week per floor
Servicing recommended	<p>A minimum of 1 service per 12 months is required by AS1735, the manufacturer & Safe Work Australia. Additional servicing maybe required for the following situations.</p> <ul style="list-style-type: none"> -Heavy usage -Essential mobility access -Coastal/harsh/Warmer conditions -Older lift (5+ years) -Damage from environmental factors like flooding.
Warranty	2 years
Manufacturing + Shipping Lead time	6 months
Compliance	Lift Code: AS1735-15 Accessibility by persons with impaired mobility in low-traffic areas
Power Requirements	<p>Separate Independent circuit to controller location with 3m of tail</p> <p>1-phase: 240v 25a or 3-Phase: 20v 20a</p>
Structural Requirements	Structurally Certified Pit, support wall & through floor cutouts true/ plumb as per LC & your engineer’s specifications
Retro-fit Requirements	Contact us for a complimentary site assessment to determine suitability for retro-fitting this Lift into your home.


SIZING LC. PLAT E7

The following specification details are for the LC. PLAT E7 lift. Specific plans will be provided per project; please do not build to the following specifications.

*This lift can be customised to alternative sizes if required.

	Platform Width (mm)	Platform Depth (mm)	Platform Height (mm)	Door Opening Width (mm)	Door Opening Height (mm)	Installation Width	Installation Depth	KG
1	1150	1485	1100	940	2000	1580	1580	400
2	1070	1485	1100	940	2000	1500	1580	400
3	1100	1400	1100	900	2000	1540	1500	400
Smallest	950	660	1100	650	2000	1100	1100	250

Door Configuration



SELECTIONS LC. PLAT E7

Lift Shaft



Included: Standard
Solid steel shaft
Shaft panels: Painted
Ral 9006 silver
aluminium
Corner profiles:
Anodised aluminium



Upgrade
Glass panels:
Glass: Clear
Profile: Anodized
aluminium



Upgrade
Paint the entire lift
any Ral colour of
your choice



Upgrade
Glass panels:
Change glass finish to
either frost or light
grey

Shaft Ceiling



Included: Standard
4 led spotlights
finished the same as
shaft

SELECTIONS LC. PLAT E7

Landing Door Type



Included: Standard

Solid Landing Door:
Manual Single Hinge
Swing



Upgrade

Automatic
open/close



Upgrade

Half gate: Manual
Single Hinge Swing



Upgrade

Landing door glass:
Frosted



Upgrade

Landing door glass:
Light Grey

Landing Door Controls



Included: Standard

Stainless steel square
button



Included: Standard

Outdoor rate flap
button: Beneficial for
persons with limited
mobility in their
upper body



Upgrade

Security:
Keypad with fob key
reader

Platform Controls



Included: Standard

Horizontal control
panel with floor
buttons in silver,
emergency stop in
red, alarm button in
silver. Hold to run

Platform Finish



Included: Standard

Painted Ral 9006
silver aluminium
*when the shaft has
changed colour so
does the platform

SELECTIONS LC. PLAT E7

Platform Flooring



Included: Standard
Non-slip light timber effect vinyl



Included: Standard
Non-slip dark timber effect vinyl



Included: Standard
Non-Slip Black Rubber



Upgrade
14mm set down for client to lay their own.

Accessories



Included: Standard
Emergency phone handset mounted on the cabin controls panel



Included: Standard
Handrail: Painted the same as the platform & shaft. Located on the platform wall under the controls

CABIN SWING DOOR LIFT



LC. SWING

Cabin Swing Door Home Lift

SPECIFICATIONS LC. SWING


Model	LC. SWING
Model Type	Cabin
Manufacturing Location	Europe
Shaft Type	Shaft by client / building tolerance -0mm+20mm
Door Type	Manual single hinge swing
Door Configuration	Single sided, through car 180 degrees (2), Adjacent 90 degrees (3)
Drive	Hydraulic or Gearless traction is an upgrade
Speed	0.3m/s
Machine Cabinet	Hydraulic - Yes (700w x 364d x 1400h) / Gearless Traction - no
Lifting Capacity	200-500kg
Travel Max (m)	12
Sizes	5 standard *we can also provide custom sizes for your specific project
Stops	2-5
Headroom (mm)	Hydraulic - 2450 / MRL - 2750
Pit (mm)	120-150
Location	Indoors & Outdoors
Installation Type	Built on-site
Safety Sensors	Doors: Static Light Curtain
Emergency Power	Battery Powered
Emergency Phone	4G emergency phone handset with sim located at cabin controls– first year included
Installation time	1 week per floor
Servicing recommended	<p>A minimum of 1 service per 12 months is required by AS1735, the manufacturer & Safe Work Australia. Additional servicing maybe required for the following situations.</p> <ul style="list-style-type: none"> -Heavy usage -Essential mobility access -Coastal/harsh/Warmer conditions -Older lift (5+ years) -Damage from environmental factors like flooding.
Warranty	2 years
Manufacturing + Shipping Lead time	6 months
Compliance	AS 1735-18, 1735-1 Australian passenger lifts for private residence
Power Requirements	<p>Separate Independent circuit to controller location with 3m of tail</p> <p>Hydraulic: 1-phase: 240v 32a or 3-Phase: 415v 20a</p> <p>Gearless Traction: 1-phase: 240v 25a or 3-Phase: 20v 20a</p>
Structural Requirements	Structurally Certified Pit & Shaft true/ plumb as per LC & your engineer’s specifications
Retro-fit Requirements	Contact us for a complimentary site assessment to determine suitability for retro-fitting this lift into your home.


SIZING LC. SWING

The following specification details are for the LC. SWING lift with a swing door configuration in a masonry shaft. Specific plans will be provided per project; please do not build to the following specifications.

**If you require a size that is not listed, please contact us to discuss your requirements.*

LC.SWING: Hydraulic Drive


Size	CW (mm)	CD (mm)	DO (mm)	SW (mm)	SD (mm)	KG	Single Sided Entrance (1)
1	800	900	700	1150	1080	180	
2	800	1250	700	1150	1450	250	
3	900	1400	800	1210	1600	315	
4	1100	1400	800	1460	1580	385/400	
5	1200	1330	900	1560	1510	500	

Size	CW (mm)	CD (mm)	DO (mm)	SW (mm)	SD (mm)	KG	Through car 180 degrees (2)
1	800	900	700	1160	1100	180	
2	800	1250	700	1160	1450	250	
3	900	1400	800	1260	1600	315	
4	1100	1400	800	1460	1600	385/400	
5	1200	1330	900	1560	1500	500	

Size	CW (mm)	CD (mm)	DO (mm)	SW (mm)	SD (mm)	KG	Adjacent car 90 degrees (3)
1	800	900	700	1180	1080	180	
2	800	1250	700	1180	1430	250	
3	900	1400	800	1280	1580	315	
4	1100	1400	800	1480	1580	385/400	
5	1200	1330	900	1580	1510	500	

LC.SWING: Gearless Electric Traction Drive


Size	CW (mm)	CD (mm)	DO (mm)	SW (mm)	SD (mm)	KG	Single Sided Entrance (1)
1	800	900	700	1230	1080	180	
2	800	1250	700	1230	1430	250	
3	900	1400	800	1330	1580	315	
4	1100	1400	800	1530	1580	385/400	
5	1200	1330	900	1630	1510	500	

Size	CW (mm)	CD (mm)	DO (mm)	SW (mm)	SD (mm)	KG	Through car 180 degrees (2)
1	800	900	700	1230	1100	180	
2	800	1250	700	1230	1450	250	
3	900	1400	800	1330	1600	315	
4	1100	1400	800	1530	1600	385/400	
5	1200	1330	900	1630	1500	500	

Size	CW (mm)	CD (mm)	DO (mm)	SW (mm)	SD (mm)	KG	Adjacent car 90 degrees (3)
1	800	900	700	1250	1080	180	
2	800	1250	700	1230	1430	250	
3	900	1400	800	1350	1580	315	
4	1100	1400	800	1550	1580	385/400	
5	1200	1330	900	1650	1510	500	

SELECTIONS LC. SWING

Drive




Included: Standard
Hydraulic Rope over



Upgrade
All electric Gearless
Traction MRL: Ideal
for 4+stops or travel
greater than 9m
Machine room: No
HR:2700mm
SW: up to +70mm
SD: +0mm

Shaft



Included: Standard
No Shaft: Shaft is to
be built by
client/builder



Upgrade
Painted steel
structure: To be
finished by
client/builder
*Indoors only



Upgrade
Painted steel structure: Glass
finish by Lift Collection
*Indoors only



Upgrade
Stainless steel
finish

Landing & Cabin Doors Type



Included: Standard
Solid Landing Door:
Manual Single Hinge
Swing




*Only Option
No door on cabin.
Safety Lift Curtain
Detects Objects



Upgrade
Panoramic w/Glass
Panel Landing Door:
Manual Single Hinge
Swing

SELECTIONS LC. SWING

Landing Doors Colour



Included: Standard

Painted any Ral Colour: Most popular colours are black, white, silver, anthracite grey



Upgrade

Hairline stainless steel



Upgrade

Coloured stainless steel

**Additional 2 weeks manufacturing*



Upgrade

Mirror finish stainless steel

Landing Door Controls



Included: Standard

Steel button mounted on door frame. Finished the same as the door



Upgrade

Remote: black glass touch button with lcd screen & door lock.

Cabin Wall Finish Selection

Cabin Wall Type with Melamine Finish



Included: Standard

Elegance
-Single panel
-Single finish:
Melamine



Upgrade

Elite
-4 panel horizontal
-Single finish:
Melamine



Upgrade

Excellence
-4 panel horizontal
-Combination finish:
Melamine



Grey (std)



Sahara Beige (std)



White Chic (std)



Soft Black (std)



Azabache Oak



Bello Oak



Siroko Walnut



Cancun Linen



Zermatt Pine



Sabi Elm



Boheme Walnut



Dafne Oak



Olmo Grace



Copper Oak



Concrete print

SELECTIONS LC. SWING

Cabin Wall Type with Steel Skin plate: Painted



Upgrade
Exclusive
-Single panel
-Single finish:
Steel Painted Skin
plate



Matt White (std)



Matt Black (std)



Dark Wood



Charcoal



St. Look

Cabin Wall Type with Coloured Glass



Upgrade
Crystal
-Single panel
-Single finish:
Coloured glass



White (std)



Light Grey



Metal Grey



Beige

SELECTIONS LC. SWING

Cabin Wall Type with Stainless steel finish




Upgrade
Stainless
-Single panel
-Single finish:
Stainless steel



Upgrade
Millenium
-3 vertical panels
-Dual finish: Stainless
steel & mirrors



Upgrade
Alhambra
-Single panel
-Single finish:
Stainless steel



Hairline Stainless
Steel (std)



Leather effect
Stainless Steel



Linen effect Stainless
Steel



Gold Alhambra
pattern mirror steel



Coloured Stainless
Steel: Bronze is
popular
**Additional 2 weeks
manufacturing*




Other at Request

Cabin Wall Type with Glass Finish



Upgrade
Panoramic
-Single panel
-Combination finish:
Glass & wall finishes
as above other



Clear Glass (std)



Frosted



Light Grey



Dark Grey

SELECTIONS LC. SWING

Additional Wall Finish Upgrades

*Upgrade for all wall types



Half Mirror Column



Half Mirror




Full Length Mirror Column



Other at request

Cabin Profiles



Included: Standard
Hairline stainless steel



Upgrade
Painted any Ral Colour



Upgrade
Polished stainless steel



Upgrade
Coloured stainless steel
**Additional 2 weeks manufacturing*


Cabin Ceiling Type



Included: Standard
4 led spotlights




Upgrade
2 Led Strips



Upgrade
Circle matrix Fluorescents



Upgrade
Frosted glass diffused square led



Upgrade
Frosted glass diffused diamond led

Cabin Ceiling Colour



Included: Standard
Polished stainless steel



Upgrade
Hairline stainless steel



Upgrade
Gold Mirror stainless steel



Upgrade
Painted any Ral Colour:
Most popular colours are black, white, anthracite grey



Upgrade
Coloured stainless steel
**Additional 2 weeks manufacturing*

SELECTIONS LC. SWING

Cabin Flooring




Included: Standard

Steel floor with a 5mm or 20mm set down for client to lay their own.
*Client to confirm



Included: Standard

Non-Slip Black Rubber



Included: Standard

Non-Slip Alto Grey Rubber



Upgrade

Teak Veneer



Upgrade

Oak Veneer



Upgrade

Cherry Wood Veneer



Upgrade

Maple Veneer



Upgrade

Porinno Pink Granite



Upgrade

South Africa Black Granite



Upgrade

Pearl Grey Granite



Upgrade

Juparama Red Granite



Upgrade

Italy White Granite



Upgrade

Imperial Brown Granite

SELECTIONS LC. SWING

Cabin Control Types



Included: Standard
Full length controls




Upgrade
Compact: Half height controls



Upgrade
DMG Cut: Half height controls

Cabin Controls Finish




Included: Standard
Hairline Stainless Steel



Upgrade
Gold Mirror polished stainless steel



Upgrade
Coloured stainless steel
**Additional 2 weeks manufacturing*



Upgrade
Polished stainless steel



Upgrade
Painted any Ral Colour: Most popular colours are black, white, silver, anthracite grey

Accessories



Included: Standard
Emergency phone handset mounted on the cabin controls panel



Included: Standard
Handrail: Stainless steel or painted any RAL colour handrail



Upgrade
Handrail: Gold Stainless Steel



Upgrade
Handrail: Painted any Ral Colour

CABIN SLIDING DOOR LIFT



LC. SLIDE

Cabin Sliding Door Home Lift

SPECIFICATIONS LC. SLIDE


Model	LC. SLIDE
Model Type	Cabin
Manufacturing Location	Europe
Shaft Type	Shaft by client / building tolerance -0mm+20mm
Door Type	Automatic side opening 2 panel doors
Door Configuration	Single sided, through car 180 degrees (2), Adjacent 90 degrees (3)
Drive	Hydraulic or Gearless traction is an upgrade
Speed	0.3m/s
Machine Cabinet	Hydraulic - Yes (700w x 364d x 1400h) / Gearless Traction - no
Lifting Capacity	200-500kg
Travel Max (m)	12
Sizes	5 standard *we can also provide custom sizes for your specific project
Stops	2-5
Headroom (mm)	Hydraulic - 2450 / MRL - 2750
Pit (mm)	160-200mm
Location	Indoors & Outdoors
Installation Type	Built on-site
Safety Sensors	Doors: Static Light Curtain
Emergency Power	Battery Powered
Emergency Phone	4G emergency phone handset with sim located at cabin controls– first year included
Installation time	1 week per floor
Servicing recommended	<p>A minimum of 1 service per 12 months is required by AS1735, the manufacturer & Safe Work Australia. Additional servicing maybe required for the following situations.</p> <ul style="list-style-type: none">-Heavy usage-Essential mobility access-Coastal/harsh/Warmer conditions-Older lift (5+ years)-Damage from environmental factors like flooding.
Warranty	2 years
Manufacturing + Shipping Lead time	6 months
Compliance	AS 1735-18, 1735-1 Australian passenger lifts for private residence
Power Requirements	<p>Separate Independent circuit to controller location with 3m of tail</p> <p>Hydraulic: 1-phase: 240v 32a or 3-Phase: 415v 20a</p> <p>Gearless Traction: 1-phase: 240v 25a or 3-Phase: 20v 20a</p>
Structural Requirements	Structurally Certified Pit & Shaft true/ plumb as per LC & your engineer's specifications
Retro-fit Requirements	Contact us for a complimentary site assessment to determine suitability for retro-fitting this lift into your home.


SIZING LC. SLIDE

The following specification details are for the LC. SLIDE lift with a sliding door configuration in a masonry shaft (MS). Specific plans will be provided per project; please do not build to the following specifications.

**If you require a size that is not listed, please contact us to discuss your requirements.*


LC.SLIDE: Hydraulic Drive


Size	CW (mm)	CD (mm)	DO (mm)	SW (mm)	SD (mm)	KG	Single Sided Entrance (1)
1	800	900	700	1250	1150	180	
2	800	1250	700	1250	1500	250	
3	900	1400	800	1400	1650	315	
4	1100	1400	800	1460	1650	385/400	
5	1200	1330	900	1560	1580	500	

Size	CW (mm)	CD (mm)	DO (mm)	SW (mm)	SD (mm)	KG	Through car 180 degrees (2)
1	800	900	700	1250	1240	180	
2	800	1250	700	1250	1590	250	
3	900	1400	800	1400	1740	315	
4	1100	1400	800	1460	1740	385/400	
5	1200	1330	900	1560	1670	500	

Size	CW (mm)	CD (mm)	DO (mm)	SW (mm)	SD (mm)	KG	Adjacent car 90 degrees (3)
1	800	900	700	1250	1350	180	
2	800	1250	700	1250	1500	250	
3	900	1400	800	1420	1650	315	
4	1100	1400	800	1650	1550	385/400	
5	1200	1330	900	1650	1650	500	

LC.SLIDE: Gearless Electric Traction Drive


Size	CW (mm)	CD (mm)	DO (mm)	SW (mm)	SD (mm)	KG	Single Sided Entrance (1)
1	800	900	700	1250	1150	180	
2	800	1250	700	1250	1500	250	
3	900	1400	800	1400	1650	315	
4	1100	1400	800	1530	1650	385/400	
5	1200	1330	900	1630	1580	500	

Size	CW (mm)	CD (mm)	DO (mm)	SW (mm)	SD (mm)	KG	Through car 180 degrees (2)
1	800	900	700	1250	1240	180	
2	800	1250	700	1250	1590	250	
3	900	1400	800	1400	1740	315	
4	1100	1400	800	1530	1740	385/400	
5	1200	1330	900	1630	1670	500	

Size	CW (mm)	CD (mm)	DO (mm)	SW (mm)	SD (mm)	KG	Adjacent car 90 degrees (3)
1	800	900	700	1320	1350	180	
2	800	1250	700	1320	1500	250	
3	900	1400	800	1420	1650	315	
4	1100	1400	800	1620	1650	385/400	
5	1200	1330	900	1720	1650	500	

SELECTIONS LC. SLIDE

Drive




Included: Standard
Hydraulic Rope over



Upgrade
All electric Gearless
Traction MRL: Ideal
for 4+stops or travel
greater than 9m
Machine room: No
HR:2700mm
SW: up to +70mm
SD: +0mm

Shaft



Included: Standard
No Shaft: Shaft is to
be built by
client/builder



Upgrade
Painted steel
structure: To be
finished by
client/builder
*Indoors only



Upgrade
Painted steel structure: Glass
finish by Lift Collection
*Indoors only



Upgrade
Stainless steel
finish

Landing & Cabin Doors Type




Included: Standard
Side opening, 2
panels: Steel



Upgrade
Side opening, 2
panels: Steel
frame with glass

SELECTIONS LC. SLIDE

Landing Doors Colour



Included: Standard

Painted any Ral Colour: Most popular colours are black, white, silver, anthracite grey



Upgrade

Hairline stainless steel



Upgrade

Coloured stainless steel
**Additional 2 weeks manufacturing*



Upgrade

Mirror finish stainless steel

Landing Door Controls



Included: Standard

Steel button mounted on door frame. Finished the same as the door



Upgrade

Remote: black glass touch button with lcd screen & door lock.

Cabin Wall Finish Selection

Cabin Wall Type with Melamine Finish



Included: Standard

Elegance
-Single panel
-Single finish:
Melamine



Upgrade

Elite
-4 panel horizontal
-Single finish:
Melamine



Upgrade

Excellence
-4 panel horizontal
-Combination finish:
Melamine



Grey (std)



Sahara Beige (std)



White Chic (std)



Soft Black (std)



Azabache Oak



Bello Oak



Siroko Walnut



Cancun Linen



Zermatt Pine



Sabi Elm



Boheme Walnut



Dafne Oak



Olmo Grace



Copper Oak



Concrete print

SELECTIONS LC. SLIDE

Cabin Wall Type with Steel Skinplate: Painted



Upgrade

Excellence

-4 panel horizontal
-Combination finish:

Melamine



Matt White (std)



Matt Black (std)



Dark Wood



Charcoal



St. Look

Cabin Wall Type with Coloured Glass



Upgrade

Crystal

-Single panel
-Single finish:
Coloured glass



White (std)



Light Grey



Metal Grey



Beige

SELECTIONS LC. SLIDE

Cabin Wall Type with Stainless steel finish




Upgrade
Stainless
-Single panel
-Single finish:
Stainless steel



Upgrade
Millenium
-3 vertical panels
-Dual finish: Stainless
steel & mirrors



Upgrade
Alhambra
-Single panel
-Single finish:
Stainless steel



Hairline Stainless
Steel (std)



Leather effect
Stainless Steel



Linen effect Stainless
Steel



Gold Alhambra
pattern mirror steel



Coloured Stainless
Steel: Bronze is
popular
**Additional 2 weeks
manufacturing*




Other at Request

Cabin Wall Type with Glass Finish



Upgrade
Panoramic
-Single panel
-Combination finish:
Glass & wall finishes
as above other



Clear Glass (std)



Frosted



Light Grey



Dark Grey

SELECTIONS LC. SLIDE

Additional Wall Finish Upgrades

*Upgrade for all wall types



Half Mirror Column



Half Mirror




Full Length Mirror Column



Other at request

Cabin Profiles



Included: Standard
Hairline stainless steel



Upgrade
Painted any Ral Colour



Upgrade
Mirror finish stainless steel



Upgrade
Coloured stainless steel
**Additional 2 weeks manufacturing*



Upgrade
Polished stainless steel

Cabin Ceiling



Included: Standard
4 led spotlights




Upgrade
2 Led Strips



Upgrade
Circle matrix Fluorescents



Upgrade
Frosted glass diffused square led



Upgrade
Frosted glass diffused diamond led

Cabin Ceiling Colour



Included: Standard
Polished stainless steel



Upgrade
Hairline stainless steel



Upgrade
Gold Mirror stainless steel



Upgrade
Painted any Ral Colour:
Most popular colours are black, white, anthracite grey



Upgrade
Coloured stainless steel
**Additional 2 weeks manufacturing*

SELECTIONS LC. SLIDE

Cabin Flooring




Included: Standard

Steel floor with a 5mm or 20mm set down for client to lay their own.
*Client to confirm



Included: Standard

Non-Slip Black Rubber



Included: Standard

Non-Slip Alto Grey Rubber



Upgrade

Teak Veneer



Upgrade

Oak Veneer



Upgrade

Cherry Wood Veneer



Upgrade

Maple Veneer



Upgrade

Porinno Pink Granite



Upgrade

South Africa Black Granite



Pearl Grey Granite



Juparama Red Granite



Upgrade

Italy White Granite



Upgrade

Imperial Brown Granite

SELECTIONS LC. SLIDE

Cabin Control Types



Included: Standard
Full length controls



Upgrade
Compact: Half height controls



Upgrade
DMG Cut: Half height controls

Cabin Controls



Included: Standard
Hairline Stainless Steel




Upgrade
Gold Mirror stainless steel



Upgrade
Coloured stainless steel
**Additional 2 weeks manufacturing*



Upgrade
Mirror finish stainless steel



Upgrade
Painted any Ral Colour: Most popular colours are black, white, silver, anthracite grey

Accessories




Included: Standard
Emergency phone handset mounted on the cabin controls panel



Included: Standard
Handrail: Stainless steel or painted any RAL colour handrail



Upgrade
Handrail: Gold Stainless Steel



Upgrade
Handrail: Painted any Ral Colour

Pre-Built Cabin Sliding Door Home Lift



LC. DROP

Pre-Built Cabin Sliding Door
Home Lift

SPECIFICATIONS LC. DROP


Model	LC. DROP
Model Type	Cabin
Manufacturing Location	Asia
Shaft Type	Structural steel support frame – to be finished by client / building tolerance -0mm+20mm
Door Type	Automatic side opening 2 panel doors
Door Configuration	Single sided, through car 180 degrees (2), Adjacent 90 degrees (3)
Drive	Gearless electric traction
Speed	0.3m/s
Machine Cabinet	Gearless Traction - no
Lifting Capacity	300-450kg
Travel Max (m)	12
Sizes	3 standard *we can also provide custom sizes for your specific project
Stops	2-5
Headroom (mm)	2750
Pit (mm)	200mm
Location	Indoors & Outdoors
Installation Type	Crane in, Pre-built
Safety Sensors	Doors: Static Light Curtain
Emergency Power	Battery Powered
Emergency Phone	4G emergency phone handset with sim located at cabin controls– first year included
Installation time	1 day per floor
Servicing recommended	<p>A minimum of 1 service per 12 months is required by AS1735, the manufacturer & Safe Work Australia. Additional servicing maybe required for the following situations.</p> <ul style="list-style-type: none"> -Heavy usage -Essential mobility access -Coastal/harsh/Warmer conditions -Older lift (5+ years) -Damage from environmental factors like flooding.
Warranty	2 years
Manufacturing + Shipping Lead time	16 weeks
Compliance	AS 1735-18, 1735-1 Australian passenger lifts for private residence
Power Requirements	Separate Independent circuit to controller location with 3m of tail 1-phase: 240v 25a or 3-Phase: 20v 20a
Structural Requirements	Structurally Certified Pit & cut outs true/ plumb as per LC & your engineer’s specifications
Retro-fit Requirements	Contact us for a complimentary site assessment to determine suitability for retro-fitting this lift into your home.

SIZING LC. DROP

The following specification details are for the LC. DROP lift with a sliding door. Specific plans will be provided per project; please do not build to the following specifications.

**If you require a size that is not listed, please contact us to discuss your requirements.*

LC.DROP

Size	CW (mm)	CD (mm)	DO (mm)	SW (mm)	SD (mm)	KG	Single Sided Entrance (1)
1	900	1200	800	1650	1650	400	
2	1000	1300	900	1750	1750	400	
3	1100	1400	900	1850	1850	450	
Size	CW (mm)	CD (mm)	DO (mm)	SW (mm)	SD (mm)	KG	Through car 180 degrees (2)
1	900	1200	800	1650	1770	400	
2	1000	1300	900	1750	1870	400	
3	1100	1400	900	1850	1970	450	
Size	CW (mm)	CD (mm)	DO (mm)	SW (mm)	SD (mm)	KG	Adjacent car 90 degrees (3)
1	900	1200	800	1710	1700	400	
2	1000	1300	900	1860	1840	400	
3	1100	1400	900	1910	1840	450	

FINISHES LC. DROP

Shaft



Included: Standard
Painted black 70mm thick, 90-degree angle steel structure:
Finished by client



Upgrade
Anodized aluminium steel structure with Glass



Upgrade
Steel Fame: Painted any RAL colour: Most common colours are black, white, silver, anthracite grey

Landing & Cabin Doors Type



Included: Standard
Side opening, 2 panels: Steel



Upgrade
Side opening, 2 panels: Steel frame with glass insert



Upgrade
Side opening, 2 panels: frameless glass

Landing Doors Colour



Included: Standard
Painted any Ral Colour: Most popular colours are black, white, silver, anthracite grey



Upgrade
Brushed stainless steel



Upgrade
Coloured stainless steel
**Additional 2 weeks manufacturing*



Upgrade
Black titanium hairline stainless steel



Upgrade
Mirror finish stainless steel

Landing Door Controls



Included: Standard
Steel button mounted on door frame. Finished the same as the door



Upgrade
Remote: mechanical button with glass lcd screen & door lock.

FINISHES LC. DROP

Cabin Walls



Included: Standard
Painted steel: White, black, silver, anthracite grey



Upgrade
Brushed stainless steel




Upgrade
Coloured stainless steel
**Additional 2 weeks manufacturing*



Upgrade
Mirror finish stainless steel



Upgrade
1 Mirror: full length or half length.



Upgrade
Painted any Ral Colour



Upgrade
Other finish at request



Upgrade
Raw: Walls to be finished & fit off by client



Upgrade
Glass wall w/

Cabin Profiles



Included: Standard
Painted black steel



Upgrade
Painted any Ral Colour



Upgrade
Brushed stainless steel



Upgrade
Mirror finish stainless steel

Cabin Ceiling



Included: Standard
4 led spotlights

Cabin Ceiling Colour



Included: Standard
Brushed stainless steel



Included: Standard
Mirror finish stainless steel




Upgrade
Painted any Ral Colour:
Most popular colours are black, white, silver, anthracite grey



Upgrade
Coloured stainless steel
**Additional 2 weeks manufacturing*

FINISHES LC. DROP

Cabin Flooring



Included: Standard

Steel floor with a 5mm or 20mm set down for client to lay their own.

*Client to confirm

Cabin Controls



Included: Standard

Full length controls:

- 1 Brushed stainless steel
- 1 x lcd floor indicator
- Stainless steel floor level & emergency stop buttons with braille



Upgrade

Painted any Ral Colour:
Most popular colours are black, white, silver, anthracite grey



Upgrade

Coloured stainless steel
**Additional 2 weeks manufacturing*



Upgrade

Mirror finish stainless steel

Accessories



Included: Standard

Emergency phone handset mounted on the cabin controls panel



Included: Standard

Stainless steel or painted any RAL colour handrail

OUR “DO MORE” PROCESS

WHAT TO EXPECT WORKING WITH US

	LIFT COLLECTION TO PROVIDE	BUILDER/CLIENT TO PROVIDE
Feasibility Assessment: In this meeting, we'll understand your requirements and assess the feasibility of a lift for your client's needs. We'll then discuss lift designs, products, and services to find the best solution through collaboration.	+	-
Lift Design & Proposal: We'll present preliminary lift design options, product choices, and pricing details.	+	-
Pre-Order Meeting: We'll address any questions about the lift design, finalise build requirements, and ensure you're completely satisfied before you place your order. We'll also provide a builder's guide for lift requirements.	+	-
Order: We'll place your order with the manufacturer and notify all relevant parties via email and text.	+	-
Shipping: Once the lift is manufactured and ready for shipping, we'll notify all relevant parties via email and text.	+	-
Building Pre-Works Meeting On-Site if Required: We'll conduct this meeting on-site, via Zoom, or FaceTime, as needed.	+	-
Lift Arrival and Confirmation of Installation: Once we confirm the lift's arrival in Australia, we'll reconfirm installation dates and notify all relevant parties via email and text.	+	-
Pre-Installation Inspection/Meeting On-Site: We'll conduct an on-site inspection or meeting no later than 3 weeks before the installation date.	+	-
Installation of Lift: Your lift will be delivered and unloaded. Respectful, qualified and trained professionals will complete the installation to ensure compliance with Australian regulations and manufacturer requirements. Our technician will ensure they remove all lift-related rubbish.	+	-
Installation Completed: Our technicians will conduct a thorough walk-through of your lift system, providing a comprehensive manual and an in-person instructional guide to ensure you are fully familiar with its operation and features.	+	-
Pre-Lift Installation: Ensure all necessary carpentry, concrete, and electrical preparations are completed for lift installation.	-	+
Post-Lift Installation: Complete all necessary trim, flashing, and other finishing work required for the building.	-	+
Permissions: Obtaining planning permissions required from local council, building strata or other body	-	+
6-month post installation health check: We do this to ensure that you are completely satisfied with the final product.	+	-

Our **Residence Collection** is best suited for the following:

- Private existing homes
- Private new home builds
- Large scale remodeling/renovation of existing home
- Retrofitted Heritage Homes
- Architectural Display or Concept Homes
- Owner-Builder Projects
- Luxury Townhouses
- Homes on Sloped or Split-Level Blocks
- Upside-Down Homes (Living Upstairs)
- Coastal homes or homes with views
- Designer Homes with Statement Features
- Granny Flats / Secondary Dwellings
- Multi-generational Family Homes
- Airbnb or Short-Stay Accommodations
- Private residential developments
- Mixed-use developments
- Retirement village developments
- NDIS-Funded Home Modifications
- Aged Care / My Aged Care Recipients
- Group Homes, Supported Living, and SIL Projects
- Multi-storey SDA homes

Compliance

Lift Code: AS1735-1 & 18 Lifts for a private residence

Lift Code: AS1735-15 Accessibility for persons with impaired mobility in low-traffic areas

Contact us for more information at:

Enquiries: hello@liftcollection.com.au

Phone: 1800 940 955

Locations Serviced: NSW & ACT

