

L I F T C O L L E C T I O N



LC. PLAT E7 ENCLOSED PLATFORM LIFT Residence Collection

Contact us for more information at:
Enquiries: hello@liftcollection.com.au
Phone: 1800 940 955
Locations Serviced: NSW & ACT

SPECIFICATIONS LC. PLAT E7

Model	LC. PLAT E7
Model Type	Enclosed platform lift
Manufacturing Location	Europe
Shaft Type	Shaft supplied with lift – Support wall by client/builder / building tolerance -0mm+20mm
Door Type	Single hinge swing left or right - Manual
Door Configuration	Single sided, through car 180 degrees (2), Adjacent 90 degrees (3), All three sides (4)
Drive	Electric screw
Speed	0.15m/s
Machine Cabinet	Yes - Dimensions: 200w x 60d x 2000h – Mounted on lowest level door frame
Lifting Capacity	200-400kg
Travel Max (m)	12
Sizes	3 standard *we can also provide custom sizes for your specific project
Stops	5 stops
Headroom (mm)	2250
Pit (mm)	0mm with ramp provided / 50mm with vinyl flooring / 70mm with 14mm clients own flooring
Location	Indoors & Outdoors
Installation Type	Built on-site
Safety Sensors	Platform perimeter: Pressure activated safety bar
Emergency Power	Battery Powered
Emergency Phone	4G emergency phone handset with sim located at cabin controls– first year included
Installation time	1 week per floor
Servicing recommended	<p>A minimum of 1 service per 12 months is required by AS1735, the manufacturer & Safe Work Australia. Additional servicing maybe required for the following situations.</p> <ul style="list-style-type: none"> -Heavy usage -Essential mobility access -Coastal/harsh/Warmer conditions -Older lift (5+ years) -Damage from environmental factors like flooding.
Warranty	2 years
Manufacturing + Shipping Lead time	6 months
Compliance	Lift Code: AS1735-15 Accessibility by persons with impaired mobility in low-traffic areas
Power Requirements	<p>Separate Independent circuit to controller location with 3m of tail</p> <p>1-phase: 240v 25a or 3-Phase: 20v 20a</p>
Structural Requirements	Structurally Certified Pit, support wall & through floor cutouts true/ plumb as per LC & your engineer's specifications
Retro-fit Requirements	Contact us for a complimentary site assessment to determine suitability for retro-fitting this lift into your home.


SIZING LC. PLAT E7

The following specification details are for the LC. PLAT E7 lift with a swing door. Specific plans will be provided per project; please do not build to the following specifications.

*This lift can be customised to alternative sizes if required.

	Platform Width (mm)	Platform Depth (mm)	Platform Height (mm)	Door Opening Width (mm)	Door Opening Height (mm)	Installation Width	Installation Depth	KG
1	1150	1485	1100	940	2000	1580	1580	400
2	1070	1485	1100	940	2000	1500	1580	400
3	1100	1400	1100	900	2000	1540	1500	400
Smallest	950	660	1100	650	2000	1100	1100	250

Door Configuration



SELECTIONS LC. PLAT E7

Lift Shaft



Included: Standard

Solid steel shaft
Shaft panels: Painted
Ral 9006 silver
aluminium
Corner profiles:
Anodised aluminium



Upgrade

Glass panels:
Glass: Clear
Profile: Anodized
aluminium



Upgrade

Paint the entire lift
any Ral colour of
your choice



Upgrade

Glass panels:
Change glass finish to
either frost or light
grey

Shaft Ceiling



Included: Standard

4 led spotlights
finished the same as
shaft

SELECTIONS LC. PLAT E7

Landing Door Type



Included: Standard

Solid Landing Door:
Manual Single Hinge
Swing



Upgrade

Automatic
open/close



Upgrade

Half gate: Manual
Single Hinge Swing



Upgrade

Landing door glass:
Frosted



Upgrade

Landing door glass:
Light Grey

Landing Door Controls



Included: Standard

Stainless steel square
button



Included: Standard

Outdoor rate flap
button: Beneficial for
persons with limited
mobility in their
upper body



Upgrade

Security:
Keypad with fob key
reader

Platform Controls



Included: Standard

Horizontal control
panel with floor
buttons in silver,
emergency stop in
red, alarm button in
silver. Hold to run

Platform Finish



Included: Standard

Painted Ral 9006
silver aluminium
*when the shaft has
changed colour so
does the platform

SELECTIONS LC. PLAT E7


Platform Flooring



Included: Standard
Non-slip light timber
effect vinyl



Included: Standard
Non-slip dark timber
effect vinyl



Included: Standard
Non-Slip Black
Rubber



Upgrade
14mm set down for
client to lay their
own.

Accessories



Included: Standard
Emergency phone handset
mounted on the cabin controls
panel



Included: Standard
Handrail: Painted the same as the
platform & shaft. Located on the
platform wall under the controls

The **LC. PLAT E7** is a part of our Residence Collection which has been curated for the following:

- Private existing homes
- Private new home builds
- Large scale remodeling/renovation of existing home
- Retrofitted Heritage Homes
- Architectural Display or Concept Homes
- Owner-Builder Projects
- Luxury Townhouses
- Homes on Sloped or Split-Level Blocks
- Upside-Down Homes (Living Upstairs)
- Coastal homes or homes with views
- Designer Homes with Statement Features
- Granny Flats / Secondary Dwellings
- Multi-generational Family Homes
- Airbnb or Short-Stay Accommodations
- Private residential developments
- Mixed-use developments
- Retirement village developments
- NDIS-Funded Home Modifications
- Aged Care / My Aged Care Recipients
- Group Homes, Supported Living, and SIL Projects
- Multi-storey SDA homes

Compliance

Lift Code: AS1735-1 & -18 Lifts for a private residence

Lift Code: AS1735-15 Accessibility for persons with impaired mobility in low-traffic areas

Contact us for more information at:

Enquiries: hello@liftcollection.com.au

Phone: 1800 940 955

Locations Serviced: NSW & ACT

