LOCKS & HARDWARE

Q COLLECTION

PRODUCT CATALOG



Contents


002-007
Handle Sets


007-020
Heavy-Duty
Tubular Locks


021-027
91 Series


028-035
Tubular Lever
Locks


036
Indicator Locks


036-038
Combo Sets


039-042
Deadbolts


042-045
Tubular Knobsets


045-048
Cylindrical /
Rim Locks


048
Latches


049-050
Strike Plates
& Keys



050-051
Hinges &
Accessories


052-057
Electronic Locks



HANMDLE SET
SERIES

CONTENTS / HANDLE SETS



Options

1. Rosette: Round & Square inner rosette for options



2. Turn-piece: Short (refer to below) & Long type (refer to 1)



3. Inner trim: Knob & lever handle available





70710


Material : Solid brass / Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70711


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70712


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors



HANDLE SETS



70713


Material : Solid brass / Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70715


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70716


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70717


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70718


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70719


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors



HANDLE SETS



70720


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70721


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70722-A2001ET


Material : Solid brass / Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70723


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70725


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70726


Material : Solid brass

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors



HANDLE SETS



70728


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70728B


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70729


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70731


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70731


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70732ET


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors



HANDLE SETS



70733


Material : Solid brass

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70733B


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm

Suitable for : Wooden doors and steel doors





70735


Material : Solid brass

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite

Standard door thickness : 35~45mm

Special door thickness : 45~55mm


Suitable for : Wooden doors and steel doors





HEAVY-DUTY
TUBULAR LOCK SERIES

HANDLE SETS / TUBULAR LOCKS





A2009ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black


Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors


Feature : Anti-theft,Safe;Luxury and beauty
(Lock head can be changed)





Operation of changing cylinder:
When unlocked, press the snap panel downwards and pull the handle out, take out the original cylinder and replace it with a new cylinder of the same spacs. Then reinstall the handle, and check and make sure the snap panel springs out and locks the handle.

HEAVY-DUTY TUBULAR LOCKS



A2001ET(Zinc alloy)
A2101ET(Aluminum)

Function : Gate lock


Material : Zinc alloy / Aluminum

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





A2001BK(Zinc alloy)
A2101BK(Aluminum)

Function : Privacy lock



A2001PS(Zinc alloy)
A2101PS(Aluminum)

Function : Passage lock



A2001DL(Zinc alloy)
A2101DL(Aluminum)

Function : Single side lock



B2002ET(Zinc alloy)
B2102ET(Aluminum)

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





B2002BK(Zinc alloy)
B2102BK(Aluminum)

Function : Privacy lock



B2002PS(Zinc alloy)
B2102PS(Aluminum)

Function : Passage lock



B2002DL(Zinc alloy)
B2102DL(Aluminum)

Function : Single side lock

HEAVY-DUTY TUBULAR LOCKS



B2003ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





B2003BK

Function : Privacy lock



B2003PS

Function : Passage lock



B2003DL

Function : Single side lock



B2005ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





B2005BK

Function : Privacy lock



B2005PS

Function : Passage lock



B2005DL

Function : Single side lock

HEAVY-DUTY TUBULAR LOCKS



B2006ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





B2006BK

Function : Privacy lock



B2006PS

Function : Passage lock



B2006DL

Function : Single side lock



B2010ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





B2010BK

Function : Privacy lock



B2010PS

Function : Passage lock



B2010DL

Function : Single side lock

HEAVY-DUTY TUBULAR LOCKS



A2012ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





A2012BK

Function : Privacy lock



A2012PS

Function : Passage lock



A2012DL

Function : Single side lock



C2013ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





C2013BK

Function : Privacy lock



C2013PS

Function : Passage lock



C2013DL

Function : Single side lock

HEAVY-DUTY TUBULAR LOCKS



B2016ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35–45mm

Special door thickness : 45–50mm

Suitable for : Wooden doors and steel doors





B2016BK

Function : Privacy lock



B2016PS

Function : Passage lock



B2016DL

Function : Single side lock



B2018ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35–45mm

Special door thickness : 45–50mm

Suitable for : Wooden doors and steel doors

Feature : Anti-theft,Safe;Luxury and beauty
(Inside handle or outside handle can be change)





B2018BK

Function : Privacy lock




B2018PS

Function : Passage lock



B2018DL

Function : Single side lock



Operation of interchanging handles:
Loosen the fixing screws on both handles, pull the handle outs, and interchange and install the inside and outside handles. Fasten the fixing screws to fix the handles. This completes the operation.

HEAVY-DUTY TUBULAR LOCKS



B2019ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





B2019BK

Function : Privacy lock



B2019PS

Function : Passage lock



B2019DL

Function : Single side lock



A2020ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors

Feature : Anti-theft,Safe;Luxury and beauty(Optional hidden screw mix)





A2020BK

Function : Privacy lock



A2020PS

Function : Passage lock



A2020DL

Function : Single side lock

HEAVY-DUTY TUBULAR LOCKS



B2020ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors

Feature : Anti-theft,Safe;Luxury and beauty(Optional hidden screw mix)





B2020BK

Function : Privacy lock



B2020PS

Function : Passage lock



B2020DL

Function : Single side lock



A2021ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors

Feature : Anti-theft,Safe;Luxury and beauty(Optional hidden screw mix)





A2021BK

Function : Privacy lock



A2021PS

Function : Passage lock



A2021DL

Function : Single side lock

HEAVY-DUTY TUBULAR LOCKS



B2021ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors

Feature : Anti-theft,Safe;Luxury and beauty(Optional hidden screw mix)





B2021BK

Function : Privacy lock



B2021PS

Function : Passage lock



B2021DL

Function : Single side lock



A2022ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





A2022BK

Function : Privacy



A2022PS

Function : Passage



A2022DL

Function : Dummy

HEAVY-DUTY TUBULAR LOCKS



B2022ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors







B2022BK

Function : Privacy



B2022PS

Function : Passage



B2022DL

Function : Dummy



A2023ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black


Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors

特
Feature : Anti-theft,Safe;Luxury and beauty(Optional hidden screw mix)







A2023BK

Function : Privacy



A2023PS

Function : Passage



A2023DL

Function : Dummy

HEAVY-DUTY TUBULAR LOCKS



B2023ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm


Suitable for : Wooden doors and steel doors

Feature : Anti-theft,Safe;Luxury and beauty(Optional hidden screw mix)






B2023BK





B2023PS





A2025ET

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





A2025BK

Function : Privacy



A2025PS

Function : Passage



A2025DL

Function : Dummy

HEAVY-DUTY TUBULAR LOCKS



B2025BK

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





B2025BK

Function : Privacy



B2025PS

Function : Passage



B2025DL

Function : Dummy



R2270ET R2270BK

Function : Entrance / Privacy / Passage / Dummy


Material : Aluminum

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





S2207ET S2270BK

Function : Entrance / Privacy / Passage / Dummy


Material : Aluminum

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



HEAVY-DUTY TUBULAR LOCKS



B3003BK

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





B3003ET

Function : Privacy lock



B3003PS

Function : Passage lock



B3003DL

Function : Single side lock



A3016BK-BD

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





A3016BK-CP



A3016BK-SN

HEAVY-DUTY TUBULAR LOCKS



91
SERIES

9115 Steel rosette+SS cover,exposed screws or concealed screws
F9115 Zinc alloy square rosette,exposed screws
Y9115 Zinc alloy round rosette,exposed screws
S9115 Zinc alloy square rosette,concealed screws
R9115 Zinc alloy round rosette,concealed screws
S9215 Aluminum square rosette,concealed screws
R9215 Aluminum round rosette,concealed screws



Y9115BK

Function : Privacy / Passage / Dummy

Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors

Feature : Anti-theft,Safe;Luxury and beauty(Optional hidden screw mix)





Y9115PS

Function : Privacy



F9115PS

Function : Passage




F9115DL

Function : Dummy

9161 Steel rosette+SS cover,exposed screws or concealed screws
F9161 Zinc alloy square rosette,exposed screws
Y9161 Zinc alloy round rosette,exposed screws
S9161 Zinc alloy square rosette,concealed screws
R9161 Zinc alloy round rosette,concealed screws
S9261 Aluminum square rosette,concealed screws
R9261 Aluminum round rosette,concealed screws





9161PS

9161BK

Function : Privacy / Passage / Dummy

Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm


Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors

Feature : Anti-theft,Safe;Luxury and beauty(Optional hidden screw mix)







9161DL

9163 Steel rosette+SS cover,exposed screws or concealed screws
F9163 Zinc alloy square rosette,exposed screws
Y9163 Zinc alloy round rosette,exposed screws
S9163 Zinc alloy square rosette,concealed screws
R9163 Zinc alloy round rosette,concealed screws
S9263 Aluminum square rosette,concealed screws
R9263 Aluminum round rosette,concealed screws





9163PS

9163BK

Function : Privacy / Passage / Dummy

Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm


Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors

Feature : Anti-theft,Safe;Luxury and beauty(Optional hidden screw mix)







9163DL

9161 Steel rosette+SS cover,exposed screws or concealed screws
F9161 Zinc alloy square rosette,exposed screws
Y9161 Zinc alloy round rosette,exposed screws
S9161 Zinc alloy square rosette,concealed screws
R9161 Zinc alloy round rosette,concealed screws
S9261 Aluminum square rosette,concealed screws
R9261 Aluminum round rosette,concealed screws



F9161BK

Function : Privacy / Passage / Dummy

Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm


Suitable for : Wooden doors and steel doors

Feature : Anti-theft,Safe;Luxury and beauty(Optional hidden screw mix)






F9161PS






F9161DL



9163X Steel rosette+SS cover,exposed screws or concealed screws
F9163X Zinc alloy square rosette,exposed screws
Y9163X Zinc alloy round rosette,exposed screws
S9163X Zinc alloy square rosette,concealed screws
R9163X Zinc alloy round rosette,concealed screws
S9263X Aluminum square rosette,concealed screws
R9263X Aluminum round rosette,concealed screws





F9163XPS F9163XBK

Function : Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors







Y9163XPS Y9163XBK

Function : Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / Oil rubbed bronze / Antique nickel


Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



9165 Steel rosette+SS cover,exposed screws or concealed screws
F9165 Zinc alloy square rosette,exposed screws
Y9165 Zinc alloy round rosette,exposed screws
S9165 Zinc alloy square rosette,concealed screws
R9165 Zinc alloy round rosette,concealed screws
S9265 Aluminum square rosette,concealed screws
R9265 Aluminum round rosette,concealed screws



F9165PS F9165BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





Y9165PS Y9165BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



9166 Steel rosette+SS cover,exposed screws or concealed screws
F9166 Zinc alloy square rosette,exposed screws
Y9166 Zinc alloy round rosette,exposed screws
S9166 Zinc alloy square rosette,concealed screws
R9166 Zinc alloy round rosette,concealed screws
S9266 Aluminum square rosette,concealed screws
R9266 Aluminum round rosette,concealed screws



Y9166PS Y9166BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





F9166PS F9166BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



9167 Steel rosette+SS cover,exposed screws or concealed screws
F9167 Zinc alloy square rosette,exposed screws
Y9167 Zinc alloy round rosette,exposed screws
S9167 Zinc alloy square rosette,concealed screws
R9167 Zinc alloy round rosette,concealed screws
S9267 Aluminum square rosette,concealed screws
R9267 Aluminum round rosette,concealed screws



Y9167PS Y9167BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





F9167PS F9167BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



9168 Steel rosette+SS cover,exposed screws or concealed screws
F9168 Zinc alloy square rosette,exposed screws
Y9168 Zinc alloy round rosette,exposed screws
S9168 Zinc alloy square rosette,concealed screws
R9168 Zinc alloy round rosette,concealed screws
S9268 Aluminum square rosette,concealed screws
R9268 Aluminum round rosette,concealed screws



Y9168PS Y9168BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





F9168PS F9168BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



9169 Steel rosette+SS cover,exposed screws or concealed screws
F9169 Zinc alloy square rosette,exposed screws
Y9169 Zinc alloy round rosette,exposed screws
S9169 Zinc alloy square rosette,concealed screws
R9169 Zinc alloy round rosette,concealed screws
S9269 Aluminum square rosette,concealed screws
R9269 Aluminum round rosette,concealed screws



Y9169PS Y9169BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





F9169PS F9169BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black


Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



9172 Steel rosette+SS cover,exposed screws or concealed screws
F9172 Zinc alloy square rosette,exposed screws
Y9172 Zinc alloy round rosette,exposed screws
S9172 Zinc alloy square rosette,concealed screws
R9172 Zinc alloy round rosette,concealed screws
S9272 Aluminum square rosette,concealed screws
R9272 Aluminum round rosette,concealed screws



Y9172PS Y9172BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





F9172PS F9172BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



9182 Steel rosette+SS cover,exposed screws or concealed screws
F9182 Zinc alloy square rosette,exposed screws
Y9182 Zinc alloy round rosette,exposed screws
S9182 Zinc alloy square rosette,concealed screws
R9182 Zinc alloy round rosette,concealed screws
S9282 Aluminum square rosette,concealed screws
R9282 Aluminum round rosette,concealed screws



Y9182PS Y9182BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





F9182PS F9182BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



9270 Steel rosette+SS cover,exposed screws or concealed screws
F9270 Zinc alloy square rosette,exposed screws
Y9270 Zinc alloy round rosette,exposed screws
S9270 Zinc alloy square rosette,concealed screws
R9270 Zinc alloy round rosette,concealed screws
S9270 Aluminum square rosette,concealed screws
R9270 Aluminum round rosette,concealed screws



R9270BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





S9270BK

Function : Privacy / Passage / Dummy


Material : Zinc alloy


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





TURN-BUTTON
TUBULAR LEVER SET SERIES



8001BK
P8001 Push button Zinc alloy ☑
8001 Turn button Zinc alloy ☑

Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy / Steel


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm


Suitable for : Wooden doors and steel doors








8002ET
P8002 Push button Zinc alloy ☑
8002 Turn button Zinc alloy ☑






8003BK
P8003 Push button Zinc alloy ☑
8003 Turn button Zinc alloy ☑



TURN-BUTTON TUBULAR LOCKS





8005ET(75mm)

P8005 Push button Zinc alloy ☑
8005 Turn button Zinc alloy ☑

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy / Steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





8006ET

P8006 Push button Zinc alloy ☑
8006 Turn button Zinc alloy ☑








8007ET(75mm)

P8007 Push button Zinc alloy ☑
P8007 Push button Aluminium alloy ☑
8007 Turn button Zinc alloy ☑
8007 Turn button Aluminium alloy ☑

PUSH-BUTTON TUBULAR LOCKS







8008ET

P8008 Push button Zinc alloy ☑
P8008 Push button Aluminium alloy ☑
8008 Turn button Zinc alloy ☑
8008 Turn button Aluminium alloy ☑

Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy / Steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black


Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors








8009BK

P8009 Push button Zinc alloy ☑
8009 Turn button Zinc alloy ☑








8010BK

P8010 Push button Zinc alloy ☑
8010 Turn button Zinc alloy ☑







8011ET

P8011 Push button Zinc alloy ☑
8011 Turn button Zinc alloy ☑

Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy / Steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black


Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors








8012ET

P8012 Push button Zinc alloy ☑
8012 Turn button Zinc alloy ☑







8015ET

P8015 Push button Zinc alloy ☑
P8015 Push button Aluminium alloy ☑
8015 Turn button Zinc alloy ☑
8015 Turn button Aluminium alloy ☑

PUSH-BUTTON TUBULAR LOCKS




8016ET

P8016 Push button Zinc alloy ☑

8016 Turn button Zinc alloy ☑





Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy / Steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm


Suitable for : Wooden doors and steel doors



8018PS

P8018 Push button Zinc alloy ☑

8018 Turn button Zinc alloy ☑






8019PS

P8019 Push button Zinc alloy ☑

8019 Turn button Zinc alloy ☑






8020PS

P8020 Push button Zinc alloy ☑

8020 Turn button Zinc alloy ☑





Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy / Steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm


Suitable for : Wooden doors and steel doors



8021PS

P8021 Push button Zinc alloy ☑

8021 Turn button Zinc alloy ☑






8022ET

P8022 Push button Zinc alloy ☑

8022 Turn button Zinc alloy ☑



PUSH-BUTTON TUBULAR LOCKS



8023ET
P8023 Push button Zinc alloy ☑
8023 Turn button Zinc alloy ☑

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy / Steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black


Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors








8025BK
P8025 Push button Zinc alloy ☑
8025 Turn button Zinc alloy ☑





8027PS
P8027 Push button Zinc alloy ☑
8027 Turn button Zinc alloy ☑



8026ET
P8026 Push button Zinc alloy ☑
8026 Turn button Zinc alloy ☑

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy / Steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black


Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors








8026BK
P8026 Push button Zinc alloy ☑
8026 Turn button Zinc alloy ☑






8026PS
P8026 Push button Zinc alloy ☑
8026 Turn button Zinc alloy ☑

PUSH-BUTTON TUBULAR LOCKS







P8028ET

P8028	Push button	Zinc alloy	☑
P8028	Push button	Aluminium alloy	☑
8028	Turn button	Zinc alloy	☑
8028	Turn button	Aluminium alloy	☑

Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy / Steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black


Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors








8028BK

P8028	Push button	Zinc alloy	☑
P8028	Push button	Aluminium alloy	☑
8028	Turn button	Zinc alloy	☑
8028	Turn button	Aluminium alloy	☑






P8028BK

P8028	Push button	Zinc alloy	☑
P8028	Push button	Aluminium alloy	☑
8028	Turn button	Zinc alloy	☑
8028	Turn button	Aluminium alloy	☑







8031ET

P8031	Push button	Zinc alloy	☑
P8031	Push button	Aluminium alloy	☑
8031	Turn button	Zinc alloy	☑
8031	Turn button	Aluminium alloy	☑

Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy / Steel


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors






8031BK

P8031	Push button	Zinc alloy	☑
P8031	Push button	Aluminium alloy	☑
8031	Turn button	Zinc alloy	☑
8031	Turn button	Aluminium alloy	☑





8031PS

P8031	Push button	Zinc alloy	☑
P8031	Push button	Aluminium alloy	☑
8031	Turn button	Zinc alloy	☑
8031	Turn button	Aluminium alloy	☑

PUSH-BUTTON TUBULAR LOCKS



8033BK

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





8033BK

Function : Privacy



8033PS

Function : Passage



8033DL

Function : Dummy



8033BK

Function : Entrance / Storeroom / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





8033BK

Function : Privacy



8033PS

Function : Passage



8033DL

Function : Dummy

PUSH-BUTTON TUBULAR LOCKS



P8231ET


P8231 Push button Aluminium alloy ☑
8231 Turn button Aluminium alloy ☑



Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black



Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



P8231BK **Function** : Privacy

P8231 Push button Aluminium alloy ☑
8231 Turn button Aluminium alloy ☑



P8231PS **Function** : Passage

P8231 Push button Aluminium alloy ☑
8231 Turn button Aluminium alloy ☑



P8231DL **Function** : Dummy

P8231 Push button Aluminium alloy ☑
8231 Turn button Aluminium alloy ☑



8232ET


P8232 Push button Aluminium alloy ☑
8232 Turn button Aluminium alloy ☑



Function : Entrance / Storeroom / Privacy / Passage / Dummy

Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black



Standard door thickness : 35~45mm


Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



8232BK

P8232 Push button Aluminium alloy ☑
8232 Turn button Aluminium alloy ☑




8232PS

P8232 Push button Aluminium alloy ☑
8232 Turn button Aluminium alloy ☑

PUSH-BUTTON TUBULAR LOCKS







HEAVY-DUTY
INDICATOR LOCK



COMBO SET
SERIES

INDICATOR LOCKS & COMBO SETS



A2001+FD101

Function : Entrance+Single cylinder deadbolt

Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



A2001+F1101

Function : Entrance+Single cylinder deadbolt

Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



B2002+YD101

Function : Entrance+Single cylinder deadbolt

Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



B2002+Y1101

Function : Entrance+Single cylinder deadbolt

Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors

COMBO SETS



B2003+Y1102

Function : Entrance+Single cylinder deadbolt

Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



B2003+YD101

Function : Entrance+Single cylinder deadbolt

Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



6007+D101

Function : Entrance+Single cylinder deadbolt

Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



587+D101

Function : Entrance+Single cylinder deadbolt

Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm


Special door thickness : 45~50mm


Suitable for : Wooden doors and steel doors


COMBO SETS



DEADBOLT
LOCK SERIES







DEADBOLTS



F1101

Function : Single cylinder deadbolt


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm


Suitable for : Wooden doors and steel doors





F1102


Function : Double cylinder deadbolt





Y1101


Function : Single cylinder deadbolt





Y1102

Function : Double cylinder deadbolt





FD101

Function : Single cylinder deadbolt


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm


Suitable for : Wooden doors and steel doors





FD102


Function : Double cylinder deadbolt





YD101


Function : Single cylinder deadbolt





YD102

Function : Double cylinder deadbolt



DEADBOLTS



D101

Function : Single cylinder deadbolt


Material : Steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm


Suitable for : Wooden doors and steel doors





D801





D102

Function : Double cylinder deadbolt





D101H

Function : Single-side cylinder deadbolt



H101

Function : Single cylinder deadbolt


Material : Steel


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors







H102

Function : Double cylinder deadbolt



D103

Function : Single cylinder deadbolt



D203

Function : Double cylinder deadbolt



YD551

Function : Single cylinder deadbolt


Material : Steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





YD552

Function : Single cylinder deadbolt


Material : Steel


Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





TUBULAR KNOBSET
SERIES

DEADBOLTS / TUBULAR KNOBSETS



6006ET

Function : Entrance / Privacy / Passage / Dummy


Material : 201/304 Stainless steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





6006BK



6006PS



6006DK



6007

Function : Entrance / Privacy / Passage / Dummy


Material : 201/304 Stainless steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





6009

Function : Entrance / Privacy / Passage / Dummy


Material : 201/304 Stainless steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors



TUBULAR KNOBSETS



6010

Function : Entrance / Privacy / Passage / Dummy


Material : 201/304 Stainless steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





6011ET

Function : Entrance / Privacy / Passage / Dummy


Material : 201/304 Stainless steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





6012

Function : Entrance / Privacy / Passage / Dummy


Material : 201/304 Stainless steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





6092

Material : 201/304 Stainless steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black



6013

Material : 201/304 Stainless steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

TUBULAR KNOBSETS



5761

Function : Entrance / Privacy / Passage / Dummy


Material : 201/304 Stainless steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





5763

Function : Entrance / Privacy / Passage / Dummy

Material : 201/304 Stainless steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm

Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors





CYLINDRICAL
LOCK SERIES

KNOBSETS / CYLINDRICAL LOCKS



5871(75H)

Function : Entrance / Privacy / Passage


Material : 201/304 Stainless steel

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm


Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors






5871(75P)






5871(65P)





5800(75P)





5003ET

Function : Entrance / Privacy / Passage / Dummy


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35~45mm


Special door thickness : 45~50mm

Suitable for : Wooden doors and steel doors






5005ET






5009ET




CYLINDRICAL LOCKS





5831 WA





5831 WC

Function : Entrance / Privacy / Passage

Material : Wood

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35–45mm

Special door thickness : 45–50mm

Suitable for : Wooden doors and steel doors





5832





5835





5836

Material : Wood

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black



5881

Function : Entrance / Privacy / Passage


Material : Zinc alloy

Finish : Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black

Standard door thickness : 35–45mm

Special door thickness : 45–50mm

Suitable for : Wooden doors and steel doors





5882



5883




5885

CYLINDRICAL LOCKS



561


Material: zinc alloy
Suitable door: wooden door(left or right open)
Cylinder: Single cylinder, brass plug, zinc alloy housing
keys: Brass





562


Material: zinc alloy
Suitable door: wooden door(left or right open)
Cylinder: Double cylinder, brass plug, zinc alloy housing
keys: Brass





565


Material: zinc alloy
Suitable door: wooden door
Cylinder: Single cylinder, brass
keys: 3 brass keys
Latch Puller: Brass
Latch: Brass
DeadBolt: Brass





566

Material: zinc alloy
Suitable door: wooden door
Cylinder: Double cylinder, brass
keys: 3 brass keys
Latch Puller: Brass
Latch: Brass
DeadBolt: Brass





5801ET
45° adjustable Entrance Latch



5801BK
45° adjustable Privacy Latch



HS451
45° 4-way Entrance Latch



HS45(6-W)
45° 6-way Entrance Latch



5901ET
90° adjustable Entrance Latch



5901BK
90° adjustable Privacy Latch



HS90(4-W)
90° 4-way Entrance Latch



2800
7/8" Drive Latch



AL6701
Cylindrical Latch (60mm&70mm adjustable)



CL602
Cylindrical Latch (60mm fixed)

Finish: Polished brass / Antique copper / Antique brass / Satin nickel / Satin chrome / Chrome / ORB / Antique nickel / Satin Graphite / Matte Black



CL70
Cylindrical Latch (70mm fixed)



5301
Adjustable Deadbolt Latch




5302
Adjustable Deadbolt Latch




SD011
Four-way Deadbolt Latch

RIM LOCKS & LATCHES


Strike plate




K001




K002




K003



K004



K005



K006



K007



K008



K009



K010

Keyway


KWIKSET

WEISER

YALE

SCHLAGE


Key



M01



M02




M03



M04



M05



M06



M07




M08




M09




M10




M11




M12




M13




M14



M15



M16




M17




M18

STRIKE PLATES & KEYS

Key






JL01-S

2 Ball Bearing Hinge

Material : SUS201/SUS304/SUS316 Stainless Steel

Finish : Satin stainless steel / Polished stainless steel / Satin brass / PVD Antique brass / Antique copper / Satin Graphite / Matte Black




JL01-C

2 Ball Bearing Hinge

Material : SUS201/SUS304/SUS316 Stainless Steel

Finish : Satin stainless steel / Polished stainless steel / Satin brass / PVD Antique brass / Antique copper / Satin Graphite / Matte Black




JL02-S

4 Ball Bearing Hinge

Material : SUS201/SUS304/SUS316 Stainless Steel

Finish : Satin stainless steel / Polished stainless steel / Satin brass / PVD Antique brass / Antique copper / Satin Graphite / Matte Black




JL02-C

4 Ball Bearing Hinge

Material : SUS201/SUS304/SUS316 Stainless Steel

Finish : Satin stainless steel / Polished stainless steel / Satin brass / PVD Antique brass / Antique copper / Satin Graphite / Matte Black




JL03-S

Butt Hinge

Material : SUS201/SUS304/SUS316 Stainless Steel

Finish : Satin stainless steel / Polished stainless steel / Satin brass / PVD Antique brass / Antique copper / Satin Graphite / Matte Black




JL03-S

Butt Hinge

Material : SUS201/SUS304/SUS316 Stainless Steel

Finish : Satin stainless steel / Polished stainless steel / Satin brass / PVD Antique brass / Antique copper / Satin Graphite / Matte Black




JL05-D

Fast Fix Bearing Hinge

Item No.	LxWxT	Qty.of screws
JL01-D-A	90mmx42mmx2.5mm	6
JL01-D-B	100mmx44mmx2.5mm	6

Material : SUS201/SUS304/SUS316 Stainless Steel

Finish : Satin stainless steel / Polished stainless steel / Satin brass / PVD Antique brass / Antique copper / Satin Graphite / Matte Black




JL05-E

Fast Fix Bearing Hinge

Item No.	LxWxT	Qty.of screws
JL01-E-A	90mmx42mmx2.5mm	6
JL01-E-B	100mmx44mmx2.5mm	6
JL01-E-C	100mmx50mmx2.0mm	6
JL01-E-D	100mmx50mmx2.5mm	6

Material : SUS201/SUS304/SUS316 Stainless Steel

Finsn : Satin stainless steel / Polished stainless steel / Satin brass / PVD Antique brass / Antique copper / Satin Graphite / Matte Black




JL05-V

Fast fix bearing hinge

LxWxT
4" X3" X2.5mm
5" X3" X3.0mm

Material : SUS201/SUS304/SUS316 Stainless Steel

Finish : Satin stainless steel / Polished stainless steel / Satin brass / PVD Antique brass / Antique copper / Satin Graphite / Matte Black




JL06

Banner-shaped hinge

Item No.	LxWxT	Qty.of screws
JL06-A	4"x4"x3mm	10
JL06-A	100x42x2.5mm	6

Material : SUS201/SUS304/SUS316 Stainless Steel

Finish : Satin stainless steel / Polished stainless steel / Satin brass / PVD Antique brass / Antique copper / Satin Graphite / Matte Black




JL07

Antitheft hinge

Item No.	LxWxT	Qty.of screws
JL07-S-A	4"x4"x1.0mm	8
JL07-S-B	5"x3"x3.0mm	8

Material : SUS201/SUS304/SUS316 Stainless Steel

Finish : Satin stainless steel / Polished stainless steel / Satin brass / PVD Antique brass / Antique copper / Satin Graphite / Matte Black



JL08

Lift Off Hinge

Item No.	LxWxT	Qty.of screws
JL08-A	80X80X2.5	6
JL08-B	80X80X2.5	6
JL08-C	100X80X3.0	8
JL08-D	100X80X3.0 L	8
JL08-E	100x89x3.7	8
JL08-F	100X88X3	8
JL08-G	120x89x3.1	8
JL08-H	140X80X3.1	8

Loose pin or Fixed pin available

Material : SUS201/SUS304/SUS316 Stainless Steel

Finish : Satin stainless steel / Polished stainless steel / Satin brass / PVD Antique brass / Antique copper / Satin Graphite / Matte Black



MX01

Material : Zinc alloy

Finish : Satin nickel / Antique brass / Polished brass



MX02

Material : Zinc alloy

Finish : Satin nickel / Antique brass / Polished brass



MX03

Material : Zinc alloy

Finish : Satin nickel / Antique brass / Polished brass



MY01

Material : Brass

Finish : Satin nickel / Antique brass / Polished brass



MD01

Material : Zinc alloy


Finish : Satin nickel / Antique brass / Polished brass



MD02

Material : Zinc alloy

Finish : Satin nickel / Antique brass / Polished brass



MD03

Material : Zinc alloy

Finish : Satin nickel / Antique brass / Polished brass



MY02

Material : Brass


Finish : Satin nickel / Antique brass / Polished brass



D1-A-BLK D1-P-BLK D1-T-BLK Back


D5-A-BLK D5-P-BLK D5-T-BLK

Material:	(Front) Zinc alloy, (Back)ABS
Unlock Way:	Password/Key/APP
APP Name:	TUYA APP
Power Supply:	4pcs AA alkaline batteries
Mortise :	Adjustable deadbolt
Color:	Black
Working temperature:	-30-70℃






D8-A-BLK




Material: Aluminium Alloy
Unlock Way: Password/Key/APP/Card/Fingerpint
APP Name: TUYA APP
Power Supply: 4pcs AA alkaline batteries
Mortise: Adjustable deadbolt
Color: Black
Working temperature:-30-70℃
USB Back-UP Power: USB

EXPLODED VIEW



ELECTRONIC LOCKS



SUPPLYING

Entrance	ET
Dummy	DM
Two-open Door	TD

DOOR THICKNESS RANGE

Standard	35-55mm
Customized	55-75mm

MAIN SPECIFICA TIONS

Apply to all kinds of wooden doors and metal doors.
Tubular type.
Adjustable backset 2-3/8(60mm)-2-3/4(70mm)for latch and bolt.
Solid brass for keys,cylinder plug and pins.
Zinc alloy for tongues of latch and bolt,bolt with anti-cut rods.
Easily reversible for left and right handing.

MAIN FUNCTIONS:

1.Password unlocking
2.Mechanical key unlock
3.Indoor knob unlocking
4.Outdoor one- button lock
5.Auto-lock
6.Anti-peep Password
7.Error password alarm function
8.Voice navigation settings
9.Both Chinese and English
10.Auto-lock Setting Available
11.Thumbturn Unlock, System Status Synchronization
12.Key Unlock, System Status Synchronization

Applicable version: Touch version,

13.WeChat temporary password unlocking (Touch version)
14.Wechat small program apartment management unlocking (Touch version)

Applicable version: Bluetooth app version,

15.Doorbell function (APP version)
16.TUYA Bluetooth app (APP version)

DETAILS DESCRIPTION FOR CYLINDER

Solid zinc alloy die-casting for casong Solid brass cylinder (plugs and pins).
F04 Keyway, 5 pins , processed with high precise CNC
(Computer Numeric Control) machines,running smoothly.
Each set with 1 pc key,all keys are made bysolid brass.
Hardened process for tail-piece, stronger and more durable.

SUPPLYING KEYWAY

Standard **F04**

Optional **Yale S**

DETAILS DESCRIPTION FOR DEADBOLT LATCH


High class steel latch case and precise
mechanism,strong,works smoothly.
High class steel for cam,strong and durable.
Solid zinc alloy die-casting for deadbolt latch,
hardened-steel rods inside,anti-cut,strong and high security.
Solid stainless steel or brass for forend(thickness 1.0mm)
and strike plate(thickness 1.0mm,).

MODEL DECOMPOSED DESCRIPTION

D 1 – A – BLK

- Surface Treatment
- Edition (A=tuyaAPP, Touch,P=Physical key)
- Model
- Series







D1-T-C1-BLK




D1-P-C1-BLK



D5-T-C5-BLK



D5-P-C5-BLK



Handle:(Front back)Zinc alloy,
Material:(Front)Zinc alloy,(Back)ABS
Unlock Way:Password / Key / APP
APP Name: TUYA APP

Power Supply: 4pcs AA alkaline batteries
Mortise: Adjustable deadbolt
Color: Black
Working temperature:-30-70°C

MAIN SPECIFICA TIONS

Apply to all kinds of wooden doors amd metal doors
Tubular type.
Adjustable backset 2-3/8(60mm)-2-3/4(70mm) for latch and bolt.
Solid brass for keys,cylinder plug and pins.
Zinc alloy for tonques of latch and bolt, bolt with anti-cut rods.
Easily reversible for left and right handing.

DRIVING RACK FORLATCH

High quality steel turning rack &
geardriving mechanism inside.
enable the latch to work smoothly.

SUPPLYING

Entrance	ET
Dummy	DM
Two-open Door	TD

DOOR THICKNESS RANGE

Standard	35-55mm
Customized	55-75mm

MAIN FUNCTIONS:

1.Password unlocking
2.Mechanical key unlock
3.Indoor knob unlocking
4.Outdoor one button lock
5.Auto-lock
6.Anti-peep Password
7.Error password alarm function
8.Voice navigation settings
9.Both Chinese and English
10.Auto-lock Setting Available
11.Thumbturn,Unlock, System Status Synchronization
12.Key Unlock, System Status Synchronization

Applicable version: Touch version,

13.WeChat temporary password unlocking (Touch version)
14.Wechat small program apartment management unlocking (Touch version)

Applicable version: Bluetooth app version.

15.Doorbell function (APP version)
16.TUYA Bluetooth app (APP version)






60/70mm

MODEL DECOMPOSED DESCRIPTION

D1 – A – C1 – BLK

- BLK: Surface Treatment
- C1: Handle model
- A: Edition(A=tuyuAPP, T=Touch, P=Physical key)
- D1: Smart lock model





Q8-A-BLK



Q8-A-GP





Q8-A-SL



(BLOCK)

PRODUCT CONFIGURATION





MAIN SPECIFICATIONS

Apply to all kinds of wooden doors amd metal doors.
Tubular type.
Ajustable backset 2-3/8"(60mm)-2-3/4"(70mm) for latch and bolt.
Solid brass for keys, cylinder plug and pins.
Zinc alloy for tongues of latch and bolt, bolt with anti-cut rods.
Easily eversible for left and ri ight andin ng


Material: Aluminum profile
Unlock Way: Password / Key / APP
APP Name: TUYA APP
Power Supply: 4pcs AA alkaline batteries
Mortise: Adjustable deadbolt
Working temperature:-30-70℃
USB Back UP Power: USB

SUPPLYING

Entrance	FT
Dummy	DM
Two-open Door	TD

DOOR THICKNESS RANGE

Standard	35-55mm
Customized	55-75mm



MAIN FUNCTIONS:

1.Fingerprint unlocking
2.Password unlocking
3.Card unlocking
4.Mechanical key unlocking
5.Wechat small program apart ment management unlocking
6.Wechat temporary password unlocking
7.TUYA APP control
8.Interior automatic locking

DETAILS DESCRIPTION FOR CYLINDER

Solid zinc alloy die-casting for cylinder housing, Solid brass cylinder(plugs and pins).
Leaf Keyway, 6 Leaf, processed with high precise CNC
(Computer Numeric Contriol)machines, running smoothly.
Each set with 2 pcs keys, all keys are made by solid brass.




SUPPLYING KEYWAY

Leaf-lock Cylinder:
* Anti-drilling
* Anti-unclenching
* Anti-technical unlocking
* Anti-stealing

DETAILS DESCRIPTION FOR DEADBOLT LATCH

High class steel latch case and precise
mechanism, strong, works smoothly.
High class steel for cam, strong and durable.
Solid zinc alloy die-casting for deadbolt latch,
Solid stainless steel or brass for forend(thickness 1.0mm)
and strike plate(thickness 1.0mm,).





Standard



60/70mm

MODEL DECOMPOSED DESCRIPTION

