

October 2025

Hydrogenus Energy modified Internal Combustion Engine

"Zero Carbon Electricity, On Demand at a lower cost"





At Hydrogenus Energy, we are enabling a renewable energy future.



Contents

Introduction	5
A Hydrogen Future	7
Partners	
Hydrogenus Applications	10
Technical Specifications: 150 HYE 100KW Hydrogen Generator	11
Contact	15



About Hydrogenus Energy



Introduction

Hydrogenus Energy Limited (Hydrogenus) is an engineering company at the forefront of combustion-engine innovation. Hydrogenus has developed, patented, and patented the modifications required for an Internal Combustion Engine (ICE) to be safely, effectively and efficiently operated using hydrogen, injected at low pressure, as its only fuel.

Hydrogenus Energy Limited, ACN 163 460 884, is an Australian unlisted public company.

The early years

Hydrogenus was initially known as Bennett Clayton Pty Ltd and was established in 2008 by John Bennett and Marcus Clayton, combining decades of expertise in engine performance, alternative fuels, and advanced engineering.

The company's mission was to pioneer LPG and natural gas conversions for heavy-duty engines and to develop clean energy systems for buildings and agriculture. The company has consistently delivered reliable, efficient, and environmentally responsible solutions.

Their projects span high-efficiency tri-generation systems for commercial buildings, innovative engine refurbishments for transport and industry, and custom conversions that help clients reduce emissions and operational costs. Bennett Clayton's commitment to research, technical excellence, and sustainable energy has earned them industry recognition and a reputation for setting new benchmarks in clean technology across Australia.

Experience in engine and microgrid applications.

The Company achieved nominations for the 2012 CleanTech Award by taking a 10 Storey office block in North Sydney off-grid. The building achieved a NABERS 6 star rating, without using green power, and set a benchmark for the lowest emissions when completed in 2012







A Hydrogen Future

Development of a modified Internal Combustion Engine ("ICE") began in March 2021. Hydrogenus is now able to demonstrate a hydrogen fuelled Electrical Generator that:

- Operates safely and efficiently using Hydrogen as its only fuel
- Emits zero carbon, SOx, NOx and zero particulate matter
- Has been developed to be robust and easy to maintain, using low pressure hydrogen injection
- Has a very high block load capability, staying within 1% of the targeted speed even as the load is changed from 20kW to 90kW
- Output remains at about 50Hz, with no perceptible change in engine speed; and
- Achieves an efficiency of 43% of electrical output compared with the energy of the fuel consumed. This is already better than any combustion engine, and we believe we can improve this further.

The Hydrogenus solution is scalable, portable, and integrates easily with existing infrastructure, meeting the Environmental, Social, and Governance ("ESG") obligations of organisations operating in a net-zero environment.

Hydrogenus patents cover the modifications required to operate an ICE safely, effectively, and efficiently using hydrogen as its only fuel, injected into the combustion chambers at low pressure. As the hydrogen is injected at low pressure into an ICE, it is not necessary for the hydrogen to be of high purity.

Intellectual Property extends beyond the patent to include the code and the firmware of the Engine Control Unit ("ECU"). Hydrogenus used ECU research from MoTeC, a subsidiary of the German Engineering Company Robert Bosch GmbH. This ECU provides for a high level of secure remote communication and engine control.



The Hydrogenus Energy Internal Combustion Engine (HYE-ICE)

As a zero-carbon fuel, hydrogen offers immediate benefits over traditional fossil fuels: the engine oil remains fresher and maintains its viscosity for longer, resulting in lower maintenance requirements and costs.


HYE-ICE attributes include:



Superior fuel efficiency to diesel



Low pressure injection



No carbon particulates



Virtually instantaneous response



No bore glazing



Low maintenance requirements



Partners

Technical Partner

Hydrogenus has a binding Heads of Agreement with DW Controls to provide certification to Australian Standards and the manufacturing expertise required to modify an ICE using Hydrogenus's intellectual property.



D W Controls Pty Ltd, ACN 112 155 727 ("DWC") is a Ballarat-based family business of 50 years' standing that, as part of its business activities, manufactures electrical switchboards. DWC has also connected over 1,000 diesel fuelled generators to the Australian grid to provide grid firming.

Engine Partner

Hydrogenus sources our engines from NPT in China—a recognised leader in internal combustion engines.



Weifang Naipute Gas Genset Co., Ltd, known as NPT, is a globally recognised leader in the production of internal combustion engines, with NPT engines being exported to nearly 40 countries and regions, such as Germany, the United Kingdom, America, Japan, Czech, Spain, Sri Lanka, Italy, Australia and France,. More than 100 projects have been carried out and are in operation.



Hydrogenus Applications

Hydrogenus Energy delivers a practical, actionable solution for organisations that need net-zero carbon energy on demand. Applications include:








Grid Forming

Grid Firming

Micro Grid








Data Centre



Diesel Replacement





Technical Specifications: 150 HYE 100KW Hydrogen Generator

Hydrogenus engines can operate with hydrogen fuel of varying purity.

Model	NYD103D17 (AVL Yuchai Base)
Туре	In Line 4 Stroke Water Cooled, Turbo Charged
	Intercooled, Full Authority ECU Control, 6 Cylinder
Bore & Stroke (mm)	123 x 145
Total Displacement (cc)	10,337
Rated Power (kW)	100
Rated Speed (RPM)	1500
Speed Regulation Mode	Electronic
Starting	24V Electrical
Max Oil Consumption (g/kwh)	0.4

Engine



Technical Specifications 150 HYE 100KW Hydrogen Generator

Brand	Mecc Alte	
Model	ECP34 2M4C 135kVA MD35 SAE 1	
Load kVA	135	
No Phase	¾ wire	
Climate	Tropical	
RPM	1,500	
Number of Poles	4	
AUX	Yes	
AVR (J1939 or Two Wire)	Yes	
Single Bearing	Yes	
50/60Hz	Yes	
Can be converted to single phase	Yes	
Ambient	45	
Altitude	<1,000M ASL	
Insultation	Marine Varnish (EG43)	

Alternator



Technical Specifications 150 HYE 100KW Hydrogen Generator

	Model	150HYE
	Structure	Integral
	Excitation	AVR Brushless
	Rated Power (kW)	100
	Rated Current (A)	165
	Rated Voltage (V)	240/415
	Rated Power Factor	0.8 Lag
Generator	Fuel	100% Hydrogen
	Max Electrical Efficiency	>39%
	Voltage Recovery Time (sec)	<3
	Steady State Voltage Regulation	<+- 1%
	Transient Voltage Regulation	<-15% + 20%
	Steady State Frequency Regulation	<0.5%
	Transient Frequency Regulation	<+-10%
	Frequency Stabilisation Time (sec)	<5
	Line Voltage Distortion	<2.5%
	Overall Dimension (LxWxJ) (mm)	2580 x 1100 x 1800
	Net Weight (dry) (kg)	1980



Contact



Hydrogenus Energy Limited ACN 163 460 884

For further information and a quote, please get in touch with info@hydrogenus-energy.com or visit our website:

www.hydrogenus-energy.com

© Hydrogenus Energy Limited



