

Medication Accountability Form

Record ID

Care Pack 2

Care Pack 3

Patches PPT received in Care Pack 2: [ta_v1_arm_1][ta1rf_numpatch_cp2]

OK, let's talk about your use of patches. Do you have them with you?

(Visual inspection means that the RA was able to see the meds while the participants counted them on video OR was able count them in person)

- ☐ Visual inspection
☐ Self-report
-

Are you relying on self-report because:

- ☐ PPT does not have patches with them
☐ PPT's video is not on
-

To the best of your ability, how many patches are left from the supply that we gave you?

(Scrolling down to the bottom will calculate for you whether the PPT missed days of the patch or used more than 1/day. If amount used/day is < 1, confirm that the PPT missed days. If amount used/day is >1, confirm that PPT used more than was recommended.)

Great, let's start by counting the number of patches you have left.

Enter how many patches PPT has left in Care Pack:

Did PPT start using patches on their Target Quit Date (T/A 2) [ta_v2_tqd_arm_1][vs_ta2_currrdate]?

- ☐ Yes
☐ No
-

When did PPT start using patches?

Explain why PPT started patches on a day other than TQD:

Now, is it reasonable to think that you used all of the ones that are gone?

- ☐ Yes
☐ No

Get a description.

Enter how many were lost/diverted/etc.

Amount of patches used

On average, on days you wore a patch, for how many hours did you wear it?

We normally recommend that people wear the patch for the full 24 hours unless you're having trouble with sleep or intense dreams.

PPT response:

of Days patches were used
(Target quit day or reported date) - V3 Date + 1

Calculates number of patches used per day

Calculates overall % of patches used

Why did PPT use more or less patches/day than recommended?

Lozenges PPT received in Care Pack 2: [ta_v1_arm_1][ta1rf_numloz_cp2]

OK, let's talk about your use of lozenges. Do you have them with you?

(Visual inspection means that the RA was able to see the meds while the participants counted them on video OR was able count them in person)

- ☐ Visual inspection
☐ Self-report

Are you relying on self-report because:

- ☐ PPT does not have lozenges with them
☐ PPT's video is not on

To the best of your ability, how many lozenges are left from the supply that we gave you?

(Scrolling down to the bottom will calculate for you how many lozenges/day the PPT used. Confirm this sounds correct to the PPT, and if not, adjust the number of lozenges left.)

Great, let's start by counting the full boxes and sheets you have left.

Enter how many lozenges PPT has left in Care Pack:

Did PPT start using lozenges on their Target Quit Date (T/A 2) [ta_v2_tqd_arm_1][vs_ta2_currdate]?

- ☐ Yes
☐ No

When did PPT start using lozenges?

Explain why PPT started lozenges on a day other than TQD:

Now, is it reasonable to think that you used all the ones that are gone?

- ☐ Yes
☐ No

Get a description.

Enter how many were lost/diverted/etc.

Amount of lozenges used

of Days lozenges were used
(Target quit day or reported date) - V3 Date + 1

Calculates number of lozenges used per day

We recommend that you use at least 5 per day to help you deal with more intense cravings.

PPT response:

With the combination of the nicotine patch and lozenge, most people don't need quite as many lozenges. You may find that you cut down on them over time.

PPT response:

Calculates overall % of lozenges used

Why did PPT use more or less lozenges/day than recommended?

Care Pack Usage:

Total Amount Used Amount used per day % used
Patches: [maf_patused_qty] [maf_pat_perday] [maf_patused_per]

Lozenges: [maf_lozused_qty] [maf_loz_perday] [maf_lozused_per]