

## Certificate of Analysis

### Aurora A, active

(Recombinant enzyme expressed in Sf21 insect cells.)

Item # 14-511, 14-511-K, 14-511M

Parent Lot # 1623025

The data presented in this document apply to the parent lot shown above and to all pack sizes derived from subsequent vialling runs of this parent lot. An alphabetical suffix after the parent lot number is used to denote each vialling run.

**Product Description:** N-terminal 6His-tagged, recombinant full-length human Aurora-A, expressed by baculovirus in Sf21 insect cells. Purified using Ni<sup>2+</sup>/NTA agarose. Autoactivated by incubating with Mg/ATP and redialysed to remove excess ATP. Purity 94% by SDS-PAGE and Coomassie blue staining. MW = 46.9kDa.

**Specific Activity (Parent lot# 1623025):** 1598U/mg, where one unit of Aurora-A, active activity is defined as 1nmol phosphate incorporated into 200µM Kemptide (LRRASLG) per minute at 30°C with a final ATP concentration of 100µM.

**Formulation:** 0.289mg/ml of enzyme in 50mM Tris/HCl pH7.5, 150mM NaCl, 0.1mM EGTA, 0.03% Brij-35, 270mM sucrose, 1mM benzamidine, 0.2mM PMSF, 0.1% 2-mercaptoethanol. Frozen solution.


**Storage and Stability:** On receipt of material store at -70°C. Unopened reagent is stable for a minimum of 1 year from date of shipment when stored at recommended storage temperature. Avoid repeat freeze/thaw cycles. For maximum recovery of product, centrifuge original vial prior to removing the cap.

**Handling Recommendations:** Rapidly thaw the vial under cold water and immediately place on ice. Aliquot unused material into pre-chilled micro-centrifuge tubes and immediately snap-freeze the vials in liquid nitrogen prior to re-storage at -70°C.


**FOR IN VITRO RESEARCH USE ONLY  
NOT FOR USE IN HUMANS OR ANIMALS**

### Quality Control Testing

**Kinase Assay:** 3.2–8.7ng of this lot of enzyme phosphorylated 200µM Kemptide in the assay described on page two. Assay background was subtracted from the actual counts to yield the results shown below.



**MS Tryptic Fingerprint:** Confirmed product identity as Aurora-A with the translated sequence listed on page three.



## Certificate of Analysis

### Kinase Assay Protocol

#### Stock Solutions:

1. **5 x Reaction Buffer:** 40mM MOPS/NaOH pH7.0, 1mM EDTA.
2. **Kemptide:** Use at a final assay concentration of 200µM. Prepare a 2mM stock. Add 2.5µl of stock per assay point.
3. **Aurora-A, active:** Dilute with 20mM MOPS/NaOH pH7.0, 1mM EDTA, 0.01% Brij-35, 5% glycerol, 0.1% 2-mercaptoethanol, 1mg/ml BSA. Use 3.2–8.7ng per assay point.
4. **[ $\gamma$ -<sup>33</sup>P]ATP:** 2.5 x magnesium acetate/[ $\gamma$ -<sup>33</sup>P]ATP cocktail: 25mM MgAc and 0.25mM ATP to which is added [ $\gamma$ -<sup>33</sup>P]ATP (specific activity approximately 500 - 800cpm/pmol as required.)

#### Assay Procedure (96 well plate format):

1. Add 5µl of 5 x reaction buffer per assay to wells.
2. Add 2.5µl of **kemptide**.
3. Add **2.5µl (3.2–8.7ng) Aurora-A, active**.
4. Add 5µl of dH<sub>2</sub>O.
5. Add 10µl of diluted [ $\gamma$ -<sup>33</sup>P] ATP mixture.
6. Incubate for 10 minutes at 30°C.
7. Stop the reaction by adding 5µl of 3% phosphoric acid.
8. Transfer a 10µl aliquot onto the appropriate area of a **P30 Filtermat**.
9. Wash the filtermat three times for 5 minutes with 75mM phosphoric acid.
10. Wash the filtermat once for 2 minutes with methanol.
11. Transfer the filtermat to a sealable plastic bag and add 4ml of scintillation cocktail.
12. Read in a scintillation counter. Compare cpm of enzyme samples with cpm of control samples that contain all assay components plus 1µl of 30% phosphoric acid.

# Certificate of Analysis

## Aurora-A Sequence Information

<b><u>Protein</u></b>	human Aurora-A
<b><u>Tags</u></b>	N-terminal 6His
<b><u>Native sequence</u></b>	M8 of the recombinant protein is equivalent to M1 of human Aurora-A
<b><u>Accession number</u></b>	GenBank NM_003600. The recombinant protein also contains the conflict I31F with respect to GenBank NM_003600. This substitution is reported in GenBank NM_003158 and BC027464. The residue coordinates in the native sequence are given.

### Recombinant Aurora-A amino acid sequence:

```

1  MHHHHHMDR SKENCISGPV KATAPVGGPK RVLVTQQFPC QNPLPVNSGQ AQRVLCPSNS
61  SQRVPLQAQK LVSSHKPVQN QKQKQLQATS VPHPVSRPLN NTQKSKQPLP SAPENNPEEE
121 LASKQKNEES KKRQWALEDF EIGRPLGK GK FGNVYLAREK QSKFILALKV LFKAQLEKAG
181 VEHQLRREVE IQSHLRHPNI LRLYGYFHDA TRVYLILEYA PLGTVYRELQ KLSKFDEQRT
241 ATYITELANA LSYCHSKRVI HRDIKPENLL LGSAGELKIA DFGWSVHAPS SRRTTLCGTL
301 DYLPPEMIEG RMHDEKVDLW SLGLVCYEFL VGKPPFEANT YQETYKRISR VEFTFPDFVT
361 EGARDLISRL LKHNPSSQRP LREVLEHPWI TANSSKPSNC QNKESASKQS

```

### Recombinant Aurora-A nucleotide sequence:

```

1  atgcatcacc atcaccatca tatggaccga tctaaagaaa actgcatttc aggacctgtt
61  aaggctacag ctccagttgg aggtccaaaa cgtgttctcg tgactcagca atttccttgt
121 cagaatccat tacctgtaaa tagtggccag gctcagcggg tcttgtgtcc ttcaaattct
181 tcccagcgcg ttcctttgca agcacaagaa cttgtctcca gtcacaagcc gggttcagaat
241 cagaagcaga agcaattgca ggcaaccagt gtacatcatc ctgtctccag gccactgaat
301 aacacccaaa agagcaagca gcccctgcca tcggcacctg aaaataatcc tgaggaggaa
361 ctggcatcaa aacagaaaaa tgaagaatca aaaaagaggc agtgggcttt ggaagacttt
421 gaaattggtc gccctctggg taaaggaaag tttggtaatg tttatttggc aagagaaaag
481 caaagcaagt ttattctggc tcttaaaagt ttatttaaag ctcagctgga gaaagccgga
541 gtggagcatc agctcagaag agaagtagaa atacagtccc accttcggca tcctaattat
601 cttagactgt atggttattt ccatgatgct accagagtct acctaattct ggaatatgca
661 ccacttggaa cagtttatag agaacttcag aaactttcaa agtttgatga gcagagaact
721 gctacttata taacagaatt ggcaaatgcc ctgtcttact gtcattcgaa gagagttatt
781 catagagaca ttaagccaga gaacttactt cttggatcag ctggagagct taaaattgca
841 gattttgggt ggtcagtaca tgctccatct tccaggagga ccactctctg tggcaccctg
901 gactacctgc cccctgaaat gattgaaggt cggatgcatg atgagaaggt ggatctctgg
961 agccttggag ttctttgcta tgaattttta gttgggaagc ctccttttga ggcaaacaca
1021 taccaagaga cctacaaaag aatatcacgg gttgaattca cattccctga ctttgaatac
1081 gagggagcca gggacctcat ttcaagactg ttgaagcata atcccagcca gagggcaatg
1141 cttagagaag tacttgaaca cccctggatc acagcaaatt catcaaaacc atcaaattgc
1201 caaaacaaag aatcagctag caaacagtct tag

```

Reviewed and approved by site quality representative.

Unless otherwise stated in our catalogue or other company documentation accompanying the product(s), our products are intended for research use only and are not to be used for any other purpose, which includes but is not limited to, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses or any type of consumption or application to humans or animals.

© 2014 Eurofins Pharma Discovery Services UK Limited is an independent member of Eurofins Discovery Services.