

Certificate of Analysis

Met, active

(Recombinant enzyme expressed in Sf21 insect cells)

Item # 14-526, 14-526-K, 14-526M

Parent Lot # WAB0316

The data presented in this document apply to the parent lot shown above and to all pack sizes derived from subsequent vialling runs of this parent lot. An alphabetical suffix after the parent lot number is used to denote each vialling run.

Product Description: N-terminal 6His-tagged recombinant human Met residues 974–end, expressed by baculovirus in Sf21 insect cells. Purified using Ni²⁺/NTA-agarose. Purity 61% by SDS-PAGE and Coomassie blue staining. MW = 50kDa.

Specific Activity (Parent lot# WAB0316): 2683U/mg, where one unit of Met, active activity is defined as 1nmol phosphate incorporated into 250µM (KKKSPGEYVNIEFG) per minute at 30°C with a final ATP concentration of 100µM.

Formulation: 0.85mg/ml of enzyme in 50mM Tris/HCl pH7.5, 150mM NaCl, 0.1mM EGTA, 0.03% Brij-35, 270mM sucrose, 1mM benzamidine, 0.2mM PMSF, 0.1% 2-mercaptoethanol. Frozen solution.


Storage and Stability: On receipt of material store at -70°C. Unopened reagent is stable for a minimum of 1 year from date of shipment when stored at recommended storage temperature. Avoid repeat freeze/thaw cycles. For maximum recovery of product, centrifuge original vial prior to removing the cap.

Handling Recommendations: Rapidly thaw the vial under cold water and immediately place on ice. Aliquot unused material into pre-chilled micro-centrifuge tubes and immediately snap-freeze the vials in liquid nitrogen prior to re-storage at -70°C.

**FOR IN VITRO RESEARCH USE ONLY
NOT FOR USE IN HUMANS OR ANIMALS**


Quality Control Testing

Kinase Assay: 0.9–2.6ng of this lot of enzyme phosphorylated 250µM in the assay described on page two. Assay background was subtracted from the actual counts to yield the results.



MS Tryptic Fingerprint: Confirmed identity Met with the translated sequence listed on page three.

SDS-PAGE and Coomassie Stain: Purity was assessed by SDS-PAGE and Coomassie blue staining using 3µg of Met, active.



Certificate of Analysis

Kinase Assay Protocol

Stock Solutions:

1. **5 x Reaction Buffer:** 40mM MOPS/NaOH pH7.0, 1mM EDTA.
2. **(KKKSPGEYVNIEFG):** Use at a final assay concentration of 25µM. Prepare a 2.5mM stock and add 2.5µl of stock per assay point.
3. **Met, active:** Dilute with 20mM MOPS/NaOH pH7.0, 1mM EDTA, 0.01% Brij-35, 5% glycerol, 0.1% 2-mercaptoethanol, 1mg/ml BSA. Use 0.9–2.6ng per assay point.
4. **[γ -³³P]ATP:** 2.5 x magnesium acetate/[γ -³³P]ATP cocktail: 25mM MgAc and 0.25mM ATP to which is added [γ -³³P]ATP (specific activity approximately 500 - 800cpm/pmol as required.)

Assay Procedure (96 well plate format):

1. Add 5µl of 5 x reaction buffer per assay to wells.
2. Add 2.5µl of **(KKKSPGEYVNIEFG)**.
3. Add **2.5µl (0.9–2.6ng) Met, active**.
4. Add 5µl of dH₂O.
5. Add 10µl of diluted [γ -³³P]ATP mixture.
6. Incubate for 10 minutes at 30°C.
7. Stop the reaction by adding 5µl of 3% phosphoric acid.
8. Transfer a 10µl aliquot onto the appropriate area of a **P30 Filtermat**.
9. Wash the filtermat three times for 5 minutes with 75mM phosphoric acid.
10. Wash the filtermat once for 2 minutes with methanol.
11. Transfer the filtermat to a sealable plastic bag and add 4ml of scintillation cocktail.
12. Read in a scintillation counter. Compare cpm of enzyme samples with cpm of control samples that contain all assay components plus 1µl of 30% phosphoric acid.

Certificate of Analysis

Met Sequence Information

<u>Protein</u>	Human Met
<u>Tags</u>	N-terminal 6His
<u>Native sequence</u>	K8 of the recombinant protein is equivalent to K974 of human Met
<u>Accession number</u>	GenBank J02958. This construct contains the conflicts A1209G and V1290L with respect to GenBank J02958. Both conflicts are reported in GenBank BU595386, BQ315895 and BQ316491.

Recombinant Met amino acid sequence:

```

1  MHHHHHHKKR  KQIKDLGSEL  VRYDARVHTP  HLDRIVSARS  VSPTTEMVSN  ESVDYRATFP
61  EDQFPNSSQN  GSCRQVQYPL  TDMSPILTS  G  DSDISSPLLQ  NTVHIDLSAL  NPELVQAVQH
121 VVIGPSSLIV  HFNEVIGRGH  FGCYVHGTL  L  DNDGKKIHCA  VKSLNRITDI  GEVSQFLTEG
181 IIMKDFSHPN  VLSLLGICLR  SEGSPVLVLP  YMKHGDLRNF  IRNETHNPTV  KDLIGFGLQV
241 AKGMKYLASK  KFVHRDLAAR  NCMLDEKFTV  K  KVADFGLARD  MYDKEYYSVH  NKTGAKLPVK
301 WMALESQTQ  KFTTKSDVWS  FGVLLWELMT  R  RGAPPYPDVN  TFDITVYLLQ  GRRLLQPEYC
361 PDPLYEVMLK  CWHPKAEMRP  SFSELVSRI  S  AIFSTFIGEH  YVHVNATYVN  VKCVAPYPSL
421 LSEEDNADDE  VDTRPASFE  TS

```

Recombinant Met nucleotide sequence:

```

1  atgcatcacc  atcaccatca  taaaaagcga  aagcaaatta  aagatctggg  cagtgaatta
61  gttcgctacg  atgcaagagt  acacactcct  catttgata  ggcttgtaag  tgcccgaagt
121  gtaagcccaa  ctacagaaat  ggtttcaaat  gaatctgtag  actaccgagc  tacttttcca
181  gaagatcagt  ttcctaattc  atctcagaac  ggttcatgcc  gacaagtgca  gtatcctctg
241  acagacatgt  ccccatcct  aactagtggg  gactctgata  tatccagtcc  attactgcaa
301  aatactgtcc  acattgacct  cagtgtctta  aatccagagc  tgggtccaggc  agtgcagcat
361  gtagtgattg  ggcccagtag  cctgattgtg  catttcaatg  aagtcataag  aagagggcat
421  tttggttggt  tataatcatg  gactttgttg  gacaatgatg  gcaagaaaat  tcaactgtgt
481  gtgaaatcct  tgaacagaat  cactgacata  ggagaagttt  cccaatttct  gaccgaggga
541  atcatcatga  aagattttag  tcatcccaat  gtcctctcgc  tcctgggaat  ctgcttgcca
601  agtgaagggt  ctccgctggt  ggtcctacca  tacatgaaac  atggagatct  tcgaaatttc
661  attcgaatg  agactcataa  tccaactgta  aaagatctta  ttggctttgg  tcttcaagta
721  gccaaaggca  tgaatatct  tgcaagcaaa  aagtttgctc  acagagactt  ggctgcaaga
781  aactgtatgc  tggatgaaaa  attcacagtc  aaggttgctg  attttggtct  tgccagagac
841  atgtatgata  aagaatacta  tagtgtacac  aacaaaacag  gtgcaaagct  gccagtgaag
901  tggatggctt  tggaagctct  gcaaaactca  aagtttacc  ccaagtcaga  tgtgtggtcc
961  tttggcgtgc  tcctctggga  gctgatgaca  agaggagccc  caccttatcc  tgacgtaaac
1021  acctttgata  taactgttta  cttgttgcaa  gggagaagac  tcctacaacc  cgaatactgc
1081  ccagaccct  tataatgaag  aatgctaaaa  tgctggcacc  cttaaagccga  aatgcgcca
1141  tccttttctg  aactggtgtc  ccggatatca  gcgatcttct  ctactttcat  tggggagcac
1201  tatgtccatg  tgaacgctac  ttatgtgaac  gtaaaatgtg  tcgctccgta  tccttctctg
1261  ttgtcatcag  aagataacgc  tgatgatgag  gtggacacac  gaccagcctc  cttctgggag
1321  acatcatag

```

Reviewed and approved by site quality representative.

Unless otherwise stated in our catalogue or other company documentation accompanying the product(s), our products are intended for research use only and are not to be used for any other purpose, which includes but is not limited to, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses or any type of consumption or application to humans or animals.

© 2014 Eurofins Pharma Discovery Services UK Limited is an independent member of Eurofins Discovery Services.