

Certificate of Analysis

Ros, active

(Recombinant enzyme expressed in Sf21 insect cells)

Item # 14-527, 14-527-K, 14-527M

Parent Lot # 1665632

The data presented in this document apply to the parent lot shown above and to all pack sizes derived from subsequent vialling runs of this parent lot. An alphabetical suffix after the parent lot number is used to denote each vialling run.

Product Description: N-terminal 6His-tagged recombinant human Ros residues 1883–end, expressed by baculovirus in Sf21 insect cells. Purified using Ni²⁺/NTA-agarose. Purity 81.6% by SDS-PAGE and Coomassie blue staining. MW = 53.4kDa.

Specific Activity (Parent lot# 1665632): 271U/mg, where one unit of Ros, active activity is defined as 1nmol phosphate incorporated into 250μM (KKKSPGEYVNIEFG) per minute at 30°C with a final ATP concentration of 100μM.

Formulation: 3.638mg/ml of enzyme in 50mM Tris/HCl pH7.5, 150mM NaCl, 0.1mM EGTA, 0.03% Brij-35, 270mM sucrose, 1mM benzamidine, 0.2mM PMSF, 0.1% 2-mercaptoethanol. Frozen solution.


Storage and Stability: On receipt of material store at -70°C. Unopened reagent is stable for a minimum of 1 year from date of shipment when stored at recommended storage temperature. Avoid repeat freeze/thaw cycles. For maximum recovery of product, centrifuge original vial prior to removing the cap.

Handling Recommendations: Rapidly thaw the vial under cold water and immediately place on ice. Aliquot unused material into pre-chilled micro-centrifuge tubes and immediately snap-freeze the vials in liquid nitrogen prior to re-storage at -70°C.


**FOR IN VITRO RESEARCH USE ONLY
NOT FOR USE IN HUMANS OR ANIMALS**

Quality Control Testing

Kinase Assay: 4.8–60.6ng of this lot of enzyme phosphorylated 250μM (KKKSPGEYVNIEFG) in the assay described on page two. Assay background was subtracted from the actual counts to yield the results shown below.



MS Tryptic Fingerprint: Confirmed product identity as Ros with the translated sequence listed on page three.



Certificate of Analysis

Kinase Assay Protocol

Stock Solutions:

1. **5 x Reaction Buffer:** 40mM MOPS/NaOH pH7.0, 1mM EDTA.
2. **Manganese Chloride (MnCl₂):** Use at a final assay concentration of 10mM. Prepare a 200mM stock in dH₂O and add 1.25µl of stock per assay point.
3. **(KKKSPGEYVNIEFG):** Use at a final assay concentration of 250µM. Prepare a 2.5mM stock and add 2.5µl of stock per assay point.
4. **Ros, active:** Dilute with 20mM MOPS/NaOH pH7.0, 1mM EDTA, 0.01% Brij-35, 5% glycerol, 0.1% 2-mercaptoethanol, 1 mg/ml BSA. Use 4.8–60.6ng per assay point.
5. **[γ-³³P]ATP:** 2.5 x magnesium acetate/[γ-³³P]ATP cocktail: 25mM MgAc and 0.25mM ATP to which is added [γ-³³P]ATP (specific activity approximately 500 - 800cpm/pmol as required.)

Assay Procedure (96 well plate format):

1. Add 5µl of 5 x reaction buffer per assay to wells.
2. Add 2.5µl of **(KKKSPGEYVNIEFG)**.
3. Add 1.25µl of MnCl₂.
4. Add **2.5µl (4.8–60.6ng) Ros, active**.
5. Add 3.75µl of dH₂O.
6. Add 10µl of diluted [γ-³³P] ATP mixture.
7. Incubate for 10 minutes at 30°C.
8. Stop the reaction by adding 5µl of 3% phosphoric acid.
9. Transfer a 10µl aliquot onto the appropriate area of a **P30 Filtermat**.
10. Wash the filtermat three times for 5 minutes with 75mM phosphoric acid.
11. Wash the filtermat once for 2 minutes with methanol.
12. Transfer the filtermat to a sealable plastic bag and add 4ml of scintillation cocktail.
13. Read in a scintillation counter. Compare cpm of enzyme samples with cpm of control samples that contain all assay components plus 1µl of 30% phosphoric acid.

Certificate of Analysis

Ros Sequence Information

<u>Protein</u>	human Ros
<u>Tags</u>	N-terminal 6His
<u>Native sequence</u>	H9 of the recombinant protein is equivalent to H1883 of human Ros
<u>Accession number</u>	GenBank M34353. The recombinant protein contains the conflict V2262A with respect to GenBank M34353. This is reported in GenBank NM_002944 and Z98880.

Recombinant Ros amino acid sequence:

```

1  MHHHHHHRHR RLKNQKSAKE GVTVLINEDK ELAELRGLAA GVGLANACYA IHTLPTQEEI
61  ENLPAPPREK LTLRLLLGSG AFGEVYEGTA VDILGVGSGE IKVAVKTLKK GSTDQEKIEF
121 LKEAHLMSKF NHPNLIKQLG VCLLNEPQYI ILEMEGGDL LTYLRKARMA TFYGPLLTLV
181 DLVDLCVDIS KGCVYLERMH FIHRDLAARN CLVSVKDYTS PRIVKIGDFG LARDIYKNDY
241 YRKRGEGLLP VRWMAPESLM DGIFTTQSDV WSFGILIWEI LTLGHQPYPY HSNLDVLNYV
301 QTGGRLEPPR NCPDDLWNLM TQCWAQEPDQ RPTFHRIQNN LQLFRNFFLN SIYQCRDEAN
361 NSGVINESFE GEDGDVICLN SDDIMPVALM ETKNREGLNY MVLATECGQG EEKSEGPLGS
421 QESESCGLRK EEKEPHADKD FCQEKQVAYC PSGKPEGLNY ACLTHSGYGD GSD

```

Recombinant Ros nucleotide sequence:

```

1  atgcatcacc atcaccatca taggcataga agattaaaga atcaaaaaag tgccaaggaa
61  ggggtgacag tgcttataaa cgaagacaaa gagttggctg agctgagagg tctggcagcc
121 ggagtaggcc tggctaatagc ctgctatgca atacatactc ttccaacca agaggagatt
181 gaaaaatcttc ctgcttccc tcgggaaaaa ctgactctgc gtctcttgct ggggaagtga
241 gcctttggag aagtgtatga aggaacagca gtggacatct taggagttgg aagtggagaa
301 atcaaaagtag cagtgaagac tttgaagaag ggttccacag accaggagaa gattgaattc
361 ctgaaggagg cacatctgat gagcaaatat aatcatccca acattctgaa gcagcttgga
421 gtttgtctgc tgaatgaacc ccaatacatt atcctggaac tgatggaggg aggagacctt
481 ctacttatt tgcgtaaagc ccgtagggca acgttttatg gtcctttact caccttggtt
541 gaccttgtag acctgtgtgt agatatttca aaaggctgtg tctacttgga acggatgcat
601 ttcatcaca gggatctggc agctcgaat tgccttggtt ccgtgaaaga ctataaccagt
661 ccacggatag tgaagattgg agactttgga ctgccagag acatctataa aaatgattac
721 tatagaaaga gaggggaagg cctgctccca gttcggtgga tggctccaga aagtttgatg
781 gatggaatct tcactactca atctgatgta tggcttttg gaattctgat ttgggagatt
841 ttaactcttg gtcacagcc ttatccagct cattccaacc ttgatgtgtt aaactatgtg
901 caaacaggag gggactgga gccaccaaga aattgtcctg atgatctgtg gaatttaag
961 acccagtgct gggctcaaga acccgaccaa agacctactt tcatagaat tcagaaccaa
1021 cttcagttat tcagaaattt tttcttaaat agcatttatc agtgcagaga tgaagcaaac
1081 aacagtggag tcataaatga aagctttgaa ggtgaagatg gcgatgtgat ttgtttgaat
1141 tcagatgaca ttatgccagt tgctttaatg gaaacgaaga accgagaagg gttaactat
1201 atggtacttg ctacagaatg tggccaaggt gaagaaaagt ctgagggtcc tctaggctcc
1261 caggaatctg aatcttggg tctgaggaaa gaagagaagg aaccacatgc agacaaagt
1321 ttctgccaa gaaaaaagt ggcttactgc cttctggca agcctgaagg cctgaactat
1381 gcctgtctca ctacagtg atatggagat gggcttgatt aa

```

Reviewed and approved by site quality representative.

Unless otherwise stated in our catalogue or other company documentation accompanying the product(s), our products are intended for research use only and are not to be used for any other purpose, which includes but is not limited to, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses or any type of consumption or application to humans or animals.