

Certificate of Analysis

B-Raf (V599E), active

Also designated B-Raf (V600E)

(Recombinant enzyme expressed in Sf21 insect cells)

Item # 14-557, 14-557-K, 14-557M

Parent Lot # 28439U

The data presented in this document apply to the parent lot shown above and to all pack sizes derived from subsequent vialling runs of this parent lot. An alphabetical suffix after the parent lot number is used to denote each vialling run.

Product Description: N-terminal GST-tagged recombinant human B-Raf residues 416–end, containing a V599E mutation. Expressed by baculovirus in Sf21 insect cells. Purified using glutathione agarose. Purity 44% by SDS-PAGE and Coomassie blue staining. MW = 67.3kDa.

Specific Activity (Parent lot# 28439U): 167914U/mg, where one unit of B-Raf, active = 1 unit of MAPK2(m) activity which in turn is equivalent to 1nmol phosphate incorporated into 0.33mg/ml myelin basic protein per minute at 30°C with a final ATP concentration of 100µM. Note the activity is determined by a triple linked assay which involves the activation of MEK1(h) by B-Raf, followed by the subsequent activation of MAPK2(m) by the activated MEK1(h).

Formulation: 0.823mg/ml of enzyme in 50mM Tris/HCl pH7.5, 150mM NaCl, 0.1mM EGTA, 0.03% Brij-35, 270mM sucrose, 1mM benzamidine, 0.2mM PMSF, 0.1% 2-mercaptoethanol. Frozen solution.


Storage and Stability: On receipt of material store at -70°C. Unopened reagent is stable for a minimum of 1 year from date of shipment when stored at recommended storage temperature. Avoid repeat freeze/thaw cycles. For maximum recovery of product, centrifuge original vial prior to removing the cap.

Handling Recommendations: Rapidly thaw the vial under cold water and immediately place on ice. Aliquot unused material into pre-chilled micro-centrifuge tubes and immediately snap-freeze the vials in liquid nitrogen prior to re-storage at -70°C.


**FOR IN VITRO RESEARCH USE ONLY
NOT FOR USE IN HUMANS OR ANIMALS**

Quality Control Testing

Kinase Assay: 51-411pg of this lot of enzyme was used to activate 0.2µM MEK1(h) in the assay described on page two. Assay background was subtracted from the actual counts to yield the results.



MS Tryptic Fingerprint: Confirmed product identity as B-Raf with the translated sequence listed on page three.



Certificate of Analysis

Kinase Assay Protocol

Stock Solutions:

1. **10 x Reaction Buffer:** 500mM Tris/HCl pH7.5, 1mM EGTA, 1mM Na₃VO₄, 1% 2-mercaptoethanol, 0.1% Brij-35.
2. **MEK1(h), unactive:** Use at a final assay concentration of 0.2μM (0.0126mg/ml). Prepare a 0.126mg/ml stock and add 2.5μl stock per assay point.
3. **MAPK2(m), unactive:** Use at a final assay concentration of 2μM (0.14mg/ml). Prepare a 0.7mg/ml stock and add 5μl of stock per assay point.
4. **Myelin Basic Protein (MBP):** Use at a final assay concentration of 0.33mg/ml. Prepare a 3.33mg/ml stock and add 2.5μl stock per assay point.
5. **B-Raf, active:** Dilute with 25mM Tris/HCl pH7.5, 0.1mM EGTA, 1mg/ml BSA. Use 51-411pg per assay point.
6. **[γ-³³P]ATP:** 2.5 x magnesium acetate/[γ-³³P]ATP cocktail: 25mM MgAc and 0.25mM ATP to which is added [γ-³³P]ATP (specific activity approximately 500 - 800cpm/pmol as required.)

Assay Procedure (96 well plate format):

1. Add 2.5μl of 10 x reaction buffer to wells.
2. Add 2.5μl of **MEK1(h), unactive**.
3. Add 2.5μl of **MAPK2 (m), unactive**.
4. Add 2.5μl of **MBP**.
5. Add **5μl (51–411pg) B-Raf, active**.
6. Add 10μl of diluted [γ-³³P] ATP mixture.
7. Incubate for 10 minutes at 30°C.
8. Stop the reaction by adding 5μl 3% phosphoric acid to each well.
9. Using a multichannel pipette, spot 10μl onto the appropriate area of a **P30 Filtermat**.
10. Wash the filtermat twice for 5 minutes with 75mM phosphoric acid.
11. Wash the filtermat once for 2 minutes with methanol.
12. Once dry, transfer the filtermat to a sealable plastic bag and add 4ml of scintillation cocktail.
13. Read in a scintillation counter. Compare cpm of enzyme samples with cpm of control samples that contain all assay components plus 1μl of 30% phosphoric acid.

Certificate of Analysis

B-Raf (V599E) Sequence Information

Protein	Human B-Raf (V599E)
Tags	N-Terminal GST
Native sequence	Q237 of the recombinant protein is equivalent to Q416 of human B-Raf
Accession number	GenBank NM_004333. The V599E mutation is thought to mimic phosphorylation of the native enzyme, resulting in a protein with high activity and leading to constitutive ERK activation. As B-Raf is commonly activated by somatic point mutation in human cancer, it may provide a new therapeutic approach to malignant melanoma. (Davies H., <i>et al.</i> , <i>Nature</i> , 2002. 417 : 949-54, and Mercer KE., & Pritchard CA., <i>Biochim Biophys Acta</i> . 2003. 1653 : 25-40)

Recombinant B-RAF (V599E) amino acid sequence:

```

1  MSPILGYWKI KGLVQPTRL L LEYLEEKYEE HLYERDEGDK WRNKKFELGL EFPNLPYYID
61  GDVKLTQSM A IIRYIADKH N MLGGCPKERA EISMLEGAVL DIRYGVSRIA YSKDFETLKV
121 DFLSKLPEML KMFEDRLCHK TYLNGDHVTH PDFMLYDALD VVLYMDPMCL DAFPKLVCFK
181 KRIEAI PQID KYLKSSKYIA WPLQGWQATF GGGDHPPKSD LEVLFQGP EF KGLRRQ QKSP
241 GPQREKSSS SSEDNRN MKT LGRRDSSDDW EIPDGQITVG QRIGSGSF GT VYKGKWHG DV
301 AVKMLNVTAP TPQQQLQAFKN EVGVL RKRTH VNILLFMGYS TKPQLAIVTQ WCEGSSLYHH
361 LHIIETKFEM IKLIDIARQT AQGMDYLHAK SIIHRDLKSN NIFLHEDLTV KIGDFGLATE
421 KSRWSGSHQF EQLSGSILWM APEVIRMQDK NPYSFQSDVY AFGIVLYELM TGQLPYSNIN
481 NRDQIIIFMVG RGYLSPDLSK VRSNCPKAMK RLMAECLKKK RDERPLFPQI LASIELLARS
541 LPKIHR SASE PSLNRAGFQT EDFSLYACAS PKTPIQAGGY GAFPVH

```

Recombinant B-RAF (V599E) nucleotide sequence:

```

1  atgtccccta tactaggtta ttggaaaatt aagggccttg tgcaaccac tgcacttctt
61  ttggaatatc ttgaagaaaa atatgaagag catttgatat agcgcgatga aggtgataaa
121 tggcgaaaca aaaagtttga attgggtttg gagtttccca atcttcctta ttatatgtat
181 ggtgatgta aattaacaca gtctatggcc atcatacgtt atatagctga caagcacaac
241 atgttgggtg gttgtccaaa agagcgtgca gagatttcaa tgcttgaagg agcggttttg
301 gatattagat acggtgtttc gagaattgca tatagtaaaag actttgaaac tctcaaagtt
361 gattttctta gcaagctacc tgaaatgctg aaaatgttcg aagatcgttt atgtcataaa
421 acatatatta atggtgatca tgtaacccat cctgacttca tgttgatatga cgctcttgat
481 gttgttttat acatggaccc aatgtgcctg gatgcgttcc caaaattagt ttgttttaaa
541 aaacgtattg aagctatccc acaaattgat aagtacttga aatccagcaa gtatatagca
601 tggcctttgc agggctggca agccacgttt ggtggtggcg accatcctcc aaaatcggat
661 ctggaagtgc tgttccaggg gcccgaaattc aaaggcctac gtcgacaaca gaaatctcca
721 ggacctcagc gtgaaaggaa gtcattctca tcctcagaag acaggaatcg aatgaaaaca
781 cttggtagac gggactcgag tgatgattgg gagattcctg atgggcagat tacagtggga
841 caaagaattg gatctggatc attttgaaca gtctacaagg gaaagtggca tgggtgatgtg
901 gcagtgaaaa tgttgaaatg gacagcacct acacctcagc agttacaagc cttcaaaaat
961 gaagtaggag tactcaggaa aacacgacat gtgaatatcc tactcttcat gggctattcc
1021 acaaagccac aactggctat tgttaccagc tgggtgtgagg gctccagctt gtatcaccat
1081 ctccatatca ttgagaccaa atttgagatg atcaaactta tagatatgtc acgacagact
1141 gcacagggca tggattactt acacgccaa g tcaatcatcc acagagacct caagagtaat
1201 aatatatttc ttcattgaaga cctcacagta aaaatagggtg attttgggtct agctacagag
1261 aaatctcgat ggagtgggtc ccatcagttt gaacagttgt ctggatccat tttgtggatg
1321 gcaccagaag tcatcagaat gcaagataaa aatccataca gctttcagtc agatgtatat
1381 gcatttggaa ttgttctgta tgaattgatg actggacagt taccttattc aaacatcaac
1441 aacagggacc agataatttt tatggtggga cgaggatacc tgtctccaga tctcagtaag
1501 gtacggagta actgtccaaa agccatgaag agattaatgg cagagtgcct caaaaagaaa

```

Certificate of Analysis

```
1561 agagatgaga gaccactctt tccccaaatt ctgcctcta ttgagctgct ggcccgc tca
1621 ttgccaaaaa ttcaccgcag tgcacagaa ccctccttga atcgggctgg ttccaaaca
1681 gaggatttta gtctatatgc ttgtgcttct caaaaaacac ccattccaggc agggggatat
1741 ggtgcgtttc ctgtccactg a
```

Reviewed and approved by site quality representative.

Unless otherwise stated in our catalogue or other company documentation accompanying the product(s), our products are intended for research use only and are not to be used for any other purpose, which includes but is not limited to, unauthorized commercial uses, in vitro diagnostic uses, ex vivo or in vivo therapeutic uses or any type of consumption or application to humans or animals.

© 2014 **Eurofins Pharma Discovery Services UK Limited** is an independent member of Eurofins Discovery Services.